

## Essex Westford School District



### SPC SUMMARY

This fleet service report is a service SPC offers in order to stay ahead of problem or aging units under contract. It is designed to highlight areas of concern as well as determine how well your vendor is managing your fleet. Because of COVID-19, your volumes dropped by 23%, which likely has an effect on the number of service calls on your equipment for FY20.

Out of 301 units under contract with National, there were 87 service calls on 50 copiers and printers during the fiscal year of July 1, 2019 to June 30, 2020. Only two service calls were made between the end of April and the end of June, likely due to schools closing because of the pandemic. Uptime for your fleet was 99.97%, which is excellent for the size of your fleet. SPC's bid specs require vendor to arrive within an average of four hours for service calls. However, each vendor calculates these figures differently. National notes their average response time from call to arrival as 1.75 hours, which is also excellent.

The average model age of your equipment is just under 6 years from date of intro, with 19 units more than 7 years from intro and 2 over 16 years from date of intro. As models get more than 7 years out from date of introduction parts become harder to locate and repair times may be longer. As a comparison, only 2 service calls were made between the report discussed at the end of April to the end of June.

Two units have 5 or more service calls for a variety of issues. An equipment complaint is out for the unit with 14 service calls at Summit Street Elementary and is being addressed with the vendor. Details on the two calls can be found on the page Equipment Excessive Calls and the vendor service reports.

9/15/20 Update: Six service calls were made between 7/1/2020 and 9/8/2020 on 6 machines. 2 calls were for jamming, 2 for poor quality, and 2 for unknown problems. One of the calls was on the machine with the current equipment complaint, for jamming.

Essex Westford School District

Equipment with 5 or more calls for the reporting period July 1, 2019 to June 30, 2020

| Current Equipment Details | Location    | Serial Number | # Service Calls | Avg Copies between all Service Calls (incl PM) | Avg Response Time | Uptime% | Actual Monthly Volume Black | Actual Monthly Volume Color | Model Type            | Reasons for service calls                                           |
|---------------------------|-------------|---------------|-----------------|------------------------------------------------|-------------------|---------|-----------------------------|-----------------------------|-----------------------|---------------------------------------------------------------------|
| V0004 - Kyocera 6052ci    | Main Office | W2D7501479    | 14              | 28,117                                         | 3.03              | 99.97%  | 12,345                      | 5,091                       | Color Photocopier     | 3 jam; 1 quality, 4 courtesy call, 5 phone service, 1 toner-related |
| V0157 - Kyocera FS-2100dn | Room C236   | LQA4611085    | 5               | 3,160                                          | 3.54              | 99.89%  | 1,367                       | 0                           | Black Network Printer | 3 noise, 1 quality, 1 unknown problem                               |

**Essex Westford School District**

| Current Equipment Details                  | Location                     | Serial Number | # Service Calls | Avg Copies between all Service Calls (incl PM) | Avg Response Time | Uptime% | Projected Monthly Volume Black | Projected Monthly Volume Color | Actual Monthly Volume Black | Actual Monthly Volume Color | Model Intro Date | Model Age (years) | Model Type            |
|--------------------------------------------|------------------------------|---------------|-----------------|------------------------------------------------|-------------------|---------|--------------------------------|--------------------------------|-----------------------------|-----------------------------|------------------|-------------------|-----------------------|
| <b>ACE</b>                                 |                              |               |                 |                                                |                   |         |                                |                                |                             |                             |                  |                   |                       |
| V0230 - Kyocera P6026cdn                   | Room P204                    | LW74701906    | 0               | 0                                              | 0.00              | 100.00% | 38                             | 88                             | 14                          | 60                          | 2/1/2014         | 6.58              | Color Network Printer |
| V0260 - Kyocera 4002i                      | Room P204                    | W377505080    | 0               | 0                                              | 0.00              | 100.00% | 3,518                          | 0                              | 2,076                       | 0                           | 8/1/2016         | 4.08              | Black Photocopier     |
| V0229 - Kyocera FS-2100dn                  | Room P207                    | LQA4611082    | 0               | 0                                              | 0.00              | 100.00% | 71                             | 0                              | 151                         | 0                           | 10/1/2012        | 7.92              | Black Network Printer |
| <b>Albert D Lawton Intermediate School</b> |                              |               |                 |                                                |                   |         |                                |                                |                             |                             |                  |                   |                       |
| V0045 - Kyocera P3045dn                    | Library General Populace     | VM37503962    | 0               | 0                                              | 0.00              | 100.00% | 16                             | 0                              | 10                          | 0                           | 4/1/2017         | 3.42              | Black Network Printer |
| V0293 - Kyocera P2135dn                    | Room A08 Main Office         | LVK4410339    | 0               | 0                                              | 0.00              | 100.00% | 163                            | 0                              | 86                          | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0294 - Kyocera P2135dn                    | Room A18 Guidance            | LVK4410338    | 0               | 0                                              | 0.00              | 100.00% | 900                            | 0                              | 782                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0295 - Kyocera P2135dn                    | Room A36                     | LVK4410455    | 0               | 0                                              | 0.00              | 100.00% | 186                            | 0                              | 165                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0297 - Kyocera P2135dn                    | Room A46                     | LVK4410199    | 0               | 0                                              | 0.00              | 100.00% | 72                             | 0                              | 48                          | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0299 - Kyocera P6026cdn                   | Room A49 IT Office           | LW74701884    | 0               | 0                                              | 0.00              | 100.00% | 196                            | 651                            | 162                         | 195                         | 2/1/2014         | 6.58              | Color Network Printer |
| V0298 - Kyocera M2035 mfp                  | Room A49 IT Office           | LVV4401742    | 0               | 0                                              | 0.00              | 100.00% | 332                            | 0                              | 242                         | 0                           | 3/1/2014         | 6.5               | Black Laser MFP       |
| - Kyocera P2135dn                          | Room A49 IT Office           | LVK4411549    | 0               | 0                                              | 0.00              | 100.00% | 288                            | 0                              | 99                          | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0296 - Kyocera P6026cdn                   | Room A52                     | LW74701907    | 1               | 2,034                                          | 3.82              | 100.00% | 205                            | 258                            | 143                         | 170                         | 2/1/2014         | 6.58              | Color Network Printer |
| V0287 - Kyocera P2135dn                    | Room B03                     | LVK4410344    | 0               | 0                                              | 0.00              | 100.00% | 243                            | 0                              | 259                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0086 - Kyocera P3045dn                    | Room B14                     | VM37503871    | 0               | 0                                              | 0.00              | 100.00% | 1,758                          | 0                              | 1,163                       | 0                           | 4/1/2017         | 3.42              | Black Network Printer |
| V0081 - Kyocera P3045dn                    | Room B18                     | VM37503881    | 0               | 0                                              | 0.00              | 100.00% | 1,601                          | 0                              | 1,072                       | 0                           | 4/1/2017         | 3.42              | Black Network Printer |
| V0027 - Kyocera P3045dn                    | Room B22                     | VM37503938    | 0               | 0                                              | 0.00              | 100.00% | 207                            | 0                              | 124                         | 0                           | 4/1/2017         | 3.42              | Black Network Printer |
| V0288 - Kyocera P2135dn                    | Room B23                     | LVK4410302    | 1               | 3,718                                          | 3.35              | 99.91%  | 561                            | 0                              | 312                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0118 - Kyocera P2135dn                    | Room B24                     | LVK4410508    | 1               | 0                                              | 3.77              | 100.00% | 217                            | 0                              | 161                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0292 - Kyocera P2135dn                    | Room B25                     | LVK4410304    | 3               | 3,170                                          | 2.31              | 99.81%  | 1,055                          | 0                              | 442                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0231 - Kyocera P3045dn                    | Room C02                     | VM37503981    | 0               | 0                                              | 0.00              | 100.00% | 956                            | 0                              | 630                         | 0                           | 4/1/2017         | 3.42              | Black Network Printer |
| V0289 - Kyocera P2135dn                    | Room C06                     | LVK4410343    | 0               | 0                                              | 0.00              | 100.00% | 517                            | 0                              | 390                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0036 - Kyocera P3045dn                    | Room C09                     | VM37503921    | 0               | 0                                              | 0.00              | 100.00% | 256                            | 0                              | 276                         | 0                           | 4/1/2017         | 3.42              | Black Network Printer |
| V0290 - Kyocera P2135dn                    | Room C10                     | LVK4411560    | 0               | 0                                              | 0.00              | 100.00% | 360                            | 0                              | 246                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0433 - Kyocera P2135dn                    | Room C109 - STORAGE          | LVK4410359    | 1               | 10,592                                         | 0.95              | 99.97%  | 512                            | 0                              | 17                          | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0038 - Kyocera P3045dn                    | Room C16                     | VM37503956    | 0               | 0                                              | 0.00              | 100.00% | 141                            | 0                              | 68                          | 0                           | 4/1/2017         | 3.42              | Black Network Printer |
| V0291 - Kyocera P2135dn                    | Room C226                    | LVK4411540    | 0               | 0                                              | 0.00              | 100.00% | 718                            | 0                              | 232                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0096 - Kyocera P3045dn                    | Room C23                     | VM37503862    | 0               | 0                                              | 0.00              | 100.00% | 234                            | 0                              | 200                         | 0                           | 4/1/2017         | 3.42              | Black Network Printer |
| V0091 - Kyocera P3045dn                    | Room C26                     | VM37503874    | 0               | 0                                              | 0.00              | 100.00% | 582                            | 0                              | 417                         | 0                           | 4/1/2017         | 3.42              | Black Network Printer |
| <b>Center for Technology</b>               |                              |               |                 |                                                |                   |         |                                |                                |                             |                             |                  |                   |                       |
| V0449 - Kyocera P6026cdn                   | Building Trades - REMOVED    | LW74701873    | 2               | 3,975                                          | 2.68              | 93.39%  | 356                            | 230                            | 121                         | 188                         | 2/1/2014         | 6.58              | Color Network Printer |
| V0272 - Kyocera P6026cdn                   | Room C121                    | LW74701882    | 0               | 0                                              | 0.00              | 100.00% | 260                            | 159                            | 95                          | 125                         | 2/1/2014         | 6.58              | Color Network Printer |
| V0175 - Kyocera P2135dn                    | Room C122A                   | LVK4410321    | 0               | 0                                              | 0.00              | 100.00% | 239                            | 0                              | 166                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0439 - Kyocera P2135dn                    | Room C133                    | LVK4410329    | 0               | 0                                              | 0.00              | 100.00% | 0                              | 0                              | 1                           | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0517 - Kyocera P6230cdn                   | Room C134                    | RCB8600667    | 0               | 0                                              | 0.00              | 100.00% | 297                            | 299                            | 149                         | 212                         | 6/1/2018         | 2.25              | Color Network Printer |
| V0436 - Kyocera P2135dn                    | Room D102                    | LVK4410453    | 1               | 0                                              | 3.97              | 100.00% | 213                            | 0                              | 114                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0269 - Kyocera P2135dn                    | Room D104                    | LVK4410516    | 0               | 0                                              | 0.00              | 100.00% | 657                            | 0                              | 467                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0110 - Kyocera P3045dn                    | Room D105A                   | VM37503898    | 0               | 0                                              | 0.00              | 100.00% | 114                            | 0                              | 136                         | 0                           | 4/1/2017         | 3.42              | Black Network Printer |
| V0516 - Kyocera P6230cdn                   | Room E100                    | RCB8600565    | 1               | 26,577                                         | 1.28              | 99.97%  | 1,101                          | 379                            | 1,195                       | 654                         | 6/1/2018         | 2.25              | Color Network Printer |
| V0267 - Kyocera P2135dn                    | Room E106                    | LVK4410392    | 0               | 0                                              | 0.00              | 100.00% | 273                            | 0                              | 199                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0268 - Kyocera P2135dn                    | Room E107                    | LVK4411553    | 0               | 0                                              | 0.00              | 100.00% | 412                            | 0                              | 65                          | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0266 - Kyocera P2135dn                    | Room E108                    | LVK4410325    | 0               | 0                                              | 0.00              | 100.00% | 210                            | 0                              | 184                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0430 - Kyocera P2135dn                    | Room E108B                   | LVK4410294    | 0               | 0                                              | 0.00              | 100.00% | 14                             | 0                              | 2                           | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0265 - Kyocera P2135dn                    | Room E109                    | LVK4411556    | 0               | 0                                              | 0.00              | 100.00% | 472                            | 0                              | 347                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0264 - Kyocera P2135dn                    | Room E110                    | LVK4410305    | 0               | 0                                              | 0.00              | 100.00% | 60                             | 0                              | 26                          | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0276 - Kyocera FS-2100dn                  | Room M109A                   | LQA4611042    | 0               | 0                                              | 0.00              | 100.00% | 667                            | 0                              | 580                         | 0                           | 10/1/2012        | 7.92              | Black Network Printer |
| V0275 - Kyocera P2135dn                    | Room M112                    | LVK4409814    | 0               | 0                                              | 0.00              | 100.00% | 83                             | 0                              | 72                          | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0087 - Kyocera P3045dn                    | Room M113                    | VM37503876    | 0               | 0                                              | 0.00              | 100.00% | 253                            | 0                              | 335                         | 0                           | 4/1/2017         | 3.42              | Black Network Printer |
| V0441 - Kyocera P2135dn                    | Room M116                    | LVK4410452    | 1               | 10,776                                         | 3.72              | 99.91%  | 443                            | 0                              | 970                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0274 - Kyocera P2135dn                    | Room M117                    | LVK4411558    | 1               | 0                                              | 2.28              | 99.96%  | 190                            | 0                              | 144                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0440 - Kyocera FS-2100dn                  | Room M118                    | LQA4611056    | 0               | 0                                              | 0.00              | 100.00% | 306                            | 0                              | 461                         | 0                           | 10/1/2012        | 7.92              | Black Network Printer |
| V0273 - Kyocera P2135dn                    | Room M119                    | LVK4411554    | 0               | 0                                              | 0.00              | 100.00% | 45                             | 0                              | 88                          | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0316 - Kyocera M2540dw                    | Room R113                    | VCJ7304264    | 0               | 0                                              | 0.00              | 100.00% | 10                             | 0                              | 493                         | 0                           | 11/1/2016        | 3.83              | Black Laser MFP       |
| V0134 - Kyocera P2135dn                    | Room R120                    | LVK4410336    | 0               | 0                                              | 0.00              | 100.00% | 109                            | 0                              | 106                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0282 - Kyocera P2135dn                    | Room R128                    | LVK4410331    | 0               | 0                                              | 0.00              | 100.00% | 4                              | 0                              | 0                           | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0131 - Kyocera P2135dn                    | Room R209                    | LVK4411550    | 0               | 0                                              | 0.00              | 100.00% | 415                            | 0                              | 295                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0130 - Kyocera P2135dn                    | Room R215A                   | LVK4410350    | 0               | 0                                              | 0.00              | 100.00% | 186                            | 0                              | 129                         | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0132 - Kyocera P2135dn                    | Room R2157                   | LVK4410347    | 0               | 0                                              | 0.00              | 100.00% | 29                             | 0                              | 9                           | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| <b>Essex Elementary School</b>             |                              |               |                 |                                                |                   |         |                                |                                |                             |                             |                  |                   |                       |
| V0028 - Kyocera P3045dn                    | Pod A                        | VM37503922    | 0               | 0                                              | 0.00              | 100.00% | 839                            | 0                              | 879                         | 0                           | 4/1/2017         | 3.42              | Black Network Printer |
| V0058 - Kyocera P3045dn                    | Pod B                        | VM37503905    | 0               | 0                                              | 0.00              | 100.00% | 511                            | 0                              | 685                         | 0                           | 4/1/2017         | 3.42              | Black Network Printer |
| V0159 - Kyocera P2135dn                    | Room 1 Nurse                 | LVK4410352    | 0               | 0                                              | 0.00              | 100.00% | 88                             | 0                              | 73                          | 0                           | 3/1/2014         | 6.5               | Black Network Printer |
| V0261 - Kyocera P6130cdn                   | Room 32 LC Color             | V5Q7605175    | 1               | 4,157                                          | 3.85              | 99.91%  | 340                            | 170                            | 240                         | 81                          | 6/1/2015         | 5.25              | Color Network Printer |
| V0033 - Kyocera P3045dn                    | Room 46 Wing C Supply Closet | VM37503937    | 0               | 0                                              | 0.00              | 100.00% | 707                            | 0                              | 363                         | 0                           | 4/1/2017         | 3.42              | Black Network Printer |
| V0104 - Kyocera P6130cdn                   | Room 59 EEE Color            | V5Q7605195    | 0               | 0                                              | 0.00              | 100.00% | 645                            | 430                            | 441                         | 388                         | 6/1/2015         | 5.25              | Color Network Printer |

**Essex Westford School District**

|                                 |                        |            |   |        |      |         |       |        |       |       |           |      |                       |
|---------------------------------|------------------------|------------|---|--------|------|---------|-------|--------|-------|-------|-----------|------|-----------------------|
| V0023 - Kyocera P3045dn         | Room 63 Pod D          | VM37503927 | 0 | 0      | 0.00 | 100.00% | 735   | 0      | 762   | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0102 - Kyocera P6130cdn        | Room 7                 | V5Q7605197 | 0 | 0      | 0.00 | 100.00% | 544   | 595    | 483   | 1,375 | 6/1/2015  | 5.25 | Color Network Printer |
| V0017 - Kyocera P3045dn         | Room 75                | VM37503926 | 0 | 0      | 0.00 | 100.00% | 64    | 0      | 55    | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| <b>Essex High School</b>        |                        |            |   |        |      |         |       |        |       |       |           |      |                       |
| V0095 - Kyocera P3045dn         | Guidance Office        | VM37503872 | 0 | 0      | 0.00 | 100.00% | 502   | 0      | 406   | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0047 - Kyocera P3045dn         | Main Office            | VM37503957 | 0 | 0      | 0.00 | 100.00% | 174   | 0      | 349   | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0259 - Kyocera 5052ci          | Main Office            | W2H7403283 | 4 | 18,920 | 1.25 | 99.90%  | 2,435 | 10,058 | 3,999 | 9,209 |           |      |                       |
| V0116 - Kyocera P2135dn         | Maintenance Garage     | LVK4410459 | 0 | 0      | 0.00 | 100.00% | 19    | 0      | 14    | 0     |           |      | Black Network Printer |
| V0262 - Kyocera FS-4100dn       | Maintenance Office     | NUK2902829 | 0 | 0      | 0.00 | 100.00% | 536   | 0      | 624   | 0     |           |      | Black Network Printer |
| V0186 - Kyocera P2135dn         | Room A105              | LVK4410351 | 0 | 0      | 0.00 | 100.00% | 253   | 0      | 95    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0042 - Kyocera P3045dn         | Room A106              | VM37503959 | 0 | 0      | 0.00 | 100.00% | 141   | 0      | 122   | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0189 - Kyocera P2135dn         | Room A108              | LVK4410389 | 0 | 0      | 0.00 | 100.00% | 202   | 0      | 136   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0190 - Kyocera P2135dn         | Room A109              | LVK4409728 | 0 | 0      | 0.00 | 100.00% | 53    | 0      | 27    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0191 - Kyocera P2135dn         | Room A110              | LVK4410390 | 0 | 0      | 0.00 | 100.00% | 131   | 0      | 127   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0194 - Kyocera P2135dn         | Room A111              | LVK4410301 | 0 | 0      | 0.00 | 100.00% | 34    | 0      | 53    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0193 - Kyocera P2135dn         | Room A112              | LVK4410311 | 0 | 0      | 0.00 | 100.00% | 176   | 0      | 102   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0192 - Kyocera P2135dn         | Room A113 Principal    | LVK4410345 | 0 | 0      | 0.00 | 100.00% | 291   | 0      | 197   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0195 - Kyocera P6026cdn        | Room A114              | LW74701899 | 0 | 0      | 0.00 | 100.00% | 24    | 154    | 23    | 63    | 2/1/2014  | 6.58 | Color Network Printer |
| V0196 - Kyocera P2135dn         | Room A115              | LVK4410395 | 1 | 0      | 3.52 | 99.93%  | 43    | 0      | 21    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0092 - Kyocera P3045dn         | Room B014              | VM37503866 | 0 | 0      | 0.00 | 100.00% | 20    | 0      | 51    | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0093 - Kyocera P3045dn         | Room B017 Black Box    | VM37503864 | 0 | 0      | 0.00 | 100.00% | 0     | 0      | 4     | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0263 - Kyocera P2135dn         | Room B019              | LVK4410306 | 0 | 0      | 0.00 | 100.00% | 95    | 0      | 59    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0069 - Kyocera P3045dn         | Room B024              | VM37503902 | 0 | 0      | 0.00 | 100.00% | 550   | 0      | 162   | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0120 - Kyocera P2135dn         | Room B026              | LVK4410300 | 0 | 0      | 0.00 | 100.00% | 251   | 0      | 117   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0119 - Kyocera P2135dn         | Room B029              | LVK4410348 | 0 | 0      | 0.00 | 100.00% | 455   | 0      | 211   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0094 - Kyocera P3045dn         | Room B101              | VM37503877 | 0 | 0      | 0.00 | 100.00% | 419   | 0      | 305   | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0117 - Kyocera Ecosys P6021cdn | Room B102 Science      | LW34300828 | 4 | 4,403  | 2.15 | 99.89%  | 422   | 937    | 312   | 391   | 2/1/2014  | 6.58 | Color Network Printer |
| V0141 - Kyocera P2135dn         | Room B103A             | LVK4410349 | 1 | 16,515 | 0.28 | 99.98%  | 1,670 | 0      | 816   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0139 - Kyocera P2135dn         | Room B105A Nurse       | LVK4410291 | 0 | 0      | 0.00 | 100.00% | 460   | 0      | 330   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0137 - Kyocera P2135dn         | Room B112              | LVK4411551 | 0 | 0      | 0.00 | 100.00% | 63    | 0      | 75    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0138 - Kyocera P6026cdn        | Room B113 Art          | LW74701891 | 0 | 0      | 0.00 | 100.00% | 230   | 490    | 144   | 378   | 2/1/2014  | 6.58 | Color Network Printer |
| V0279 - Kyocera FS-2100dn       | Room B115              | LQA4611054 | 1 | 0      | 1.40 | 100.00% | 15    | 0      | 5     | 0     | 10/1/2012 | 7.92 | Black Network Printer |
| V0188 - Kyocera P2135dn         | Room B116              | LVK4410296 | 0 | 0      | 0.00 | 100.00% | 127   | 0      | 625   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0145 - Kyocera P2135dn         | Room B116              | LVK4411691 | 0 | 0      | 0.00 | 100.00% | 3,012 | 0      | 1,061 | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0144 - Kyocera P2135dn         | Room B117              | LVK4410341 | 0 | 0      | 0.00 | 100.00% | 643   | 0      | 568   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0283 - Kyocera P2135dn         | Room B118              | LVK4410411 | 0 | 0      | 0.00 | 100.00% | 287   | 0      | 122   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0072 - Kyocera P3045dn         | Room B119 - Special Ed | VM37503914 | 0 | 0      | 0.00 | 100.00% | 341   | 0      | 512   | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0147 - Kyocera P2135dn         | Room B120              | LVK4410444 | 0 | 0      | 0.00 | 100.00% | 71    | 0      | 280   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0041 - Kyocera P3045dn         | Room B120              | VM37503949 | 0 | 0      | 0.00 | 100.00% | 274   | 0      | 194   | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0280 - Kyocera P2135dn         | Room B120              | LVK4411548 | 0 | 0      | 0.00 | 100.00% | 35    | 0      | 46    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0046 - Kyocera P3045dn         | Room B120              | VM37503952 | 0 | 0      | 0.00 | 100.00% | 70    | 0      | 190   | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0026 - Kyocera P3045dn         | Room B120              | VM37503977 | 1 | 0      | 2.00 | 100.00% | 2,700 | 0      | 1,637 | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0097 - Kyocera P6130cdn        | Room B120              | V5Q7605192 | 0 | 0      | 0.00 | 100.00% | 63    | 184    | 51    | 151   | 6/1/2015  | 5.25 | Color Network Printer |
| V0277 - Kyocera P2135dn         | Room B120              | LVK4411557 | 0 | 0      | 0.00 | 100.00% | 774   | 0      | 384   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0286 - Kyocera FS-2100dn       | Room B120              | LQA4611057 | 0 | 0      | 0.00 | 100.00% | 905   | 0      | 1,031 | 0     | 10/1/2012 | 7.92 | Black Network Printer |
| V0061 - Kyocera P3045dn         | Room Bxx2              | VM37503903 | 0 | 0      | 0.00 | 100.00% | 1,468 | 0      | 843   | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0278 - Kyocera P2135dn         | Room Bxxx              | LVK4410384 | 0 | 0      | 0.00 | 100.00% | 140   | 0      | 101   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0088 - Kyocera P3045dn         | Room C105              | VM37503865 | 0 | 0      | 0.00 | 100.00% | 141   | 0      | 149   | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0179 - Kyocera P2135dn         | Room C108              | LVK4410310 | 0 | 0      | 0.00 | 100.00% | 198   | 0      | 0     | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0063 - Kyocera P3045dn         | Room C108B             | VM37503910 | 0 | 0      | 0.00 | 100.00% | 1,732 | 0      | 1,259 | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0178 - Kyocera P2135dn         | Room C110              | LVK4410386 | 0 | 0      | 0.00 | 100.00% | 227   | 0      | 46    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0447 - Kyocera P2135dn         | Room C111A             | LVK4411547 | 0 | 0      | 0.00 | 100.00% | 212   | 0      | 256   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0052 - Kyocera P3045dn         | Room C111A             | VM37503961 | 0 | 0      | 0.00 | 100.00% | 354   | 0      | 180   | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0446 - Kyocera P2135dn         | Room C111B             | LVK4410354 | 1 | 19,839 | 0.02 | 99.99%  | 679   | 0      | 308   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0184 - Kyocera P2135dn         | Room C112              | LVK4411552 | 0 | 0      | 0.00 | 100.00% | 71    | 0      | 8     | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0182 - Kyocera P2135dn         | Room C113              | LVK4411546 | 0 | 0      | 0.00 | 100.00% | 206   | 0      | 144   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0083 - Kyocera P3045dn         | Room C115              | VM37503879 | 0 | 0      | 0.00 | 100.00% | 304   | 0      | 80    | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0176 - Kyocera P2135dn         | Room C119              | LVK4410382 | 0 | 0      | 0.00 | 100.00% | 362   | 0      | 241   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0067 - Kyocera P3045dn         | Room C123A             | VM37503920 | 0 | 0      | 0.00 | 100.00% | 344   | 0      | 212   | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0173 - Kyocera P2135dn         | Room C124              | LVK4410385 | 1 | 10,341 | 0.27 | 99.98%  | 1,560 | 0      | 872   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0271 - Kyocera P2135dn         | Room C125C             | LVK4410376 | 0 | 0      | 0.00 | 100.00% | 126   | 0      | 50    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0285 - Kyocera P2135dn         | Room C125D             | LVK4410457 | 0 | 0      | 0.00 | 100.00% | 230   | 0      | 208   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0172 - Kyocera P2135dn         | Room C126B             | LVK4410381 | 0 | 0      | 0.00 | 100.00% | 253   | 0      | 193   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0079 - Kyocera P3045dn         | Room C127A             | VM37503875 | 0 | 0      | 0.00 | 100.00% | 759   | 0      | 404   | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0074 - Kyocera P3045dn         | Room C127B             | VM37503919 | 0 | 0      | 0.00 | 100.00% | 594   | 0      | 1,014 | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0169 - Kyocera P2135dn         | Room C128              | LVK4410342 | 0 | 0      | 0.00 | 100.00% | 642   | 0      | 613   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0168 - Kyocera P2135dn         | Room C129              | LVK4410307 | 0 | 0      | 0.00 | 100.00% | 304   | 0      | 251   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0165 - Kyocera P2135dn         | Room C130              | LVK4410505 | 0 | 0      | 0.00 | 100.00% | 504   | 0      | 395   | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0284 - Kyocera P2135dn         | Room C130B             | LVK4410378 | 0 | 0      | 0.00 | 100.00% | 378   | 0      | 99    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0166 - Kyocera FS-2100dn       | Room C130C             | LQA4611089 | 1 | 0      | 0.38 | 99.98%  | 373   | 0      | 251   | 0     | 10/1/2012 | 7.92 | Black Network Printer |
| V0078 - Kyocera P3045dn         | Room C131              | VM37503863 | 0 | 0      | 0.00 | 100.00% | 111   | 0      | 123   | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0163 - Kyocera P2135dn         | Room C136B             | LVK4410303 | 0 | 0      | 0.00 | 100.00% | 99    | 0      | 93    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0108 - Kyocera P6130cdn        | Room C136B             | V5Q7605185 | 0 | 0      | 0.00 | 100.00% | 85    | 254    | 36    | 173   | 6/1/2015  | 5.25 | Color Network Printer |
| V0073 - Kyocera P3045dn         | Room C137A             | VM37503913 | 0 | 0      | 0.00 | 100.00% | 566   | 0      | 370   | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0021 - Kyocera P3045dn         | Room C137B             | VM37503934 | 0 | 0      | 0.00 | 100.00% | 488   | 0      | 343   | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0160 - Kyocera P2135dn         | Room C138E             | LVK4410315 | 0 | 0      | 0.00 | 100.00% | 256   | 0      | 15    | 0     | 3/1/2014  | 6.5  | Black Network Printer |

**Essex Westford School District**

|                                               |                          |            |   |        |      |         |       |     |       |     |           |       |                       |
|-----------------------------------------------|--------------------------|------------|---|--------|------|---------|-------|-----|-------|-----|-----------|-------|-----------------------|
| V0089 - Kyocera P3045dn                       | Room C139                | VM37503870 | 0 | 0      | 0.00 | 100.00% | 903   | 0   | 897   | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0122 - Kyocera P2135dn                       | Room C209                | LVK4410335 | 0 | 0      | 0.00 | 100.00% | 276   | 0   | 185   | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0148 - Kyocera P2135dn                       | Room C210                | LVK4410290 | 0 | 0      | 0.00 | 100.00% | 262   | 0   | 137   | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0149 - Kyocera P2135dn                       | Room C211A               | LVK4410308 | 0 | 0      | 0.00 | 100.00% | 378   | 0   | 426   | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0150 - Kyocera P2135dn                       | Room C212                | LVK4410388 | 1 | 0      | 0.60 | 99.98%  | 643   | 0   | 396   | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0151 - Kyocera P2135dn                       | Room C214                | LVK4410456 | 1 | 18,103 | 2.92 | 99.95%  | 1,122 | 0   | 1,079 | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0152 - Kyocera P2135dn                       | Room C222                | LVK4410448 | 0 | 0      | 0.00 | 100.00% | 216   | 0   | 103   | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0037 - Kyocera P3045dn                       | Room C222B               | VM37503940 | 0 | 0      | 0.00 | 100.00% | 1,869 | 0   | 1,324 | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0153 - Kyocera P2135dn                       | Room C223C               | LVK4410442 | 0 | 0      | 0.00 | 100.00% | 544   | 0   | 324   | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0158 - Kyocera P2135dn                       | Room C230                | LVK4410380 | 0 | 0      | 0.00 | 100.00% | 395   | 0   | 135   | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0154 - Kyocera FS-2100dn                     | Room C232                | LQA4611046 | 1 | 0      | 0.00 | 99.99%  | 1,708 | 0   | 989   | 0   | 10/1/2012 | 7.92  | Black Network Printer |
| V0155 - Kyocera P2135dn                       | Room C233                | LVK4411563 | 0 | 0      | 0.00 | 100.00% | 952   | 0   | 638   | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0156 - Kyocera P2135dn                       | Room C234                | LVK4411555 | 0 | 0      | 0.00 | 100.00% | 107   | 0   | 14    | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0157 - Kyocera FS-2100dn                     | Room C236                | LQA4611085 | 5 | 3,160  | 3.54 | 99.89%  | 1,562 | 0   | 1,367 | 0   | 10/1/2012 | 7.92  | Black Network Printer |
| V0434 - Kyocera P2135dn                       | Room D101                | LVK4410309 | 0 | 0      | 0.00 | 100.00% | 524   | 0   | 482   | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0437 - Kyocera P2135dn                       | Room D103                | LVK4410327 | 0 | 0      | 0.00 | 100.00% | 242   | 0   | 178   | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0121 - Kyocera P2135dn                       | Room D111C               | LVK4410387 | 0 | 0      | 0.00 | 100.00% | 243   | 0   | 228   | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0146 - Kyocera P2135dn                       | Room D113                | LVK4410346 | 1 | 0      | 0.27 | 99.99%  | 129   | 0   | 128   | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0432 - Kyocera P2135dn                       | Room D114                | LVK4410393 | 0 | 0      | 0.00 | 100.00% | 905   | 0   | 673   | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0135 - HP LaserJet MP712dn                   | Room E105                | CNDCGBJ232 | 0 | 0      | 0.00 | 100.00% | 415   | 0   | 242   | 0   | 11/1/2012 | 7.83  | Black Network Printer |
| V0126 - Kyocera M2035 mfp                     | Room F106 Athletics      | LVV4401749 | 0 | 0      | 0.00 | 100.00% | 381   | 0   | 122   | 0   | 3/1/2014  | 6.5   | Black Laser MFP       |
| V0068 - Kyocera P3045dn                       | Room F106 Athletics      | VM37503915 | 0 | 0      | 0.00 | 100.00% | 435   | 0   | 486   | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0127 - Kyocera P2135dn                       | Room F107                | LVK4410396 | 0 | 0      | 0.00 | 100.00% | 141   | 0   | 122   | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0070 - Kyocera P3045dn                       | Room F108                | VM37503908 | 0 | 0      | 0.00 | 100.00% | 442   | 0   | 624   | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0077 - Kyocera P3045dn                       | Room F109                | VM37503868 | 0 | 0      | 0.00 | 100.00% | 331   | 0   | 187   | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0129 - Kyocera P2135dn                       | Room F110                | LVK4411544 | 0 | 0      | 0.00 | 100.00% | 50    | 0   | 55    | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0062 - Kyocera P3045dn                       | Room F112                | VM37503906 | 0 | 0      | 0.00 | 100.00% | 285   | 0   | 192   | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0445 - Kyocera FS-2100dn                     | Room L101 Library        | LQA4611080 | 2 | 10,905 | 3.33 | 99.96%  | 2,020 | 0   | 1,071 | 0   | 10/1/2012 | 7.92  | Black Network Printer |
| V0498 - Kyocera P6026cdn                      | Room L107                | LW74701903 | 0 | 0      | 0.00 | 100.00% | 107   | 55  | 63    | 47  | 2/1/2014  | 6.58  | Color Network Printer |
| V0281 - Kyocera P2135dn                       | Room L109                | LVK4410383 | 0 | 0      | 0.00 | 100.00% | 116   | 0   | 77    | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0443 - Kyocera P6026cdn                      | Room L110A               | LW74701901 | 1 | 995    | 2.98 | 100.00% | 72    | 176 | 22    | 77  | 2/1/2014  | 6.58  | Color Network Printer |
| V0053 - Kyocera P3045dn                       | Room L110A               | VM37503945 | 0 | 0      | 0.00 | 100.00% | 155   | 0   | 52    | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0048 - Kyocera P3045dn                       | Room L110B               | VM37503946 | 0 | 0      | 0.00 | 100.00% | 297   | 0   | 95    | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0442 - Kyocera P6026cdn                      | Room L111                | LW74701902 | 2 | 3,342  | 3.78 | 99.78%  | 114   | 492 | 87    | 357 | 2/1/2014  | 6.58  | Color Network Printer |
| V0450 - Kyocera P2135dn                       | Room R013                | LVK4410494 | 0 | 0      | 0.00 | 100.00% | 265   | 0   | 217   | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0357 - Kyocera P3045dn                       | Security Office          | VM37503967 | 0 | 0      | 0.00 | 100.00% | 93    | 0   | 107   | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0043 - Kyocera P3045dn                       | Unknown - from Storage   | VM37503947 | 1 | 21,163 | 0.12 | 100.00% | 0     | 0   | 1,853 | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| <b>Essex Middle School : 60 Founders Road</b> |                          |            |   |        |      |         |       |     |       |     |           |       |                       |
| V0111 - Kyocera M6535cdn                      | Room 11 DTE              | V6D7511252 | 0 | 0      | 0.00 | 100.00% | 31    | 136 | 11    | 54  | 8/1/2016  | 4.08  | Color Laser MFP       |
| V0055 - Kyocera P3045dn                       | Learning Center          | VM37503954 | 0 | 0      | 0.00 | 100.00% | 151   | 0   | 54    | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0100 - Kyocera P6130cdn                      | Room 103 Main Office     | V5Q7605190 | 0 | 0      | 0.00 | 100.00% | 154   | 225 | 124   | 180 | 6/1/2015  | 5.25  | Color Network Printer |
| V0071 - Kyocera P3045dn                       | Room 104 Guidance        | VM37503916 | 0 | 0      | 0.00 | 100.00% | 156   | 0   | 161   | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0066 - Kyocera P3045dn                       | Room 120                 | VM37503917 | 0 | 0      | 0.00 | 100.00% | 354   | 0   | 86    | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0101 - Kyocera P6130cdn                      | Room 144 Gathering Space | V5Q7605178 | 2 | 19     | 0.97 | 99.97%  | 219   | 422 | 209   | 475 | 6/1/2015  | 5.25  | Color Network Printer |
| V0019 - Kyocera P3045dn                       | Room 169                 | VM37503944 | 0 | 0      | 0.00 | 100.00% | 210   | 0   | 127   | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0049 - Kyocera P3045dn                       | Room 188                 | VM37503960 | 0 | 0      | 0.00 | 100.00% | 137   | 0   | 153   | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0024 - Kyocera P3045dn                       | Room 208                 | VM37503941 | 0 | 0      | 0.00 | 100.00% | 284   | 0   | 171   | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0075 - Kyocera P3045dn                       | Room 210                 | VM37503907 | 0 | 0      | 0.00 | 100.00% | 317   | 0   | 251   | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0098 - Kyocera P6130cdn                      | Room 211 Special Ed      | V5Q7605196 | 0 | 0      | 0.00 | 100.00% | 534   | 700 | 389   | 352 | 6/1/2015  | 5.25  | Color Network Printer |
| V0080 - Kyocera P3045dn                       | Room 238                 | VM37503867 | 0 | 0      | 0.00 | 100.00% | 302   | 0   | 213   | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0085 - Kyocera P3045dn                       | Room 243                 | VM37503880 | 0 | 0      | 0.00 | 100.00% | 697   | 0   | 408   | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0099 - Kyocera P6130cdn                      | Room 248 Special Ed      | V5Q7605189 | 0 | 0      | 0.00 | 100.00% | 385   | 323 | 345   | 290 | 6/1/2015  | 5.25  | Color Network Printer |
| V0090 - Kyocera P3045dn                       | Room 261                 | VM37503878 | 0 | 0      | 0.00 | 100.00% | 270   | 0   | 248   | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| <b>Central Office East</b>                    |                          |            |   |        |      |         |       |     |       |     |           |       |                       |
| V0106 - Kyocera P6130cdn                      | Color Laser              | V5Q7605183 | 0 | 0      | 0.00 | 100.00% | 91    | 12  | 163   | 116 | 6/1/2015  | 5.25  | Color Network Printer |
| V0032 - Kyocera P3045dn                       | Finance                  | VM37503939 | 0 | 0      | 0.00 | 100.00% | 165   | 0   | 156   | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0022 - Kyocera P3045dn                       | Reception                | VM37503930 | 0 | 0      | 0.00 | 100.00% | 23    | 0   | 50    | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0057 - Kyocera P3045dn                       | Room 01                  | VM37503942 | 0 | 0      | 0.00 | 100.00% | 0     | 0   | 0     | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| B6889 - Kyocera P2135dn                       | Room 03                  | LVK4204366 | 0 | 0      | 0.00 | 100.00% | 63    | 0   | 61    | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| B6890 - Kyocera P2135dn                       | Room 14                  | LVK4410337 | 0 | 0      | 0.00 | 100.00% | 39    | 0   | 33    | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| <b>Central Office West</b>                    |                          |            |   |        |      |         |       |     |       |     |           |       |                       |
| V0112 - Kyocera FS-2100dn                     | Room 02                  | LQA4611044 | 0 | 0      | 0.00 | 100.00% | 448   | 0   | 30    | 0   | 10/1/2012 | 7.92  | Black Network Printer |
| V0076 - Kyocera P3045dn                       | Room 101                 | VM37503901 | 0 | 0      | 0.00 | 100.00% | 680   | 0   | 519   | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0210 - Kyocera P2135dn                       | Room 102                 | LVK4410391 | 1 | 9,430  | 0.22 | 99.98%  | 670   | 0   | 581   | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0209 - Kyocera P2135dn                       | Room 107                 | LVK4410371 | 1 | 0      | 1.17 | 99.83%  | 950   | 0   | 824   | 0   | 3/1/2014  | 6.5   | Black Network Printer |
| V0204 - Kyocera FS-4100dn                     | Room 107B                | NUK3408328 | 0 | 0      | 0.00 | 100.00% | 1,512 | 0   | 1,127 | 0   | 10/1/2012 | 7.92  | Black Network Printer |
| V0056 - Kyocera P3045dn                       | Room 112                 | VM37503909 | 0 | 0      | 0.00 | 100.00% | 479   | 0   | 457   | 0   | 4/1/2017  | 3.42  | Black Network Printer |
| V0207 - HP LaserJet 4250                      | Room 112                 | CNGX304126 | 1 | 0      | 2.25 | 99.97%  | 852   | 0   | 823   | 0   | 1/1/2004  | 16.67 | Black Network Printer |
| V0208 - HP LaserJet 4250                      | Room 112                 | CNDX301567 | 0 | 0      | 0.00 | 100.00% | 0     | 0   | 0     | 0   | 1/1/2004  | 16.67 | Black Network Printer |
| V0206 - Kyocera FS-4100dn                     | Room 115                 | LQP5912239 | 0 | 0      | 0.00 | 100.00% | 1,541 | 0   | 1,257 | 0   | 10/1/2012 | 7.92  | Black Network Printer |

**Essex Westford School District**

|                                        |                                      |            |    |         |      |         |        |       |        |       |           |      |                       |
|----------------------------------------|--------------------------------------|------------|----|---------|------|---------|--------|-------|--------|-------|-----------|------|-----------------------|
| V0205 - Kyocera FS-4100dn              | Room 120                             | NUK2902818 | 0  | 0       | 0.00 | 100.00% | 889    | 0     | 788    | 0     | 10/1/2012 | 7.92 | Black Network Printer |
| V0200 - Kyocera P2135dn                | Room 200B                            | LVK4410297 | 0  | 0       | 0.00 | 100.00% | 879    | 0     | 607    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0201 - Kyocera P2135dn                | Room 205                             | LVK4410451 | 0  | 0       | 0.00 | 100.00% | 80     | 0     | 69     | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0202 - Kyocera FS-2100dn              | Room 210                             | LQA4611077 | 0  | 0       | 0.00 | 100.00% | 46     | 0     | 376    | 0     | 10/1/2012 | 7.92 | Black Network Printer |
| V0203 - Kyocera FS-2100dn              | Room 214                             | LQA4611099 | 0  | 0       | 0.00 | 100.00% | 2,089  | 0     | 1,449  | 0     | 10/1/2012 | 7.92 | Black Network Printer |
| V0109 - Kyocera P3045dn                | Moved to Storage from Room B113A Art | VM37503893 | 0  | 0       | 0.00 | 100.00% | 155    | 0     | 134    | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| <b>Founders Memorial School</b>        |                                      |            |    |         |      |         |        |       |        |       |           |      |                       |
| V0064 - Kyocera P3045dn                | Computer Lab                         | VM37503923 | 0  | 0       | 0.00 | 100.00% | 183    | 0     | 59     | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0065 - Kyocera P3045dn                | Learning Center Circulation Desk     | VM37503912 | 0  | 0       | 0.00 | 100.00% | 710    | 0     | 289    | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0054 - Kyocera P3045dn                | Office                               | VM37503948 | 0  | 0       | 0.00 | 100.00% | 678    | 0     | 815    | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0082 - Kyocera P3045dn                | Room C103A                           | VM37503869 | 0  | 0       | 0.00 | 100.00% | 91     | 0     | 104    | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0105 - Kyocera P6130cdn               | Room C106                            | V5Q7605188 | 0  | 0       | 0.00 | 100.00% | 1,096  | 787   | 619    | 595   | 6/1/2015  | 5.25 | Color Network Printer |
| V0018 - Kyocera P3045dn                | Room C114 Hall                       | VM37503932 | 0  | 0       | 0.00 | 100.00% | 566    | 0     | 388    | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0107 - Kyocera P6130cdn               | Room C118                            | V5Q7605187 | 0  | 0       | 0.00 | 100.00% | 180    | 505   | 128    | 287   | 6/1/2015  | 5.25 | Color Network Printer |
| V0103 - Kyocera P6130cdn               | Room C201                            | V5Q7605180 | 0  | 0       | 0.00 | 100.00% | 347    | 772   | 294    | 471   | 6/1/2015  | 5.25 | Color Network Printer |
| V0044 - Kyocera P3045dn                | Room C204 Cart                       | VM37503964 | 0  | 0       | 0.00 | 100.00% | 2,022  | 0     | 2,091  | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0039 - Kyocera P3045dn                | Room C208                            | VM37503951 | 0  | 0       | 0.00 | 100.00% | 1,011  | 0     | 632    | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0059 - Kyocera P3045dn                | Room C209                            | VM37503918 | 0  | 0       | 0.00 | 100.00% | 2,396  | 0     | 815    | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0050 - Kyocera P3045dn                | Room C219                            | VM37503950 | 0  | 0       | 0.00 | 100.00% | 451    | 0     | 380    | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0029 - Kyocera P3045dn                | Room C224                            | VM37503924 | 0  | 0       | 0.00 | 100.00% | 529    | 0     | 416    | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0034 - Kyocera P3045dn                | Room C230                            | VM37503928 | 0  | 0       | 0.00 | 100.00% | 520    | 0     | 607    | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| <b>Hiawatha Elementary School</b>      |                                      |            |    |         |      |         |        |       |        |       |           |      |                       |
| V0220 - Kyocera P2135dn                | Room 01                              | LVK4410394 | 0  | 0       | 0.00 | 100.00% | 126    | 0     | 116    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0219 - Kyocera P2135dn                | Room 04                              | LVK4410334 | 0  | 0       | 0.00 | 100.00% | 272    | 0     | 101    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0084 - Kyocera P3045dn                | Room 05                              | VM37503873 | 0  | 0       | 0.00 | 100.00% | 465    | 0     | 346    | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0216 - Kyocera P2135dn                | Room 06                              | LVK4410446 | 0  | 0       | 0.00 | 100.00% | 190    | 0     | 200    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0215 - Kyocera P2135dn                | Room 07 Library                      | LVK4410318 | 0  | 0       | 0.00 | 100.00% | 370    | 0     | 295    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0213 - Kyocera P2135dn                | Room 11                              | LVK4410443 | 0  | 0       | 0.00 | 100.00% | 158    | 0     | 162    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0214 - Kyocera M2035 mfp              | Room 13 Nurse                        | LVV4402044 | 0  | 0       | 0.00 | 100.00% | 178    | 0     | 111    | 0     | 3/1/2014  | 6.5  | Black Laser MFP       |
| V0035 - Kyocera P3045dn                | Room 14                              | VM37503933 | 0  | 0       | 0.00 | 100.00% | 104    | 0     | 121    | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0217 - Kyocera P2135dn                | Room 15                              | LVK4410160 | 0  | 0       | 0.00 | 100.00% | 320    | 0     | 163    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0218 - Kyocera P2135dn                | Room 16                              | LVK4410454 | 0  | 0       | 0.00 | 100.00% | 78     | 0     | 44     | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0031 - Kyocera P3045dn                | Room 18A                             | VM37503931 | 0  | 0       | 0.00 | 100.00% | 303    | 0     | 196    | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0222 - Kyocera P6026cdn               | Room 19 Teachers' Room               | LW74701897 | 0  | 0       | 0.00 | 100.00% | 192    | 1,612 | 160    | 1,064 | 2/1/2014  | 6.58 | Color Network Printer |
| V0030 - Kyocera P3045dn                | Room 21A                             | VM37503936 | 0  | 0       | 0.00 | 100.00% | 166    | 0     | 116    | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0226 - Kyocera P2135dn                | Room 22                              | LVK4410441 | 0  | 0       | 0.00 | 100.00% | 295    | 0     | 340    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0227 - Kyocera P2135dn                | Room 23                              | LVK4410445 | 0  | 0       | 0.00 | 100.00% | 293    | 0     | 231    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0025 - Kyocera P3045dn                | Room 24                              | VM37503929 | 0  | 0       | 0.00 | 100.00% | 224    | 0     | 221    | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0228 - Kyocera P2135dn                | Room 25                              | LVK4410449 | 0  | 0       | 0.00 | 100.00% | 364    | 0     | 299    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0020 - Kyocera P3045dn                | Room 26                              | VM37503935 | 0  | 0       | 0.00 | 100.00% | 94     | 0     | 129    | 0     | 4/1/2017  | 3.42 | Black Network Printer |
| V0115 - Kyocera P2135dn                | Room 27                              | LVK4411680 | 0  | 0       | 0.00 | 100.00% | 58     | 0     | 57     | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0005 - Kyocera 4052ci                 | Room 28 Common Area                  | W2M7502078 | 3  | 56,423  | 1.16 | 99.98%  | 4,911  | 7,663 | 5,983  | 5,984 | 8/1/2016  | 4.08 | Color Photocopier     |
| V0224 - Kyocera P2135dn                | Room 28A                             | LVK4410320 | 0  | 0       | 0.00 | 100.00% | 180    | 0     | 268    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0223 - Kyocera P2135dn                | Room 29                              | LVK4410317 | 0  | 0       | 0.00 | 100.00% | 19     | 0     | 8      | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0221 - Kyocera P2135dn                | Room 32 LC Color                     | LVK4410450 | 0  | 0       | 0.00 | 100.00% | 13     | 0     | 36     | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0212 - Kyocera P2135dn                | Room B01                             | LVK4410332 | 0  | 0       | 0.00 | 100.00% | 61     | 0     | 22     | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0211 - Kyocera P6026cdn               | Room B02                             | LW74X02616 | 0  | 0       | 0.00 | 100.00% | 23     | 54    | 23     | 40    | 2/1/2014  | 6.58 | Color Network Printer |
| <b>Summit Street Elementary School</b> |                                      |            |    |         |      |         |        |       |        |       |           |      |                       |
| V0004 - Kyocera 6052ci                 | Main Office                          | W2D7501479 | 14 | 28,117  | 3.03 | 99.97%  | 13,905 | 6,210 | 12,345 | 5,091 | 8/1/2016  | 4.08 | Color Photocopier     |
| V0493 - Kyocera P2135dn                | Room 01 Principal's Office           | LVK4410322 | 0  | 0       | 0.00 | 100.00% | 7      | 0     | 8      | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0492 - Kyocera P2135dn                | Room 03                              | LVK4410314 | 1  | 0       | 1.67 | 100.00% | 310    | 0     | 104    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0491 - Kyocera P2135dn                | Room 04                              | LVK4410328 | 1  | 1,875   | 1.20 | 99.97%  | 348    | 0     | 176    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0489 - Kyocera P2135dn                | Room 05                              | LVK4410326 | 1  | 510     | 2.15 | 100.00% | 133    | 0     | 122    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0490 - Kyocera P2135dn                | Room 08                              | LVK4410330 | 0  | 0       | 0.00 | 100.00% | 186    | 0     | 121    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0488 - Kyocera P2135dn                | Room 08                              | LVK4411708 | 1  | 4,716   | 0.02 | 99.99%  | 420    | 0     | 262    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0487 - Kyocera P2135dn                | Room 10                              | LVK4410316 | 0  | 0       | 0.00 | 100.00% | 150    | 0     | 81     | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0476 - Kyocera P2135dn                | Room 11                              | LVK4410323 | 1  | 0       | 1.12 | 99.97%  | 369    | 0     | 269    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0475 - Kyocera P2135dn                | Room 14                              | LVK4410319 | 0  | 0       | 0.00 | 100.00% | 88     | 0     | 130    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0477 - Kyocera FS-2100dn              | Room 17 Library                      | LQA4611096 | 0  | 0       | 0.00 | 100.00% | 256    | 0     | 467    | 0     | 10/1/2012 | 7.92 | Black Network Printer |
| V0478 - Kyocera P6026cdn               | Room 17 Library                      | LW74701888 | 0  | 0       | 0.00 | 100.00% | 232    | 839   | 89     | 515   | 2/1/2014  | 6.58 | Color Network Printer |
| V0484 - Kyocera P2135dn                | Room B05                             | LVK4410324 | 0  | 0       | 0.00 | 100.00% | 497    | 0     | 666    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0486 - Kyocera P2135dn                | Room B06                             | LVK4411700 | 0  | 0       | 0.00 | 100.00% | 171    | 0     | 143    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0485 - Kyocera P2135dn                | Room B08                             | LVK4411702 | 0  | 0       | 0.00 | 100.00% | 102    | 0     | 89     | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0482 - Kyocera P2135dn                | Room B09                             | LVK4411694 | 1  | 1,515   | 2.68 | 100.00% | 210    | 0     | 110    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0006 - Kyocera 8002i                  | Room B10 Teachers' Room              | VAK7500834 | 1  | 111,790 | 0.02 | 99.98%  | 7,457  | 0     | 8,642  | 0     | 8/1/2016  | 4.08 | Black Photocopier     |
| V0358 - Kyocera 6002i                  | Room B10 Teachers' Room              | W2Z7502736 | 2  | 58,553  | 0.31 | 99.99%  | 12,966 | 0     | 10,248 | 0     | 8/1/2016  | 4.08 | Black Photocopier     |
| V0481 - Kyocera P2135dn                | Room B11                             | LVK4411695 | 0  | 0       | 0.00 | 100.00% | 329    | 0     | 225    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0483 - Kyocera P2135dn                | Room B12                             | LVK4411698 | 0  | 0       | 0.00 | 100.00% | 264    | 0     | 171    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0479 - Kyocera P2135dn                | Room B14                             | LVK4411697 | 0  | 0       | 0.00 | 100.00% | 149    | 0     | 271    | 0     | 3/1/2014  | 6.5  | Black Network Printer |
| V0480 - Kyocera M2035 mfp              | Room B18 Nurse                       | LVV5804829 | 0  | 0       | 0.00 | 100.00% | 214    | 0     | 181    | 0     | 3/1/2014  | 6.5  | Black Laser MFP       |

**Essex Westford School District**

|                                         |                          |            |           |               |             |               |            |            |            |            |          |             |                       |
|-----------------------------------------|--------------------------|------------|-----------|---------------|-------------|---------------|------------|------------|------------|------------|----------|-------------|-----------------------|
| <b>Thomas Fleming Elementary School</b> |                          |            |           |               |             |               |            |            |            |            |          |             |                       |
| V0469 - Kyocera P2135dn                 | Librarian                | LVK4411678 | 0         | 0             | 0.00        | 100.00%       | 54         | 0          | 30         | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| V0466 - Kyocera P2135dn                 | Library Circulation Desk | LVK4410507 | 0         | 0             | 0.00        | 100.00%       | 311        | 0          | 416        | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| V0467 - Kyocera P6026cdn                | Library General Use      | LW74701890 | 0         | 0             | 0.00        | 100.00%       | 57         | 118        | 45         | 89         | 2/1/2014 | 6.58        | Color Network Printer |
| V0462 - Kyocera P2135dn                 | Room 101                 | LVK4411707 | 3         | 2,063         | 0.29        | 99.99%        | 1,325      | 0          | 734        | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| V0463 - Kyocera P2135dn                 | Room 102                 | LVK4411690 | 0         | 0             | 0.00        | 100.00%       | 332        | 0          | 244        | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| V0040 - Kyocera P3045dn                 | Room 103                 | VM37503963 | 0         | 0             | 0.00        | 100.00%       | 109        | 0          | 3          | 0          | 4/1/2017 | 3.42        | Black Network Printer |
| V0464 - Kyocera P2135dn                 | Room 104                 | LVK4411686 | 0         | 0             | 0.00        | 100.00%       | 28         | 0          | 35         | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| V0465 - Kyocera P2135dn                 | Room 106                 | LVK4411701 | 0         | 0             | 0.00        | 100.00%       | 154        | 0          | 99         | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| V0470 - Kyocera P2135dn                 | Room 109 Main Office     | LVK4411683 | 0         | 0             | 0.00        | 100.00%       | 55         | 0          | 33         | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| V0300 - Kyocera P2135dn                 | Room 18 Gym Office       | LVK4411693 | 1         | 0             | 0.02        | 100.00%       | 0          | 0          | 0          | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| V0456 - Kyocera P2135dn                 | Room 200                 | LVK4411651 | 0         | 0             | 0.00        | 100.00%       | 575        | 0          | 287        | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| V0460 - Kyocera P2135dn                 | Room 201                 | LVK4411692 | 3         | 45            | 3.51        | 99.37%        | 213        | 0          | 158        | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| V0457 - Kyocera P2135dn                 | Room 202                 | LVK4411699 | 0         | 0             | 0.00        | 100.00%       | 261        | 0          | 117        | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| V0459 - Kyocera P2135dn                 | Room 203                 | LVK3Z02192 | 2         | 8,034         | 0.37        | 99.95%        | 455        | 0          | 545        | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| V0458 - Kyocera P2135dn                 | Room 207                 | LVK4410504 | 0         | 0             | 0.00        | 100.00%       | 121        | 0          | 84         | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| V0455 - Kyocera P2135dn                 | Room 212                 | LVK4410511 | 1         | 854           | 0.00        | 99.99%        | 139        | 0          | 102        | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| V0454 - Kyocera P6026cdn                | Room 213 Hall            | LW74701893 | 0         | 0             | 0.00        | 100.00%       | 59         | 368        | 59         | 278        | 2/1/2014 | 6.58        | Color Network Printer |
| V0453 - Kyocera P2135dn                 | Room 216                 | LVK4410510 | 0         | 0             | 0.00        | 100.00%       | 257        | 0          | 233        | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| V0452 - Kyocera P2135dn                 | Room 218                 | LVK4411682 | 1         | 0             | 0.23        | 100.00%       | 201        | 0          | 142        | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| V0451 - Kyocera P2135dn                 | Room 220                 | LVK4410502 | 0         | 0             | 0.00        | 100.00%       | 425        | 0          | 301        | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| V0471 - Kyocera P2135dn                 | Room B01                 | LVK4204359 | 0         | 0             | 0.00        | 100.00%       | 250        | 0          | 133        | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| V0474 - Kyocera P2135dn                 | Room B02 Staff Lounge    | LVK4410495 | 0         | 0             | 0.00        | 100.00%       | 141        | 0          | 93         | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| V0060 - Kyocera P3045dn                 | Room B11                 | VM37503911 | 0         | 0             | 0.00        | 100.00%       | 144        | 0          | 372        | 0          | 4/1/2017 | 3.42        | Black Network Printer |
| V0472 - Kyocera P2135dn                 | Room B21 Custodian       | LVK4410509 | 0         | 0             | 0.00        | 100.00%       | 60         | 0          | 108        | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| <b>Westford Elementary School</b>       |                          |            |           |               |             |               |            |            |            |            |          |             |                       |
| Kyocera P2135dn                         | Room 103                 | LVK4410312 | 0         | 0             | 0.00        | 100.00%       | 2,499      | 0          | 1,767      | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| Kyocera 7002i                           | Room 128 Teachers' Room  | VAP7500733 | 0         | 0             | 0.00        | 100.00%       | 7,517      | 0          | 6,707      | 0          | 8/1/2016 | 4.08        | Black Photocopier     |
| Kyocera 5052ci                          | Room 137 Main Office     | W2H7403282 | 1         | 33,733        | 0.92        | 99.97%        | 7,994      | 4,887      | 6,012      | 3,722      | 8/1/2016 | 4.08        | Color Photocopier     |
| Kyocera P2135dn                         | Room 149                 | LVK4410501 | 0         | 0             | 0.00        | 100.00%       | 135        | 0          | 99         | 0          | 3/1/2014 | 6.5         | Black Network Printer |
| Kyocera P3045dn                         | Room 152                 | VM37503953 | 0         | 0             | 0.00        | 100.00%       | 625        | 0          | 452        | 0          | 4/1/2017 | 3.42        | Black Network Printer |
| <b>TOTALS &amp; AVERAGES</b>            |                          |            | <b>87</b> | <b>15,011</b> | <b>1.75</b> | <b>99.97%</b> | <b>595</b> | <b>139</b> | <b>484</b> | <b>113</b> |          | <b>5.63</b> |                       |
|                                         |                          |            |           |               |             |               |            |            |            |            |          |             |                       |
|                                         |                          |            |           |               |             |               |            |            |            |            |          |             |                       |
|                                         |                          |            |           |               |             |               |            |            |            |            |          |             |                       |

| Equipment No. | Serial Number | Make | Model | Description | Customer | Location | Install Date | Active |
|---------------|---------------|------|-------|-------------|----------|----------|--------------|--------|
|---------------|---------------|------|-------|-------------|----------|----------|--------------|--------|

Essex Westford School District- Chittenden Central - Westford Elementary

Under Contract Number CN4001-01

|       |            |         |                |                        |                                                                          |                      |            |     |
|-------|------------|---------|----------------|------------------------|--------------------------------------------------------------------------|----------------------|------------|-----|
| V0007 | VAP7500733 | Kyocera | TASKalfa 7002i | Kyocera TASKalfa 7002i | Essex Westford School District- Chittenden Central - Westford Elementary | RM 128 Teachers Room | 08/24/2017 | Yes |
|-------|------------|---------|----------------|------------------------|--------------------------------------------------------------------------|----------------------|------------|-----|

Meter Information

| Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|------------|--------------|-------------------|------------------|------------------|-------------------|---------------------|----------------------|----------------------|------------------------|
| BIW        | 264,475      | 04/26/2020        | 7,223            | 8,479            | 7,878             | 0                   |                      |                      |                        |

|       |            |         |                 |                         |                                                                          |                    |            |     |
|-------|------------|---------|-----------------|-------------------------|--------------------------------------------------------------------------|--------------------|------------|-----|
| V0008 | W2H7403282 | Kyocera | TASKalfa 5052ci | Kyocera TASKalfa 5052ci | Essex Westford School District- Chittenden Central - Westford Elementary | 128- Teachers Room | 08/15/2017 | Yes |
|-------|------------|---------|-----------------|-------------------------|--------------------------------------------------------------------------|--------------------|------------|-----|

Meter Information

| Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|------------|--------------|-------------------|------------------|------------------|-------------------|---------------------|----------------------|----------------------|------------------------|
| BIW        | 242,212      | 04/26/2020        | 5,565            | 6,593            | 6,916             | 0                   | 17,475               | 17,475               | 17,475                 |
| Color      | 146,643      | 04/26/2020        | 3,030            | 3,742            | 4,488             | 0                   | 16,258               | 16,258               | 16,258                 |

Service Call Summary (By Call Type)

| Call Type | Total Calls | Total Parts Price | Total Parts Cost | Total Labor Price | Total Labor Cost | Avg. Response Time | Avg. Repair | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
|-----------|-------------|-------------------|------------------|-------------------|------------------|--------------------|-------------|-------------|----------------|-------------------|
| 01 DOWN   | 1           |                   |                  |                   |                  | 0.92               | 0.98        | 0.38        | 1.90           | 99.97%            |
|           | 1           |                   |                  |                   |                  | 0.92               | 0.98        | 0.38        | 1.90           | 99.97%            |

Under Contract Number Z-CPI4001-01

|       |            |         |         |                        |                                                                          |        |            |     |
|-------|------------|---------|---------|------------------------|--------------------------------------------------------------------------|--------|------------|-----|
| V0051 | VM37503953 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Westford Elementary | RM 152 | 08/24/2017 | Yes |
|-------|------------|---------|---------|------------------------|--------------------------------------------------------------------------|--------|------------|-----|

Meter Information

| Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|------------|--------------|-------------------|------------------|------------------|-------------------|---------------------|----------------------|----------------------|------------------------|
| BIW        | 19,208       | 04/26/2020        | 452              | 562              | 568               | 0                   |                      |                      |                        |

|       |            |         |                 |                         |                                                                          |          |         |     |
|-------|------------|---------|-----------------|-------------------------|--------------------------------------------------------------------------|----------|---------|-----|
| V0495 | LVK4410501 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Westford Elementary | Room 149 | Unknown | Yes |
|-------|------------|---------|-----------------|-------------------------|--------------------------------------------------------------------------|----------|---------|-----|

Meter Information

| Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|------------|--------------|-------------------|------------------|------------------|-------------------|---------------------|----------------------|----------------------|------------------------|
| BIW        | 11,190       | 04/26/2020        | 209              | 132              | 114               | 0                   |                      |                      |                        |

|       |            |         |                 |                         |                                                                          |          |         |     |
|-------|------------|---------|-----------------|-------------------------|--------------------------------------------------------------------------|----------|---------|-----|
| V0497 | LVK4410312 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Westford Elementary | Room 103 | Unknown | Yes |
|-------|------------|---------|-----------------|-------------------------|--------------------------------------------------------------------------|----------|---------|-----|

Meter Information

| Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|------------|--------------|-------------------|------------------|------------------|-------------------|---------------------|----------------------|----------------------|------------------------|
| BIW        | 119,800      | 04/19/2020        | 2,005            | 2,337            | 2,109             | 0                   |                      |                      |                        |

Essex Westford School District- Chittenden Central

Under Contract Number CN4001-01

|       |            |         |        |                         |                                                    |  |            |     |
|-------|------------|---------|--------|-------------------------|----------------------------------------------------|--|------------|-----|
| B4816 | LW75203723 | Kyocera | ECOSYS | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central |  | 06/29/2015 | Yes |
|-------|------------|---------|--------|-------------------------|----------------------------------------------------|--|------------|-----|

Meter Information

| Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|------------|--------------|-------------------|------------------|------------------|-------------------|---------------------|----------------------|----------------------|------------------------|
| BIW        | 6,048        | 04/26/2020        | 67               | 299              | 205               | 0                   |                      |                      |                        |
| Color      | 8,155        | 04/26/2020        | 62               | 84               | 98                | 0                   |                      |                      |                        |

|       |            |         |         |                        |                                                    |           |            |     |
|-------|------------|---------|---------|------------------------|----------------------------------------------------|-----------|------------|-----|
| V0043 | VM37503947 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central | room C238 | 10/09/2019 | Yes |
|-------|------------|---------|---------|------------------------|----------------------------------------------------|-----------|------------|-----|

Meter Information

| Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|------------|--------------|-------------------|------------------|------------------|-------------------|---------------------|----------------------|----------------------|------------------------|
| BIW        | 22,261       | 04/26/2020        | 528              | 2,479            | 3,362             | 0                   | 0                    | 21,163               | 21,163                 |

Service Call Summary (By Call Type)

| Call Type       | Total Calls | Total Parts Price | Total Parts Cost | Total Labor Price | Total Labor Cost | Avg. Response Time | Avg. Repair | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
|-----------------|-------------|-------------------|------------------|-------------------|------------------|--------------------|-------------|-------------|----------------|-------------------|
| 10 CourtesyCall | 1           |                   |                  |                   |                  | 0.12               | 1.28        | 0.10        | 0.00           | 100.00%           |
|                 | 1           |                   |                  |                   |                  | 0.12               | 1.28        | 0.10        | 0.00           | 100.00%           |

|       |            |         |         |                        |                                                    |                                         |            |     |
|-------|------------|---------|---------|------------------------|----------------------------------------------------|-----------------------------------------|------------|-----|
| V0731 | VCJ9324021 | Kyocera | M2540dw | Kyocera ECOSYS M2540dw | Essex Westford School District- Chittenden Central | Albert D. Lawton Tech department office | 06/19/2019 | Yes |
|-------|------------|---------|---------|------------------------|----------------------------------------------------|-----------------------------------------|------------|-----|

Meter Information

| Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|------------|--------------|-------------------|------------------|------------------|-------------------|---------------------|----------------------|----------------------|------------------------|
| BIW        | 1,867        | 03/31/2020        | 0                | 0                | 189               | 0                   |                      |                      |                        |

Not Under Contract

|       |           |    |      |                                              |                                                    |               |         |     |
|-------|-----------|----|------|----------------------------------------------|----------------------------------------------------|---------------|---------|-----|
| V0250 | CN657M048 | HP | T520 | HP DesignJet T520 Large Format Printer - 36" | Essex Westford School District- Chittenden Central | Room E105 CTE | Unknown | Yes |
|-------|-----------|----|------|----------------------------------------------|----------------------------------------------------|---------------|---------|-----|

Under Contract Number Z-CPI4001-01

|       |            |         |         |                        |                                                    |           |            |     |
|-------|------------|---------|---------|------------------------|----------------------------------------------------|-----------|------------|-----|
| V0026 | VM37503977 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central | room C215 | 10/09/2019 | Yes |
|-------|------------|---------|---------|------------------------|----------------------------------------------------|-----------|------------|-----|

Meter Information

| Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|------------|--------------|-------------------|------------------|------------------|-------------------|---------------------|----------------------|----------------------|------------------------|
| BIW        | 67,741       | 04/26/2020        | 1,218            | 1,938            | 1,907             | 0                   | 0                    | 0                    | 0                      |

Service Call Summary (By Call Type)

| Call Type       | Total Calls | Total Parts Price | Total Parts Cost | Total Labor Price | Total Labor Cost | Avg. Response Time | Avg. Repair | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
|-----------------|-------------|-------------------|------------------|-------------------|------------------|--------------------|-------------|-------------|----------------|-------------------|
| 10 CourtesyCall | 1           |                   |                  |                   |                  | 2.00               | 2.02        | 0.23        | 0.00           | 100.00%           |
|                 | 1           |                   |                  |                   |                  | 2.00               | 2.02        | 0.23        | 0.00           | 100.00%           |

Essex Westford School District- Chittenden Central - ACE

Under Contract Number CN4001-01

|       |            |         |                |                        |                                                          |      |            |     |
|-------|------------|---------|----------------|------------------------|----------------------------------------------------------|------|------------|-----|
| V0260 | W377505080 | Kyocera | TASKalfa 4002i | Kyocera TASKalfa 4002i | Essex Westford School District- Chittenden Central - ACE | P204 | 08/24/2017 | Yes |
|-------|------------|---------|----------------|------------------------|----------------------------------------------------------|------|------------|-----|

Meter Information

| Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|------------|--------------|-------------------|------------------|------------------|-------------------|---------------------|----------------------|----------------------|------------------------|
| BIW        | 94,223       | 04/26/2020        | 1,535            | 2,275            | 2,402             | 0                   |                      |                      |                        |

Under Contract Number Z-CPI4001-01

|       |            |         |           |                   |                                                          |      |         |     |
|-------|------------|---------|-----------|-------------------|----------------------------------------------------------|------|---------|-----|
| V0229 | LQA4611082 | Kyocera | FS-2100DN | Kyocera FS-2100DN | Essex Westford School District- Chittenden Central - ACE | P207 | Unknown | Yes |
|-------|------------|---------|-----------|-------------------|----------------------------------------------------------|------|---------|-----|

Meter Information

| Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|------------|--------------|-------------------|------------------|------------------|-------------------|---------------------|----------------------|----------------------|------------------------|
| BIW        | 5,428        | 03/31/2020        | 97               | 214              | 168               | 0                   |                      |                      |                        |

|       |            |         |        |                         |                                                          |      |         |     |
|-------|------------|---------|--------|-------------------------|----------------------------------------------------------|------|---------|-----|
| V0230 | LW74701906 | Kyocera | ECOSYS | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - ACE | P204 | Unknown | Yes |
|-------|------------|---------|--------|-------------------------|----------------------------------------------------------|------|---------|-----|

Meter Information

| Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|------------|--------------|-------------------|------------------|------------------|-------------------|---------------------|----------------------|----------------------|------------------------|
| BIW        | 2,900        | 03/31/2020        | 11               | 16               | 17                | 0                   |                      |                      |                        |
| Color      | 5,913        | 03/31/2020        | 56               | 56               | 68                | 0                   |                      |                      |                        |

Essex Westford School District- Chittenden Central - Albert D. Lawton

Under Contract Number Z-CPI4001-01

|                                     |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
|-------------------------------------|--------------|-------------------|-------------------|-------------------------|-----------------------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|-------------|-------------|----------------|-------------------|
| V0027                               | VM37503938   | Kyocera           | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Albert D. Lawton | ROOM B22            | 08/24/2017           | Yes                  |                        |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |             |                |                   |
| BIW                                 | 5,966        | 04/26/2020        | 70                | 141                     | 138                                                                   | 0                   |                      |                      |                        |             |             |                |                   |
| V0036                               | VM37503921   | Kyocera           | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Albert D. Lawton | RM C09 CLASSROOM    | 08/24/2017           | Yes                  |                        |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |             |                |                   |
| BIW                                 | 10,250       | 04/26/2020        | 265               | 340                     | 301                                                                   | 0                   |                      |                      |                        |             |             |                |                   |
| V0038                               | VM37503956   | Kyocera           | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Albert D. Lawton | ROOM C16            | 08/24/2017           | Yes                  |                        |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |             |                |                   |
| BIW                                 | 4,071        | 04/26/2020        | 83                | 67                      | 78                                                                    | 0                   |                      |                      |                        |             |             |                |                   |
| V0081                               | VM37503881   | Kyocera           | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Albert D. Lawton | RM B18 SPED         | 08/24/2017           | Yes                  |                        |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |             |                |                   |
| BIW                                 | 49,941       | 04/26/2020        | 1,086             | 1,228                   | 1,250                                                                 | 0                   |                      |                      |                        |             |             |                |                   |
| V0086                               | VM37503871   | Kyocera           | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Albert D. Lawton | RM B14 SPED         | 08/24/2017           | Yes                  |                        |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |             |                |                   |
| BIW                                 | 44,348       | 04/26/2020        | 1,002             | 1,477                   | 1,453                                                                 | 0                   |                      |                      |                        |             |             |                |                   |
| V0091                               | VM37503874   | Kyocera           | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Albert D. Lawton | RM C26              | 08/24/2017           | Yes                  |                        |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |             |                |                   |
| BIW                                 | 13,005       | 04/26/2020        | 563               | 570                     | 473                                                                   | 0                   |                      |                      |                        |             |             |                |                   |
| V0096                               | VM37503862   | Kyocera           | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Albert D. Lawton | RM C23              | 08/24/2017           | Yes                  |                        |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |             |                |                   |
| BIW                                 | 8,018        | 04/26/2020        | 252               | 239                     | 208                                                                   | 0                   |                      |                      |                        |             |             |                |                   |
| V0113                               | NUF2800120   | Kyocera           | FS-2100DN         | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room C20 CLASSROOM  | Unknown              | Yes                  |                        |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |             |                |                   |
| BIW                                 | 20,371       | 03/31/2020        | 0                 | 127                     | 127                                                                   | 0                   |                      |                      |                        |             |             |                |                   |
| V0114                               | NUF2800085   | Kyocera           | FS-2100DN         | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - Albert D. Lawton | Storage             | Unknown              | Yes                  |                        |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |             |                |                   |
| BIW                                 | 21,017       | 12/31/2019        | 0                 | 0                       | 0                                                                     | 0                   |                      |                      |                        |             |             |                |                   |
| V0118                               | LVK4410508   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room B-24           | Unknown              | Yes                  |                        |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |             |                |                   |
| BIW                                 | 6,085        | 04/26/2020        | 205               | 198                     | 252                                                                   | 0                   | 0                    | 0                    | 0                      |             |             |                |                   |
| Service Call Summary (By Call Type) |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Call Type                           | Total Calls  |                   | Total Parts Price |                         | Total Parts Cost                                                      |                     | Total Labor Price    | Total Labor Cost     | Avg. Response Time     | Avg. Repair | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 10 CourtesyCall                     | 1            |                   |                   |                         |                                                                       |                     | 3.77                 | 1.03                 | 3.77                   | 1.03        | 0.15        | 0.00           | 100.00%           |
|                                     | 1            |                   |                   |                         |                                                                       |                     |                      |                      |                        |             | 0.15        | 0.00           | 100.00%           |
| V0124                               | LVK4410447   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Albert D. Lawton | storage             | Unknown              | Yes                  |                        |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |             |                |                   |
| BIW                                 | 20,391       | 12/31/2019        | 0                 | 23                      | 12                                                                    | 0                   |                      |                      |                        |             |             |                |                   |
| V0194                               | LVK4410301   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room A111           | Unknown              | Yes                  |                        |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |             |                |                   |
| BIW                                 | 4,685        | 04/26/2020        | 59                | 72                      | 57                                                                    | 0                   |                      |                      |                        |             |             |                |                   |
| V0199                               | LVK4410493   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Albert D. Lawton | storage             | Unknown              | Yes                  |                        |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |             |                |                   |
| BIW                                 | 1,480        | 12/31/2019        | 0                 | 5                       | 3                                                                     | 0                   |                      |                      |                        |             |             |                |                   |
| V0225                               | LVK4410440   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Albert D. Lawton | Storage             | Unknown              | Yes                  |                        |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |             |                |                   |
| BIW                                 | 13,788       | 12/31/2019        | 0                 | 23                      | 11                                                                    | 0                   |                      |                      |                        |             |             |                |                   |
| V0231                               | VM37503981   | Kyocera           | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Albert D. Lawton | CO02                | 08/24/2017           | Yes                  |                        |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |             |                |                   |
| BIW                                 | 29,589       | 04/26/2020        | 653               | 803                     | 705                                                                   | 0                   |                      |                      |                        |             |             |                |                   |
| V0287                               | LVK4410344   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room B3 SPED        | Unknown              | Yes                  |                        |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |             |                |                   |
| BIW                                 | 25,163       | 04/19/2020        | 246               | 303                     | 278                                                                   | 0                   |                      |                      |                        |             |             |                |                   |
| V0288                               | LVK4410302   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room B23 CLASSROOM  | Unknown              | Yes                  |                        |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |             |                |                   |
| BIW                                 | 23,223       | 04/07/2020        | 449               | 419                     | 373                                                                   | 0                   | 3,718                | 3,718                | 3,718                  |             |             |                |                   |
| Service Call Summary (By Call Type) |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Call Type                           | Total Calls  |                   | Total Parts Price |                         | Total Parts Cost                                                      |                     | Total Labor Price    | Total Labor Cost     | Avg. Response Time     | Avg. Repair | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 14 Problem                          | 1            |                   |                   |                         |                                                                       |                     | 3.35                 | 1.02                 | 3.35                   | 1.02        | 0.30        | 6.37           | 99.91%            |
|                                     | 1            |                   |                   |                         |                                                                       |                     |                      |                      |                        |             | 0.30        | 6.37           | 99.91%            |
| V0289                               | LVK4410343   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room C06 CLASSROOM  | Unknown              | Yes                  |                        |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |             |                |                   |
| BIW                                 | 29,142       | 04/26/2020        | 272               | 449                     | 479                                                                   | 0                   |                      |                      |                        |             |             |                |                   |
| V0290                               | LVK4411560   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room C10 CLASSROOM  | Unknown              | Yes                  |                        |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                       |                     |                      |                      |                        |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |             |                |                   |
| BIW                                 | 15,778       | 04/26/2020        | 194               | 270                     | 303                                                                   | 0                   |                      |                      |                        |             |             |                |                   |

Page 9 of 46

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |            |         |                 |                         |                                                                       |                                 |         |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|-----------------|-------------------------|-----------------------------------------------------------------------|---------------------------------|---------|-----|
| V0291                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | LVK4411540 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room C22 CLASSROOM              | Unknown | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> <div> <div>BIW</div> <div>17,933</div> <div>04/26/2020</div> <div>256</div> <div>272</div> <div>287</div> <div>0</div> <div></div> <div></div> <div></div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |            |         |                 |                         |                                                                       |                                 |         |     |
| V0292                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | LVK4410304 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room C25                        | Unknown | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> <div> <div>BIW</div> <div>48,827</div> <div>04/26/2020</div> <div>290</div> <div>459</div> <div>520</div> <div>0</div> <div>881</div> <div>3,170</div> <div>3,170</div> </div> <div>Service Call Summary (By Call Type)</div> <div> <div>Call Type</div> <div>*** Network ***</div> <div>03 Copy Quality</div> <div>Total Calls</div> <div>Total Parts Price</div> <div>Total Parts Cost</div> <div>Total Labor Price</div> <div>Total Labor Cost</div> <div>Avg. Response Time</div> <div>Avg. Repair</div> <div>Avg. Travel</div> <div>Avg. Down Time</div> <div>24 Hour Up Time %</div> </div> <div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div>0.60</div> <div>1.02</div> <div>0.60</div> <div>11.27</div> <div>99.84%</div> </div> <div> <div></div> <div>2</div> <div></div> <div>4.02</div> <div>0.95</div> <div>0.35</div> <div>15.97</div> <div>99.78%</div> </div> <div> <div></div> <div>3</div> <div></div> <div>2.31</div> <div>0.98</div> <div>0.48</div> <div>13.62</div> <div>99.81%</div> </div> |            |         |                 |                         |                                                                       |                                 |         |     |
| V0293                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | LVK4410339 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room A08 Main Office            | Unknown | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> <div> <div>BIW</div> <div>15,399</div> <div>04/26/2020</div> <div>70</div> <div>73</div> <div>84</div> <div>0</div> <div></div> <div></div> <div></div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |            |         |                 |                         |                                                                       |                                 |         |     |
| V0294                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | LVK4410338 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room A22 GUIDANCE               | Unknown | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> <div> <div>BIW</div> <div>65,588</div> <div>04/26/2020</div> <div>779</div> <div>756</div> <div>871</div> <div>0</div> <div></div> <div></div> <div></div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |            |         |                 |                         |                                                                       |                                 |         |     |
| V0296                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | LW74701907 | Kyocera | ECOSYS          | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room A52 CLASSROOM              | Unknown | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> <div> <div>BIW</div> <div>11,442</div> <div>04/19/2020</div> <div>157</div> <div>144</div> <div>150</div> <div>0</div> <div>1,038</div> <div>1,038</div> <div>1,038</div> </div> <div>Color</div> <div>10,583</div> <div>04/19/2020</div> <div>205</div> <div>229</div> <div>208</div> <div>0</div> <div>996</div> <div>996</div> <div>996</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |            |         |                 |                         |                                                                       |                                 |         |     |
| <div>Service Call Summary (By Call Type)</div> <div> <div>Call Type</div> <div>10 CourtesyCall</div> <div>Total Calls</div> <div>Total Parts Price</div> <div>Total Parts Cost</div> <div>Total Labor Price</div> <div>Total Labor Cost</div> <div>Avg. Response Time</div> <div>Avg. Repair</div> <div>Avg. Travel</div> <div>Avg. Down Time</div> <div>24 Hour Up Time %</div> </div> <div> <div></div> <div></div> <div>1</div> <div></div> <div></div> <div></div> <div>3.82</div> <div>0.97</div> <div>0.20</div> <div>0.00</div> <div>100.00%</div> </div> <div> <div></div> <div>1</div> <div></div> <div></div> <div></div> <div></div> <div>3.82</div> <div>0.97</div> <div>0.20</div> <div>0.00</div> <div>100.00%</div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |            |         |                 |                         |                                                                       |                                 |         |     |
| V0297                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | LVK4410199 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room A46 MAINTENANCE            | Unknown | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> <div> <div>BIW</div> <div>4,618</div> <div>04/26/2020</div> <div>83</div> <div>50</div> <div>62</div> <div>0</div> <div></div> <div></div> <div></div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |         |                 |                         |                                                                       |                                 |         |     |
| V0298                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | LVA4401742 | Kyocera | M2035dn         | Kyocera ECOSYS M2035dn  | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room A49 IT OFFICE              | Unknown | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> <div> <div>BIW</div> <div>27,030</div> <div>04/26/2020</div> <div>221</div> <div>208</div> <div>263</div> <div>0</div> <div></div> <div></div> <div></div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |            |         |                 |                         |                                                                       |                                 |         |     |
| V0299                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | LW74701884 | Kyocera | ECOSYS          | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room A49 IT Office (Skunkworks) | Unknown | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> <div> <div>BIW</div> <div>11,325</div> <div>04/26/2020</div> <div>130</div> <div>162</div> <div>168</div> <div>0</div> <div></div> <div></div> <div></div> </div> <div>Color</div> <div>34,362</div> <div>04/26/2020</div> <div>350</div> <div>392</div> <div>475</div> <div>0</div> <div></div> <div></div> <div></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |            |         |                 |                         |                                                                       |                                 |         |     |
| V0431                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | LQA4611086 | Kyocera | FS-2100DN       | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - Albert D. Lawton | storage                         | Unknown | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> <div> <div>BIW</div> <div>71,134</div> <div>12/31/2019</div> <div>0</div> <div>259</div> <div>131</div> <div>0</div> <div></div> <div></div> <div></div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |            |         |                 |                         |                                                                       |                                 |         |     |
| V0433                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | LVK4410359 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room A49 Storage                | Unknown | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> <div> <div>BIW</div> <div>43,415</div> <div>03/31/2020</div> <div>0</div> <div>25</div> <div>246</div> <div>0</div> <div>10,592</div> <div>10,592</div> <div>10,592</div> </div> <div>Service Call Summary (By Call Type)</div> <div> <div>Call Type</div> <div>01 DOWN</div> <div>Total Calls</div> <div>Total Parts Price</div> <div>Total Parts Cost</div> <div>Total Labor Price</div> <div>Total Labor Cost</div> <div>Avg. Response Time</div> <div>Avg. Repair</div> <div>Avg. Travel</div> <div>Avg. Down Time</div> <div>24 Hour Up Time %</div> </div> <div> <div></div> <div></div> <div>1</div> <div></div> <div></div> <div></div> <div>0.95</div> <div>1.05</div> <div>0.08</div> <div>2.00</div> <div>99.97%</div> </div> <div> <div></div> <div>1</div> <div></div> <div></div> <div></div> <div></div> <div>0.95</div> <div>1.05</div> <div>0.08</div> <div>2.00</div> <div>99.97%</div> </div>                                                                                                                                    |            |         |                 |                         |                                                                       |                                 |         |     |
| V0435                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | LVK4411562 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Albert D. Lawton | storage                         | Unknown | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> <div> <div>BIW</div> <div>99</div> <div>12/31/2019</div> <div>0</div> <div>1</div> <div>1</div> <div>0</div> <div></div> <div></div> <div></div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |            |         |                 |                         |                                                                       |                                 |         |     |

## Essex Westford School District- Chittenden Central - Center for Technology

### Under Contract Number CN4001-01

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |            |         |        |                         |                                                                            |      |            |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|--------|-------------------------|----------------------------------------------------------------------------|------|------------|-----|
| V0516                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | RCB8600565 | Kyocera | ECOSYS | Kyocera ECOSYS P6230cdn | Essex Westford School District- Chittenden Central - Center for Technology | E100 | 08/28/2018 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> <div> <div>BIW on color</div> <div>26,509</div> <div>04/20/2020</div> <div>318</div> <div>317</div> <div>1,280</div> <div>0</div> <div>19,139</div> <div>19,139</div> <div>19,139</div> </div> <div>Color</div> <div>12,121</div> <div>04/20/2020</div> <div>620</div> <div>620</div> <div>745</div> <div>0</div> <div>7,438</div> <div>7,438</div> <div>7,438</div>                             |            |         |        |                         |                                                                            |      |            |     |
| <div>Service Call Summary (By Call Type)</div> <div> <div>Call Type</div> <div>03 Copy Quality</div> <div>Total Calls</div> <div>Total Parts Price</div> <div>Total Parts Cost</div> <div>Total Labor Price</div> <div>Total Labor Cost</div> <div>Avg. Response Time</div> <div>Avg. Repair</div> <div>Avg. Travel</div> <div>Avg. Down Time</div> <div>24 Hour Up Time %</div> </div> <div> <div></div> <div></div> <div>1</div> <div></div> <div></div> <div></div> <div>1.28</div> <div>1.13</div> <div>0.22</div> <div>2.42</div> <div>99.97%</div> </div> <div> <div></div> <div>1</div> <div></div> <div></div> <div></div> <div></div> <div>1.28</div> <div>1.13</div> <div>0.22</div> <div>2.42</div> <div>99.97%</div> </div> |            |         |        |                         |                                                                            |      |            |     |

### Not Under Contract

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |             |         |                 |                         |                                                                            |            |         |    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------|-----------------|-------------------------|----------------------------------------------------------------------------|------------|---------|----|
| V010                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | LVK4410387A | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room D111C | Unknown | No |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> <div> <div>BIW</div> <div></div> <div></div> <div>0</div> <div>0</div> <div>0</div> <div>0</div> <div></div> <div></div> <div></div> </div>                                                                                                                                  |             |         |                 |                         |                                                                            |            |         |    |
| V072                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | LW74701907a | Kyocera | ECOSYS          | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - Center for Technology | Room A52   | Unknown | No |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> <div> <div>BIW</div> <div></div> <div></div> <div>0</div> <div>0</div> <div>0</div> <div>0</div> <div></div> <div></div> <div></div> </div> <div>Color</div> <div></div> <div></div> <div>0</div> <div>0</div> <div>0</div> <div>0</div> <div></div> <div></div> <div></div> |             |         |                 |                         |                                                                            |            |         |    |

### Under Contract Number Z-CPI4001-01

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |            |         |         |                        |                                                                            |              |            |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|---------|------------------------|----------------------------------------------------------------------------|--------------|------------|-----|
| V0087                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | VM37503876 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Center for Technology | RM M113 CTE  | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> <div> <div>BIW</div> <div>10,813</div> <div>04/26/2020</div> <div>222</div> <div>316</div> <div>344</div> <div>0</div> <div></div> <div></div> <div></div> </div> |            |         |         |                        |                                                                            |              |            |     |
| V0110                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | VM37503898 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Center for Technology | RM D105A CTE | 08/24/2017 | Yes |

|                                     |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
|-------------------------------------|--------------|-------------------|------------------|-------------------------|----------------------------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|-------------|----------------|-------------------|
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 5,297        | 04/26/2020        | 128              | 204                     | 156                                                                        | 0                   |                      |                      |                        |             |                |                   |
| V0116                               | LVK4410459   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | maintenance garage  |                      |                      |                        | Unknown     | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 1,488        | 04/26/2020        | 14               | 15                      | 13                                                                         | 0                   |                      |                      |                        |             |                |                   |
| V0130                               | LVK4410350   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room R215A          |                      |                      |                        | Unknown     | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 10,567       | 04/20/2020        | 136              | 165                     | 162                                                                        | 0                   |                      |                      |                        |             |                |                   |
| V0131                               | LVK4411550   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room R209           |                      |                      |                        | Unknown     | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 27,599       | 04/19/2020        | 330              | 338                     | 331                                                                        | 0                   |                      |                      |                        |             |                |                   |
| V0132                               | LVK4410347   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room R217 DENTAL    |                      |                      |                        | Unknown     | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 9,443        | 04/27/2020        | 9                | 16                      | 15                                                                         | 0                   |                      |                      |                        |             |                |                   |
| V0134                               | LVK4410336   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room R119           |                      |                      |                        | Unknown     | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 6,080        | 04/19/2020        | 123              | 127                     | 115                                                                        | 0                   |                      |                      |                        |             |                |                   |
| V0175                               | LVK4410321   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room C122A Pre-Tech |                      |                      |                        | Unknown     | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 19,597       | 04/20/2020        | 208              | 212                     | 197                                                                        | 0                   |                      |                      |                        |             |                |                   |
| V0264                               | LVK4410305   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room E110           |                      |                      |                        | Unknown     | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 6,980        | 04/26/2020        | 15               | 22                      | 41                                                                         | 0                   |                      |                      |                        |             |                |                   |
| V0265                               | LVK4411556   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room E109           |                      |                      |                        | Unknown     | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 27,679       | 04/26/2020        | 290              | 332                     | 388                                                                        | 0                   |                      |                      |                        |             |                |                   |
| V0266                               | LVK4410325   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room E108           |                      |                      |                        | Unknown     | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 13,974       | 04/26/2020        | 370              | 314                     | 244                                                                        | 0                   |                      |                      |                        |             |                |                   |
| V0267                               | LVK4410392   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room E106           |                      |                      |                        | Unknown     | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 19,594       | 04/26/2020        | 233              | 254                     | 238                                                                        | 0                   |                      |                      |                        |             |                |                   |
| V0268                               | LVK4411553   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room E107           |                      |                      |                        | Unknown     | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 16,369       | 04/26/2020        | 47               | 101                     | 163                                                                        | 0                   |                      |                      |                        |             |                |                   |
| V0269                               | LVK4410516   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room D104           |                      |                      |                        | Unknown     | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 51,314       | 04/16/2020        | 391              | 527                     | 607                                                                        | 0                   |                      |                      |                        |             |                |                   |
| V0270                               | LVK4410340   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room D102           |                      |                      |                        | Unknown     | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 1,056        | 03/31/2020        | 0                | 0                       | 0                                                                          | 0                   |                      |                      |                        |             |                |                   |
| V0272                               | LW74701882   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - Center for Technology | Room C121           |                      |                      |                        | Unknown     | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 12,345       | 03/29/2020        | 196              | 160                     | 148                                                                        | 0                   |                      |                      |                        |             |                |                   |
| Color                               | 12,166       | 03/29/2020        | 203              | 187                     | 195                                                                        | 0                   |                      |                      |                        |             |                |                   |
| V0273                               | LVK4411554   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room M119           |                      |                      |                        | Unknown     | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 4,068        | 04/26/2020        | 74               | 164                     | 93                                                                         | 0                   |                      |                      |                        |             |                |                   |
| V0274                               | LVK4411558   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room M117           |                      |                      |                        | Unknown     | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 19,304       | 04/23/2020        | 213              | 176                     | 163                                                                        | 0                   |                      | 0                    | 0                      | 0           | 0              |                   |
| Service Call Summary (By Call Type) |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Call Type                           |              |                   | Total Calls      | Total Parts Price       | Total Parts Cost                                                           | Total Labor Price   | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 14 Problem                          |              |                   | 1                |                         |                                                                            |                     |                      | 2.28                 | 0.90                   | 0.37        | 3.18           | 99.96%            |
|                                     |              |                   | 1                |                         |                                                                            |                     |                      | 2.28                 | 0.90                   | 0.37        | 3.18           | 99.96%            |
| V0275                               | LVK4409814   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room M112 CTE       |                      |                      |                        | Unknown     | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 8,017        | 03/31/2020        | 142              | 125                     | 102                                                                        | 0                   |                      |                      |                        |             |                |                   |
| V0276                               | LQA4611042   | Kyocera           | FS-2100DN        | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - Center for Technology | ROOM M109A HIM      |                      |                      |                        | Unknown     | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 66,989       | 04/20/2020        | 221              | 514                     | 656                                                                        | 0                   |                      |                      |                        |             |                |                   |
| V0282                               | LVK4410331   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room R129 COSMO     |                      |                      |                        | Unknown     | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                            |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 2,129        | 04/26/2020        | 0                | 0                       | 0                                                                          | 0                   |                      |                      |                        |             |                |                   |

|                                     |            |              |                   |                         |                                                                            |                   |                     |                          |                      |                        |             |                |                   |
|-------------------------------------|------------|--------------|-------------------|-------------------------|----------------------------------------------------------------------------|-------------------|---------------------|--------------------------|----------------------|------------------------|-------------|----------------|-------------------|
| V0430                               | LVK4410294 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology |                   |                     | Room E108B PRE TECH      | Unknown              | Yes                    |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                            |                   |                     |                          |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                           | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 2,537        | 03/31/2020        | 1                       | 0                                                                          | 4                 | 0                   |                          |                      |                        |             |                |                   |
| V0440                               | LQA4611056 | Kyocera      | FS-2100DN         | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - Center for Technology |                   |                     | Room M118 CTE            | Unknown              | Yes                    |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                            |                   |                     |                          |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                           | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 32,230       | 04/25/2020        | 306                     | 501                                                                        | 514               | 0                   |                          |                      |                        |             |                |                   |
| V0441                               | LVK4410452 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology |                   |                     | Room M116 HIM            | Unknown              | Yes                    |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                            |                   |                     |                          |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                           | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 49,378       | 04/26/2020        | 606                     | 800                                                                        | 1,002             | 0                   | 10,776                   | 10,776               | 10,776                 |             |                |                   |
| Service Call Summary (By Call Type) |            |              |                   |                         |                                                                            |                   |                     |                          |                      |                        |             |                |                   |
| Call Type                           |            |              |                   | Total Calls             | Total Parts Price                                                          | Total Parts Cost  | Total Labor Price   | Total Labor Cost         | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 00                                  |            |              |                   | 1                       |                                                                            |                   |                     |                          | 3.72                 | 0.87                   | 0.13        | 6.58           | 99.91%            |
|                                     |            |              |                   | 1                       |                                                                            |                   |                     |                          | 3.72                 | 0.87                   | 0.13        | 6.58           | 99.91%            |
| V0448                               | LVK4411545 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology |                   |                     | Building Trades          | Unknown              | Yes                    |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                            |                   |                     |                          |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                           | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 266          | 03/31/2020        | 0                       | 0                                                                          | 0                 | 0                   |                          |                      |                        |             |                |                   |
| V0449                               | LW74701873 | Kyocera      | ECOSYS            | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - Center for Technology |                   |                     | Building Trades. NATURAL | Unknown              | Yes                    |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                            |                   |                     |                          |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                           | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 24,682       | 03/31/2020        | 0                       | 122                                                                        | 204               | 0                   | 2,044                    | 2,044                | 2,044                  |             |                |                   |
| Color                               |            | 25,731       | 03/31/2020        | 0                       | 213                                                                        | 230               | 0                   | 1,931                    | 1,931                | 1,931                  |             |                |                   |
| Service Call Summary (By Call Type) |            |              |                   |                         |                                                                            |                   |                     |                          |                      |                        |             |                |                   |
| Call Type                           |            |              |                   | Total Calls             | Total Parts Price                                                          | Total Parts Cost  | Total Labor Price   | Total Labor Cost         | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 14 Problem                          |            |              |                   | 2                       |                                                                            |                   |                     |                          | 2.68                 | 1.34                   | 0.07        | 44.03          | 99.39%            |
|                                     |            |              |                   | 2                       |                                                                            |                   |                     |                          | 2.68                 | 1.34                   | 0.07        | 44.03          | 99.39%            |

## Essex Westford School District- Chittenden Central - District

### Under Contract Number CN4001-01

|                   |              |                   |                  |                   |                                                               |                     |                      |                      |                        |
|-------------------|--------------|-------------------|------------------|-------------------|---------------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|
| V0205             | NUK2902818   | Kyocera           | FS-4100DN        | Kyocera FS-4100DN | Essex Westford School District- Chittenden Central - District | 120                 | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                   |                                                               |                     |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.  | 12 Month Avg Vol.                                             | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 261,353      | 04/20/2020        | 432              | 875               | 905                                                           | 0                   |                      |                      |                        |

### Under Contract Number Z-CPI4001-01

|                                     |            |              |                   |                         |                                                               |                   |                     |                      |                      |                        |             |                |                   |
|-------------------------------------|------------|--------------|-------------------|-------------------------|---------------------------------------------------------------|-------------------|---------------------|----------------------|----------------------|------------------------|-------------|----------------|-------------------|
| V0056                               | VM37503909 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - District | RM 112            | 08/24/2017          | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                               |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                              | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 15,185       | 04/26/2020        | 230                     | 265                                                           | 435               | 0                   |                      |                      |                        |             |                |                   |
| V0076                               | VM37503901 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - District | RM 112            | 08/24/2017          | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                               |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                              | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 20,617       | 04/26/2020        | 463                     | 538                                                           | 579               | 0                   |                      |                      |                        |             |                |                   |
| V0200                               | LVK4410297 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - District | 201               | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                               |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                              | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 27,426       | 04/26/2020        | 462                     | 555                                                           | 754               | 0                   |                      |                      |                        |             |                |                   |
| V0201                               | LVK4410451 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - District | Room 205          | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                               |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                              | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 10,257       | 04/19/2020        | 127                     | 94                                                            | 75                | 0                   |                      |                      |                        |             |                |                   |
| V0202                               | LQA4611077 | Kyocera      | FS-2100DN         | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - District | Room 210          | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                               |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                              | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 2,426        | 03/31/2020        | 0                       | 18                                                            | 30                | 0                   |                      |                      |                        |             |                |                   |
| V0203                               | LQA4611099 | Kyocera      | FS-2100DN         | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - District | ROOM 214          | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                               |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                              | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 93,162       | 04/26/2020        | 671                     | 1,651                                                         | 1,682             | 0                   |                      |                      |                        |             |                |                   |
| V0204                               | NUK3408328 | Kyocera      | FS-4100DN         | Kyocera FS-4100DN       | Essex Westford School District- Chittenden Central - District | Room 107B         | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                               |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                              | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 84,093       | 04/19/2020        | 942                     | 1,171                                                         | 1,354             | 0                   |                      |                      |                        |             |                |                   |
| V0206                               | LQP5912239 | Kyocera      | FS-4100DN         | Kyocera FS-4100DN       | Essex Westford School District- Chittenden Central - District | Room 115          | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                               |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                              | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 136,520      | 04/26/2020        | 1,166                   | 1,064                                                         | 1,398             | 0                   |                      |                      |                        |             |                |                   |
| V0207                               | CNGX304126 | HP           | 4200              | HP LaserJet 4200        | Essex Westford School District- Chittenden Central - District | ROOM 112          | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                               |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                              | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 141,365      | 03/31/2020        | 0                       | 0                                                             | 601               | 0                   | 0                    | 0                    | 0                      |             |                |                   |
| Service Call Summary (By Call Type) |            |              |                   |                         |                                                               |                   |                     |                      |                      |                        |             |                |                   |
| Call Type                           |            |              |                   | Total Calls             | Total Parts Price                                             | Total Parts Cost  | Total Labor Price   | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 15 Appointment                      |            |              |                   | 1                       |                                                               |                   |                     |                      | 2.25                 | 0.97                   | 0.27        | 2.22           | 99.97%            |
|                                     |            |              |                   | 1                       |                                                               |                   |                     |                      | 2.25                 | 0.97                   | 0.27        | 2.22           | 99.97%            |
| V0208                               | CNDX301567 | HP           | 4250 MICR         | HP LaserJet 4250 MICR   | Essex Westford School District- Chittenden Central - District | ROOM 112          | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                               |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                              | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 94,077       | 03/31/2020        | 0                       | 0                                                             | 1                 | 0                   |                      |                      |                        |             |                |                   |
| V0209                               | LVK4410371 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - District | 107               | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                               |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                              | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 53,966       | 04/17/2020        | 841                     | 861                                                           | 966               | 0                   |                      |                      |                        |             |                |                   |

Page 12 of 46

|                                                                                                                                                                                                          |            |                     |                          |                         |                                                                              |                                  |                            |                             |                             |                               |                    |                       |                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------------------|--------------------------|-------------------------|------------------------------------------------------------------------------|----------------------------------|----------------------------|-----------------------------|-----------------------------|-------------------------------|--------------------|-----------------------|--------------------------|
| V0019                                                                                                                                                                                                    | VM37503944 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 169                           | 08/24/2017                 | Yes                         |                             |                               |                    |                       |                          |
| <div>Meter Information</div> <div>Meter Type</div> <div>BIW</div>                                                                                                                                        |            |                     |                          |                         |                                                                              |                                  |                            |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                      | <u>12 Month Avg Vol.</u>         | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                    |                       |                          |
|                                                                                                                                                                                                          |            | 4,860               | 04/26/2020               | 62                      | 130                                                                          | 163                              | 0                          |                             |                             |                               |                    |                       |                          |
| V0024                                                                                                                                                                                                    | VM37503941 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 208                           | 08/24/2017                 | Yes                         |                             |                               |                    |                       |                          |
| <div>Meter Information</div> <div>Meter Type</div> <div>BIW</div>                                                                                                                                        |            |                     |                          |                         |                                                                              |                                  |                            |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                      | <u>12 Month Avg Vol.</u>         | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                    |                       |                          |
|                                                                                                                                                                                                          |            | 11,050              | 04/26/2020               | 230                     | 357                                                                          | 357                              | 0                          |                             |                             |                               |                    |                       |                          |
| V0049                                                                                                                                                                                                    | VM37503960 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 188                           | 08/24/2017                 | Yes                         |                             |                               |                    |                       |                          |
| <div>Meter Information</div> <div>Meter Type</div> <div>BIW</div>                                                                                                                                        |            |                     |                          |                         |                                                                              |                                  |                            |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                      | <u>12 Month Avg Vol.</u>         | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                    |                       |                          |
|                                                                                                                                                                                                          |            | 4,488               | 04/26/2020               | 102                     | 125                                                                          | 164                              | 0                          |                             |                             |                               |                    |                       |                          |
| V0055                                                                                                                                                                                                    | VM37503954 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Elementary School | 222-Learning Center              | 08/24/2017                 | Yes                         |                             |                               |                    |                       |                          |
| <div>Meter Information</div> <div>Meter Type</div> <div>BIW</div>                                                                                                                                        |            |                     |                          |                         |                                                                              |                                  |                            |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                      | <u>12 Month Avg Vol.</u>         | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                    |                       |                          |
|                                                                                                                                                                                                          |            | 4,823               | 04/26/2020               | 49                      | 57                                                                           | 55                               | 0                          |                             |                             |                               |                    |                       |                          |
| V0066                                                                                                                                                                                                    | VM37503917 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 120                           | 08/24/2017                 | Yes                         |                             |                               |                    |                       |                          |
| <div>Meter Information</div> <div>Meter Type</div> <div>BIW</div>                                                                                                                                        |            |                     |                          |                         |                                                                              |                                  |                            |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                      | <u>12 Month Avg Vol.</u>         | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                    |                       |                          |
|                                                                                                                                                                                                          |            | 7,908               | 04/26/2020               | 75                      | 102                                                                          | 114                              | 0                          |                             |                             |                               |                    |                       |                          |
| V0071                                                                                                                                                                                                    | VM37503916 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Elementary School | Room 104.                        | 08/24/2017                 | Yes                         |                             |                               |                    |                       |                          |
| <div>Meter Information</div> <div>Meter Type</div> <div>BIW</div>                                                                                                                                        |            |                     |                          |                         |                                                                              |                                  |                            |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                      | <u>12 Month Avg Vol.</u>         | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                    |                       |                          |
|                                                                                                                                                                                                          |            | 6,214               | 04/10/2020               | 247                     | 235                                                                          | 178                              | 0                          |                             |                             |                               |                    |                       |                          |
| V0075                                                                                                                                                                                                    | VM37503907 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 210                           | 08/24/2017                 | Yes                         |                             |                               |                    |                       |                          |
| <div>Meter Information</div> <div>Meter Type</div> <div>BIW</div>                                                                                                                                        |            |                     |                          |                         |                                                                              |                                  |                            |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                      | <u>12 Month Avg Vol.</u>         | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                    |                       |                          |
|                                                                                                                                                                                                          |            | 8,472               | 03/31/2020               | 0                       | 0                                                                            | 172                              | 0                          |                             |                             |                               |                    |                       |                          |
| V0080                                                                                                                                                                                                    | VM37503867 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 238                           | 08/24/2017                 | Yes                         |                             |                               |                    |                       |                          |
| <div>Meter Information</div> <div>Meter Type</div> <div>BIW</div>                                                                                                                                        |            |                     |                          |                         |                                                                              |                                  |                            |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                      | <u>12 Month Avg Vol.</u>         | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                    |                       |                          |
|                                                                                                                                                                                                          |            | 11,076              | 04/26/2020               | 245                     | 318                                                                          | 253                              | 0                          |                             |                             |                               |                    |                       |                          |
| V0085                                                                                                                                                                                                    | VM37503880 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 243                           | 08/24/2017                 | Yes                         |                             |                               |                    |                       |                          |
| <div>Meter Information</div> <div>Meter Type</div> <div>BIW</div>                                                                                                                                        |            |                     |                          |                         |                                                                              |                                  |                            |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                      | <u>12 Month Avg Vol.</u>         | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                    |                       |                          |
|                                                                                                                                                                                                          |            | 18,291              | 04/22/2020               | 436                     | 503                                                                          | 512                              | 0                          |                             |                             |                               |                    |                       |                          |
| V0090                                                                                                                                                                                                    | VM37503878 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 261                           | 08/24/2017                 | Yes                         |                             |                               |                    |                       |                          |
| <div>Meter Information</div> <div>Meter Type</div> <div>BIW</div>                                                                                                                                        |            |                     |                          |                         |                                                                              |                                  |                            |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                      | <u>12 Month Avg Vol.</u>         | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                    |                       |                          |
|                                                                                                                                                                                                          |            | 8,553               | 04/26/2020               | 263                     | 279                                                                          | 285                              | 0                          |                             |                             |                               |                    |                       |                          |
| V0098                                                                                                                                                                                                    | V5Q7605196 | Kyocera             | ECOSYS                   | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Elementary School | Essex Middle School RM 211 SP Ed | 08/24/2017                 | Yes                         |                             |                               |                    |                       |                          |
| <div>Meter Information</div> <div>Meter Type</div> <div>BIW on color</div> <div>Color</div>                                                                                                              |            |                     |                          |                         |                                                                              |                                  |                            |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                      | <u>12 Month Avg Vol.</u>         | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                    |                       |                          |
|                                                                                                                                                                                                          |            | 12,914              | 03/31/2020               | 0                       | 215                                                                          | 339                              | 0                          |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | 16,175              | 03/31/2020               | 0                       | 253                                                                          | 402                              | 0                          |                             |                             |                               |                    |                       |                          |
| V0099                                                                                                                                                                                                    | V5Q7605189 | Kyocera             | ECOSYS                   | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 248 SPED                      | 08/24/2017                 | Yes                         |                             |                               |                    |                       |                          |
| <div>Meter Information</div> <div>Meter Type</div> <div>BIW on color</div> <div>Color</div>                                                                                                              |            |                     |                          |                         |                                                                              |                                  |                            |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                      | <u>12 Month Avg Vol.</u>         | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                    |                       |                          |
|                                                                                                                                                                                                          |            | 13,705              | 03/31/2020               | 338                     | 416                                                                          | 385                              | 0                          |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | 9,160               | 03/31/2020               | 420                     | 415                                                                          | 345                              | 0                          |                             |                             |                               |                    |                       |                          |
| V0100                                                                                                                                                                                                    | V5Q7605190 | Kyocera             | ECOSYS                   | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Elementary School | Office                           | 08/24/2017                 | Yes                         |                             |                               |                    |                       |                          |
| <div>Meter Information</div> <div>Meter Type</div> <div>BIW on color</div> <div>Color</div>                                                                                                              |            |                     |                          |                         |                                                                              |                                  |                            |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                      | <u>12 Month Avg Vol.</u>         | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                    |                       |                          |
|                                                                                                                                                                                                          |            | 4,512               | 03/31/2020               | 0                       | 76                                                                           | 119                              | 0                          |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | 6,283               | 03/31/2020               | 0                       | 111                                                                          | 164                              | 0                          |                             |                             |                               |                    |                       |                          |
| V0101                                                                                                                                                                                                    | V5Q7605178 | Kyocera             | ECOSYS                   | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 144 Gathering Space           | 08/24/2017                 | Yes                         |                             |                               |                    |                       |                          |
| <div>Meter Information</div> <div>Meter Type</div> <div>BIW on color</div> <div>Color</div> <div>Service Call Summary (By Call Type)</div> <div>Call Type</div> <div>01 DOWN</div> <div>14 Problem</div> |            |                     |                          |                         |                                                                              |                                  |                            |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                      | <u>12 Month Avg Vol.</u>         | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                    |                       |                          |
|                                                                                                                                                                                                          |            | 6,284               | 03/31/2020               | 0                       | 179                                                                          | 189                              | 0                          | 15                          | 15                          | 15                            |                    |                       |                          |
|                                                                                                                                                                                                          |            | 9,748               | 03/31/2020               | 0                       | 369                                                                          | 328                              | 0                          | 4                           | 4                           | 4                             |                    |                       |                          |
|                                                                                                                                                                                                          |            |                     |                          | <u>Total Calls</u>      | <u>Total Parts Price</u>                                                     | <u>Total Parts Cost</u>          | <u>Total Labor Price</u>   | <u>Total Labor Cost</u>     | <u>Avg. Response Time</u>   | <u>Avg. Repair</u>            | <u>Avg. Travel</u> | <u>Avg. Down Time</u> | <u>24 Hour Up Time %</u> |
|                                                                                                                                                                                                          |            |                     |                          | 1                       |                                                                              |                                  |                            |                             | 1.03                        | 1.03                          | 0.32               | 2.07                  | 99.97%                   |
|                                                                                                                                                                                                          |            |                     |                          | 1                       |                                                                              |                                  |                            |                             | 0.92                        | 1.05                          | 0.22               | 1.97                  | 99.97%                   |
|                                                                                                                                                                                                          |            |                     |                          | 2                       |                                                                              |                                  |                            |                             | 0.98                        | 1.04                          | 0.27               | 2.02                  | 99.97%                   |
| V0102                                                                                                                                                                                                    | V5Q7605197 | Kyocera             | ECOSYS                   | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Elementary School | EES 7 C-Wing                     | 08/24/2017                 | Yes                         |                             |                               |                    |                       |                          |
| <div>Meter Information</div> <div>Meter Type</div> <div>BIW on color</div> <div>Color</div>                                                                                                              |            |                     |                          |                         |                                                                              |                                  |                            |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                      | <u>12 Month Avg Vol.</u>         | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                    |                       |                          |
|                                                                                                                                                                                                          |            | 16,077              | 03/31/2020               | 0                       | 420                                                                          | 445                              | 0                          |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | 25,507              | 03/31/2020               | 0                       | 1,186                                                                        | 1,071                            | 0                          |                             |                             |                               |                    |                       |                          |
| V0106                                                                                                                                                                                                    | V5Q7605183 | Kyocera             | ECOSYS                   | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Elementary School | color laser                      | 08/24/2017                 | Yes                         |                             |                               |                    |                       |                          |
| <div>Meter Information</div> <div>Meter Type</div> <div>BIW on color</div> <div>Color</div>                                                                                                              |            |                     |                          |                         |                                                                              |                                  |                            |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                      | <u>12 Month Avg Vol.</u>         | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                    |                       |                          |
|                                                                                                                                                                                                          |            | 4,798               | 04/20/2020               | 133                     | 133                                                                          | 177                              | 0                          |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | 2,137               | 04/20/2020               | 76                      | 75                                                                           | 135                              | 0                          |                             |                             |                               |                    |                       |                          |
| V0111                                                                                                                                                                                                    | V6D7511252 | Kyocera             | M6535ciddn               | Kyocera M6535ciddn      | Essex Westford School District- Chittenden Central - Essex Elementary School | DTE                              | 08/24/2017                 | Yes                         |                             |                               |                    |                       |                          |
| <div>Meter Information</div> <div>Meter Type</div> <div>BIW on color</div> <div>Color</div>                                                                                                              |            |                     |                          |                         |                                                                              |                                  |                            |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                      | <u>12 Month Avg Vol.</u>         | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                    |                       |                          |
|                                                                                                                                                                                                          |            | 1,573               | 03/31/2020               | 0                       | 3                                                                            | 6                                | 0                          |                             |                             |                               |                    |                       |                          |
|                                                                                                                                                                                                          |            | 3,464               | 03/31/2020               | 0                       | 53                                                                           | 56                               | 0                          |                             |                             |                               |                    |                       |                          |

Page 13 of 46

|                                     |              |                   |                  |                         |                                                                              |                     |                      |                      |                        |                   |
|-------------------------------------|--------------|-------------------|------------------|-------------------------|------------------------------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|-------------------|
| V0261                               | V5Q7605175   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Elementary School | RM32 LC Color       | 08/24/2017           | Yes                  |                        |                   |
| Meter Information                   |              |                   |                  |                         |                                                                              |                     |                      |                      |                        |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                            | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |
| BIW on color                        | 9,249        | 04/20/2020        | 94               | 209                     | 230                                                                          | 0                   | 2,542                | 2,542                | 2,542                  |                   |
| Color                               | 3,675        | 04/20/2020        | 14               | 70                      | 79                                                                           | 0                   | 1,615                | 1,615                | 1,615                  |                   |
| Service Call Summary (By Call Type) |              |                   |                  |                         |                                                                              |                     |                      |                      |                        |                   |
| Call Type                           | Total Calls  | Total Parts Price | Total Parts Cost | Total Labor Price       | Total Labor Cost                                                             | Avg. Response Time  | Avg. Repair          | Avg. Travel          | Avg. Down Time         | 24 Hour Up Time % |
| 01 DOWN                             | 1            |                   |                  |                         |                                                                              | 3.85                | 1.03                 | 0.73                 | 6.88                   | 99.91%            |
|                                     | 1            |                   |                  |                         |                                                                              | 3.85                | 1.03                 | 0.73                 | 6.88                   | 99.91%            |

Essex Westford School District- Chittenden Central - Essex High

Under Contract Number CN4001-01

|                                     |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |             |                |                   |
|-------------------------------------|--------------|-------------------|------------------|-------------------------|-----------------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|-------------|----------------|-------------------|
| V0259                               | W2H7403283   | Kyocera           | TASKalfa 5052ci  | Kyocera TASKalfa 5052ci | Essex Westford School District- Chittenden Central - Essex High |                     |                      |                      | A116 MO                | 08/24/2017  | Yes            |                   |
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 84,560       | 04/26/2020        | 2,373            | 4,717                   | 4,221                                                           | 0                   | 4,907                | 4,907                | 4,907                  |             |                |                   |
| Color                               | 320,285      | 04/26/2020        | 10,161           | 10,408                  | 10,378                                                          | 0                   | 14,013               | 14,013               | 14,013                 |             |                |                   |
| Service Call Summary (By Call Type) |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |             |                |                   |
| Call Type                           |              |                   | Total Calls      | Total Parts Price       | Total Parts Cost                                                | Total Labor Price   | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 02 Jam                              |              |                   | 2                |                         |                                                                 |                     |                      | 0.29                 | 1.43                   | 0.13        | 1.72           | 99.96%            |
| 14 Problem                          |              |                   | 2                |                         |                                                                 |                     |                      | 2.20                 | 1.30                   | 0.23        | 13.50          | 99.81%            |
|                                     |              |                   | 4                |                         |                                                                 |                     |                      | 1.25                 | 1.36                   | 0.18        | 7.61           | 99.90%            |

|                   |              |                   |                  |                         |                                                                    |                     |                      |                      |                        |            |     |
|-------------------|--------------|-------------------|------------------|-------------------------|--------------------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|------------|-----|
| V0517             | RCB8600667   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6230cdn | Essex Westford School District- Chittenden<br>Central - Essex High |                     |                      |                      | Room C134              | 08/28/2018 | Yes |
| Meter Information |              |                   |                  |                         |                                                                    |                     |                      |                      |                        |            |     |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |            |     |
| BIW on color      | 4,462        | 03/31/2020        | 0                | 72                      | 141                                                                | 0                   |                      |                      |                        |            |     |
| Color             | 4,816        | 03/31/2020        | 0                | 101                     | 207                                                                | 0                   |                      |                      |                        |            |     |

|                                     |              |                   |                  |                        |                                                                 |                     |                      |                      |                        |             |                |                   |
|-------------------------------------|--------------|-------------------|------------------|------------------------|-----------------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|-------------|----------------|-------------------|
| V0786                               | VCJ9526652   | Kyocera           | M2540dw          | Kyocera ECOSYS M2540dw | Essex Westford School District- Chittenden Central - Essex High | Room B113A          | 12/23/2019           | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                        |                                                                 |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 107          | 03/31/2020        | 0                | 0                      | 0                                                               | 0                   | 0                    | 0                    | 0                      |             |                |                   |
| Service Call Summary (By Call Type) |              |                   |                  |                        |                                                                 |                     |                      |                      |                        |             |                |                   |
| Call Type                           |              |                   | Total Calls      | Total Parts Price      | Total Parts Cost                                                | Total Labor Price   | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 10 CourtesyCall                     |              |                   | 1                |                        |                                                                 |                     |                      | 1.57                 | 0.63                   | 0.18        | 0.00           | 100.00%           |
|                                     |              |                   | 1                |                        |                                                                 |                     |                      | 1.57                 | 0.63                   | 0.18        | 0.00           | 100.00%           |

Not Under Contract

|                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |
|-------------------|--------------|-------------------|------------------|-------------------------|-----------------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|
| V076              | LVK44010303  | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C136B          | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 0            | 08/24/2017        | 0                | 0                       | 0                                                               | 0                   |                      |                      |                        |

|                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |
|-------------------|--------------|-------------------|------------------|-------------------------|-----------------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|
| V162              | LVK4410333   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Security Office     | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 0            | 08/24/2017        | 0                | 0                       | 0                                                               | 0                   |                      |                      |                        |

Under Contract Number Z-CPI4001-01

|                   |            |              |                   |                        |                                                                 |                   |                     |                      |                      |                        |
|-------------------|------------|--------------|-------------------|------------------------|-----------------------------------------------------------------|-------------------|---------------------|----------------------|----------------------|------------------------|
| V0021             | VM37503934 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | RM C137B SPED     | 08/24/2017          | Yes                  |                      |                        |
| Meter Information |            |              |                   |                        |                                                                 |                   |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.       | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 14,260       | 04/26/2020        | 304                    | 490                                                             | 409               | 0                   |                      |                      |                        |
| V0037             | VM37503940 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | RM C222B          | 08/24/2017          | Yes                  |                      |                        |
| Meter Information |            |              |                   |                        |                                                                 |                   |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.       | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 58,511       | 04/23/2020        | 1,447                  | 1,698                                                           | 1,514             | 0                   |                      |                      |                        |
| V0041             | VM37503949 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | RM B120           | 08/24/2017          | Yes                  |                      |                        |
| Meter Information |            |              |                   |                        |                                                                 |                   |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.       | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 8,285        | 04/26/2020        | 222                    | 251                                                             | 195               | 0                   |                      |                      |                        |
| V0042             | VM37503959 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | ROOM A106         | 08/24/2017          | Yes                  |                      |                        |
| Meter Information |            |              |                   |                        |                                                                 |                   |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.       | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 5,048        | 04/26/2020        | 110                    | 127                                                             | 142               | 0                   |                      |                      |                        |
| V0046             | VM37503952 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | 1                 | 08/24/2017          | Yes                  |                      |                        |
| Meter Information |            |              |                   |                        |                                                                 |                   |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.       | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 3,777        | 04/26/2020        | 221                    | 211                                                             | 188               | 0                   |                      |                      |                        |
| V0047             | VM37503957 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | A116 MO           | 08/24/2017          | Yes                  |                      |                        |
| Meter Information |            |              |                   |                        |                                                                 |                   |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.       | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 9,273        | 04/26/2020        | 480                    | 480                                                             | 382               | 0                   |                      |                      |                        |
| V0048             | VM37503946 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | RM L110B          | 08/24/2017          | Yes                  |                      |                        |
| Meter Information |            |              |                   |                        |                                                                 |                   |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.       | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 9,417        | 04/26/2020        | 43                     | 106                                                             | 132               | 0                   |                      |                      |                        |
| V0052             | VM37503961 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | RM C111B          | 08/24/2017          | Yes                  |                      |                        |
| Meter Information |            |              |                   |                        |                                                                 |                   |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.       | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 10,954       | 04/26/2020        | 145                    | 196                                                             | 233               | 0                   |                      |                      |                        |
| V0053             | VM37503945 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | RM L110B          | 08/24/2017          | Yes                  |                      |                        |
| Meter Information |            |              |                   |                        |                                                                 |                   |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.       | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 7,603        | 04/26/2020        | 14                     | 28                                                              | 62                | 0                   |                      |                      |                        |
| V0061             | VM37503903 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | A116 MO           | 08/24/2017          | Yes                  |                      |                        |
| Meter Information |            |              |                   |                        |                                                                 |                   |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.       | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 42,574       | 04/26/2020        | 556                    | 784                                                             | 895               | 0                   |                      |                      |                        |

Page 14 of 46

|                   |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
|-------------------|--------------|-------------------|------------------|-------------------------|-----------------------------------------------------------------|-----------------------------|----------------------|----------------------|------------------------|
| V0062             | VM37503906   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | RM F112                     | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 8,794        | 04/26/2020        | 136              | 274                     | 282                                                             | 0                           |                      |                      |                        |
| V0063             | VM37503910   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | RM C108B                    | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 53,249       | 04/26/2020        | 1,183            | 1,497                   | 1,501                                                           | 0                           |                      |                      |                        |
| V0067             | VM37503920   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | RM C123A                    | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 10,566       | 04/26/2020        | 257              | 299                     | 244                                                             | 0                           |                      |                      |                        |
| V0068             | VM37503915   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | RM F106 Athletics           | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 15,323       | 04/26/2020        | 386              | 537                     | 545                                                             | 0                           |                      |                      |                        |
| V0069             | VM37503902   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | ROOM B024 PHYS ED           | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 24,439       | 04/26/2020        | 0                | 35                      | 166                                                             | 0                           |                      |                      |                        |
| V0070             | VM37503908   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | RM F108 FINE ARTS           | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 18,906       | 04/26/2020        | 530              | 565                     | 714                                                             | 0                           |                      |                      |                        |
| V0072             | VM37503914   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | RM B119 - special Education | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 12,890       | 04/26/2020        | 1,024            | 887                     | 567                                                             | 0                           |                      |                      |                        |
| V0073             | VM37503913   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | RM C137A SPED               | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 17,085       | 04/26/2020        | 285              | 459                     | 394                                                             | 0                           |                      |                      |                        |
| V0074             | VM37503919   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | RM C127B BUSINESS           | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 25,130       | 04/26/2020        | 547              | 1,409                   | 1,079                                                           | 0                           |                      |                      |                        |
| V0078             | VM37503863   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | RM C131 TECHNOLOGY          | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 4,108        | 03/31/2020        | 183              | 175                     | 184                                                             | 0                           |                      |                      |                        |
| V0079             | VM37503875   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | RM C127A BUSINESS           | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 24,048       | 04/26/2020        | 364              | 570                     | 523                                                             | 0                           |                      |                      |                        |
| V0083             | VM37503879   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | RM C115                     | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 6,801        | 04/26/2020        | 93               | 108                     | 93                                                              | 0                           |                      |                      |                        |
| V0084             | VM37503873   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | Main Office                 | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 14,437       | 04/26/2020        | 371              | 523                     | 371                                                             | 0                           |                      |                      |                        |
| V0088             | VM37503865   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | RM C105                     | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 6,543        | 04/26/2020        | 99               | 144                     | 149                                                             | 0                           |                      |                      |                        |
| V0089             | VM37503870   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | RM C139 SPED                | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 29,207       | 04/26/2020        | 1,169            | 1,092                   | 958                                                             | 0                           |                      |                      |                        |
| V0092             | VM37503866   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | RM B014 ATHLETIC            | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 1,198        | 04/26/2020        | 5                | 14                      | 50                                                              | 0                           |                      |                      |                        |
| V0093             | VM37503864   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | B017 Black Box              | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 192          | 04/26/2020        | 14               | 13                      | 4                                                               | 0                           |                      |                      |                        |
| V0094             | VM37503877   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | ROOM B101A SCIENCE          | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 17,216       | 04/26/2020        | 161              | 411                     | 292                                                             | 0                           |                      |                      |                        |
| V0095             | VM37503872   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | GUIDANCE OFFICE             | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 14,342       | 04/26/2020        | 210              | 276                     | 425                                                             | 0                           |                      |                      |                        |
| V0097             | V5Q7605192   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6130cnd | Essex Westford School District- Chittenden Central - Essex High | RM B120                     | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                             |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.         | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW on color      | 2,662        | 03/31/2020        | 0                | 39                      | 44                                                              | 0                           |                      |                      |                        |
| Color             | 5,481        | 03/31/2020        | 0                | 79                      | 129                                                             | 0                           |                      |                      |                        |
| V0108             | V5Q7605185   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6130cnd | Essex Westford School District- Chittenden Central - Essex High | C136B BUS TECH              | 08/24/2017           | Yes                  |                        |

Page 16 of 46

|                                     |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
|-------------------------------------|--------------|-------------------|------------------|-------------------------|-----------------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|-------------------|-----|
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |     |
| BIW on color                        | 1,897        | 04/20/2020        | 39               | 39                      | 35                                                              | 0                   |                      |                      |                        |                   |     |
| Color                               | 7,491        | 04/20/2020        | 269              | 269                     | 199                                                             | 0                   |                      |                      |                        |                   |     |
| V0109                               | VM37503893   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | spare printer       |                      |                      |                        | 08/24/2017        | Yes |
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |     |
| BIW                                 | 7,799        | 03/31/2020        | 0                | 182                     | 128                                                             | 0                   |                      |                      |                        |                   |     |
| V0115                               | LVK4411680   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room B116           |                      |                      |                        | Unknown           | Yes |
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |     |
| BIW                                 | 29,995       | 04/26/2020        | 53               | 54                      | 62                                                              | 0                   |                      |                      |                        |                   |     |
| V0117                               | LW34300828   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6021cdn | Essex Westford School District- Chittenden Central - Essex High | Room B102 Science   |                      |                      |                        | Unknown           | Yes |
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |     |
| BIW                                 | 19,418       | 04/27/2020        | 278              | 403                     | 369                                                             | 0                   |                      | 203                  | 1,759                  | 1,759             |     |
| Color                               | 41,895       | 04/27/2020        | 457              | 487                     | 483                                                             | 0                   |                      | 182                  | 2,644                  | 2,644             |     |
| Service Call Summary (By Call Type) |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Call Type                           | Total Calls  | Total Parts Price | Total Parts Cost | Total Labor Price       | Total Labor Cost                                                | Avg. Response Time  | Avg. Repair          | Avg. Travel          | Avg. Down Time         | 24 Hour Up Time % |     |
| 02 Jam                              | 2            |                   |                  |                         |                                                                 | 2.08                | 1.06                 | 0.06                 | 23.13                  | 99.68%            |     |
| 12 Noise                            | 1            |                   |                  |                         |                                                                 | 0.53                | 1.27                 | 0.15                 | 1.80                   | 99.98%            |     |
| 20 Phone                            | 1            |                   |                  |                         |                                                                 | 3.63                | 0.02                 | 0.00                 | 0.00                   | 100.00%           |     |
|                                     | 4            |                   |                  |                         |                                                                 | 2.15                | 0.78                 | 0.07                 | 8.31                   | 99.89%            |     |
| V0119                               | LVK4410348   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room B29            |                      |                      |                        | Unknown           | Yes |
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |     |
| BIW                                 | 9,019        | 04/26/2020        | 173              | 219                     | 298                                                             | 0                   |                      |                      |                        |                   |     |
| V0120                               | LVK4410300   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room B026           |                      |                      |                        | Unknown           | Yes |
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |     |
| BIW                                 | 11,957       | 03/31/2020        | 117              | 145                     | 179                                                             | 0                   |                      |                      |                        |                   |     |
| V0121                               | LVK4410387   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room D111C          |                      |                      |                        | Unknown           | Yes |
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |     |
| BIW                                 | 20,292       | 04/26/2020        | 163              | 278                     | 254                                                             | 0                   |                      |                      |                        |                   |     |
| V0122                               | LVK4410335   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C209           |                      |                      |                        | Unknown           | Yes |
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |     |
| BIW                                 | 23,589       | 03/31/2020        | 196              | 292                     | 270                                                             | 0                   |                      |                      |                        |                   |     |
| V0123                               | LVK4411542   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room B120           |                      |                      |                        | Unknown           | Yes |
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |     |
| BIW                                 | 705          | 03/31/2020        | 0                | 0                       | 0                                                               | 0                   |                      |                      |                        |                   |     |
| V0126                               | LVV4401749   | Kyocera           | M2035dn          | Kyocera ECOSYS M2035dn  | Essex Westford School District- Chittenden Central - Essex High | Room F106 Athletics |                      |                      |                        | Unknown           | Yes |
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |     |
| BIW                                 | 26,758       | 03/31/2020        | 27               | 126                     | 176                                                             | 0                   |                      |                      |                        |                   |     |
| V0127                               | LVK4410396   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room F107           |                      |                      |                        | Unknown           | Yes |
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |     |
| BIW                                 | 10,194       | 04/26/2020        | 182              | 196                     | 144                                                             | 0                   |                      |                      |                        |                   |     |
| V0129                               | LVK4411544   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room F110           |                      |                      |                        | Unknown           | Yes |
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |     |
| BIW                                 | 6,844        | 04/26/2020        | 101              | 69                      | 61                                                              | 0                   |                      |                      |                        |                   |     |
| V0135                               | CNDCGBJ232   | HP                | 700 M712         | HP LaserJet 700 M712n   | Essex Westford School District- Chittenden Central - Essex High | ROOM E105           |                      |                      |                        | Unknown           | Yes |
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |     |
| BIW                                 | 17,583       | 03/31/2020        | 0                | 91                      | 200                                                             | 0                   |                      |                      |                        |                   |     |
| V0137                               | LVK4411551   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room B114           |                      |                      |                        | Unknown           | Yes |
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |     |
| BIW                                 | 4,677        | 04/26/2020        | 42               | 89                      | 91                                                              | 0                   |                      |                      |                        |                   |     |
| V0138                               | LW74701891   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - Essex High | Room B113A Art      |                      |                      |                        | Unknown           | Yes |
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |     |
| BIW                                 | 8,046        | 03/31/2020        | 70               | 139                     | 164                                                             | 0                   |                      |                      |                        |                   |     |
| Color                               | 19,101       | 03/31/2020        | 180              | 340                     | 414                                                             | 0                   |                      |                      |                        |                   |     |
| V0139                               | LVK4410291   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room B105A Nurse    |                      |                      |                        | Unknown           | Yes |
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |     |
| BIW                                 | 26,988       | 04/19/2020        | 293              | 341                     | 385                                                             | 0                   |                      |                      |                        |                   |     |
| v0141                               | LVK4410349   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room B103A          |                      |                      |                        | Unknown           | Yes |
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |     |
| BIW                                 | 96,198       | 03/31/2020        | 423              | 983                     | 1,237                                                           | 0                   |                      | 16,515               | 16,515                 | 16,515            |     |
| Service Call Summary (By Call Type) |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Call Type                           | Total Calls  | Total Parts Price | Total Parts Cost | Total Labor Price       | Total Labor Cost                                                | Avg. Response Time  | Avg. Repair          | Avg. Travel          | Avg. Down Time         | 24 Hour Up Time % |     |
| 02 Jam                              | 1            |                   |                  |                         |                                                                 | 0.28                | 0.97                 | 0.28                 | 1.25                   | 99.98%            |     |
|                                     | 1            |                   |                  |                         |                                                                 | 0.28                | 0.97                 | 0.28                 | 1.25                   | 99.98%            |     |
| V0144                               | LVK4410341   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room B117           |                      |                      |                        | Unknown           | Yes |
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |     |
| BIW                                 | 35,052       | 03/31/2020        | 609              | 838                     | 677                                                             | 0                   |                      |                      |                        |                   |     |
| V0145                               | LVK4411691   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | D113                |                      |                      |                        | Unknown           | Yes |
| Meter Information                   |              |                   |                  |                         |                                                                 |                     |                      |                      |                        |                   |     |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |     |
| BIW                                 | 85,460       | 04/26/2020        | 834              | 977                     | 1,336                                                           | 0                   |                      |                      |                        |                   |     |

Page 16 of 46

|                                     |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
|-------------------------------------|------------|--------------|-------------------|-------------------------|-----------------------------------------------------------------|-------------------|---------------------|----------------------|----------------------|------------------------|-------------|----------------|-------------------|
| V0146                               | LVK4410346 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room B116         | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 8,173        | 04/26/2020        | 136                     | 122                                                             | 140               | 0                   | 0                    | 0                    | 0                      |             |                |                   |
| Service Call Summary (By Call Type) |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Call Type                           |            |              |                   | Total Calls             | Total Parts Price                                               | Total Parts Cost  | Total Labor Price   | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 02 Jam                              |            |              |                   | 1                       |                                                                 |                   |                     |                      | 0.27                 | 0.57                   | 0.10        | 0.83           | 99.99%            |
|                                     |            |              |                   | 1                       |                                                                 |                   |                     |                      | 0.27                 | 0.57                   | 0.10        | 0.83           | 99.99%            |
| V0147                               | LVK4410444 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C102         | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 79,595       | 04/26/2020        | 164                     | 309                                                             | 283               | 0                   |                      |                      |                        |             |                |                   |
| V0148                               | LVK4410290 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C210         | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 15,531       | 04/26/2020        | 86                      | 172                                                             | 220               | 0                   |                      |                      |                        |             |                |                   |
| V0149                               | LVK4410308 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room 211A         | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 29,454       | 04/26/2020        | 389                     | 440                                                             | 475               | 0                   |                      |                      |                        |             |                |                   |
| V0150                               | LVK4410388 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C212         | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 39,323       | 03/29/2020        | 559                     | 590                                                             | 572               | 0                   | 0                    | 0                    | 0                      |             |                |                   |
| Service Call Summary (By Call Type) |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Call Type                           |            |              |                   | Total Calls             | Total Parts Price                                               | Total Parts Cost  | Total Labor Price   | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 03 Copy Quality                     |            |              |                   | 1                       |                                                                 |                   |                     |                      | 0.60                 | 0.98                   | 0.25        | 1.58           | 99.98%            |
|                                     |            |              |                   | 1                       |                                                                 |                   |                     |                      | 0.60                 | 0.98                   | 0.25        | 1.58           | 99.98%            |
| V0151                               | LVK4410456 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C214 SCIENCE | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 68,508       | 04/26/2020        | 938                     | 1,502                                                           | 1,257             | 0                   | 18,103               | 18,103               | 18,103                 |             |                |                   |
| Service Call Summary (By Call Type) |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Call Type                           |            |              |                   | Total Calls             | Total Parts Price                                               | Total Parts Cost  | Total Labor Price   | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 02 Jam                              |            |              |                   | 1                       |                                                                 |                   |                     |                      | 2.92                 | 0.97                   | 1.12        | 3.88           | 99.95%            |
|                                     |            |              |                   | 1                       |                                                                 |                   |                     |                      | 2.92                 | 0.97                   | 1.12        | 3.88           | 99.95%            |
| V0152                               | LVK4410448 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C222         | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 15,227       | 04/27/2020        | 0                       | 126                                                             | 141               | 0                   |                      |                      |                        |             |                |                   |
| V0153                               | LVK4410442 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C223C        | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 36,422       | 04/26/2020        | 285                     | 344                                                             | 380               | 0                   |                      |                      |                        |             |                |                   |
| V0154                               | LQA4611046 | Kyocera      | FS-2100DN         | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - Essex High | Room C232         | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 129,750      | 04/26/2020        | 631                     | 1,118                                                           | 1,264             | 0                   | 0                    | 0                    | 0                      |             |                |                   |
| Service Call Summary (By Call Type) |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Call Type                           |            |              |                   | Total Calls             | Total Parts Price                                               | Total Parts Cost  | Total Labor Price   | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 02 Jam                              |            |              |                   | 1                       |                                                                 |                   |                     |                      | 0.00                 | 0.85                   | 0.15        | 0.85           | 99.99%            |
|                                     |            |              |                   | 1                       |                                                                 |                   |                     |                      | 0.00                 | 0.85                   | 0.15        | 0.85           | 99.99%            |
| V0155                               | LVK4411563 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C233 SPED    | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 56,538       | 04/26/2020        | 588                     | 789                                                             | 781               | 0                   |                      |                      |                        |             |                |                   |
| V0156                               | LVK4411555 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C234         | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 5,372        | 04/26/2020        | 9                       | 6                                                               | 34                | 0                   |                      |                      |                        |             |                |                   |
| V0157                               | LQA4611085 | Kyocera      | FS-2100DN         | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - Essex High | Room C236         | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 83,217       | 04/26/2020        | 1,340                   | 1,905                                                           | 1,676             | 0                   | 3,160                | 3,160                | 3,160                  |             |                |                   |
| Service Call Summary (By Call Type) |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Call Type                           |            |              |                   | Total Calls             | Total Parts Price                                               | Total Parts Cost  | Total Labor Price   | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 03 Copy Quality                     |            |              |                   | 1                       |                                                                 |                   |                     |                      | 3.58                 | 0.97                   | 0.23        | 6.55           | 99.91%            |
| 12 Noise                            |            |              |                   | 3                       |                                                                 |                   |                     |                      | 2.33                 | 0.99                   | 0.27        | 10.32          | 99.86%            |
| 14 Problem                          |            |              |                   | 1                       |                                                                 |                   |                     |                      | 4.70                 | 1.42                   | 1.07        | 6.80           | 99.91%            |
|                                     |            |              |                   | 5                       |                                                                 |                   |                     |                      | 3.54                 | 1.12                   | 0.52        | 7.89           | 99.89%            |
| V0158                               | LVK4410380 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C230         | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 24,378       | 04/26/2020        | 161                     | 154                                                             | 195               | 0                   |                      |                      |                        |             |                |                   |
| V0160                               | LVK4410315 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C138E SPED   | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 13,643       | 03/31/2020        | 0                       | 41                                                              | 108               | 0                   |                      |                      |                        |             |                |                   |
| V0163                               | LVK4410303 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | C136B             | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 5,853        | 04/26/2020        | 50                      | 105                                                             | 100               | 0                   |                      |                      |                        |             |                |                   |
| V0165                               | LVK4410505 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C130 SPED    | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 29,126       | 04/26/2020        | 253                     | 370                                                             | 526               | 0                   |                      |                      |                        |             |                |                   |
| V0166                               | LQA4611089 | Kyocera      | FS-2100DN         | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - Essex High | Room C130C        | Unknown             | Yes                  |                      |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
|                                     |            |              |                   |                         |                                                                 |                   |                     |                      |                      |                        |             |                |                   |

Page 17 of 46

|                                     |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
|-------------------------------------|--------------|-------------------|------------------|-------------------------|-------------------|-----------------------------------------------------------------|----------------------|----------------------|------------------------|
| BIW                                 | 23,364       | 03/31/2020        | 0                | 219                     | 295               | 0                                                               | 0                    | 0                    | 0                      |
| Service Call Summary (By Call Type) |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Call Type                           |              |                   | Total Calls      | Total Parts Price       | Total Parts Cost  | Total Labor Price                                               | Total Labor Cost     | Avg. Response Time   | Avg. Repair            |
| 03 Copy Quality                     |              |                   | 1                |                         |                   |                                                                 |                      | 0.38                 | 1.07                   |
|                                     |              |                   | 1                |                         |                   |                                                                 |                      | 0.38                 | 1.07                   |
|                                     |              |                   |                  |                         |                   |                                                                 |                      |                      | 0.08                   |
|                                     |              |                   |                  |                         |                   |                                                                 |                      |                      | 1.45                   |
|                                     |              |                   |                  |                         |                   |                                                                 |                      |                      | 1.45                   |
|                                     |              |                   |                  |                         |                   |                                                                 |                      |                      | 99.98%                 |
|                                     |              |                   |                  |                         |                   |                                                                 |                      |                      | 99.98%                 |
| V0168                               | LVK4410307   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Essex High | Room C129 PRE TECH   | Unknown              | Yes                    |
| Meter Information                   |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                             | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW                                 | 20,415       | 04/26/2020        | 228              | 328                     | 300               | 0                                                               |                      |                      |                        |
| V0169                               | LVK4410342   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Essex High | Room C128            | Unknown              | Yes                    |
| Meter Information                   |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                             | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW                                 | 33,344       | 04/26/2020        | 541              | 911                     | 761               | 0                                                               |                      |                      |                        |
| V0172                               | LVK4410381   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Essex High | Room C126B           | Unknown              | Yes                    |
| Meter Information                   |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                             | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW                                 | 19,166       | 04/26/2020        | 297              | 268                     | 235               | 0                                                               |                      |                      |                        |
| V0173                               | LVK4410385   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Essex High | Room C124            | Unknown              | Yes                    |
| Meter Information                   |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                             | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW                                 | 82,975       | 04/26/2020        | 690              | 1,162                   | 1,074             | 0                                                               | 10,341               | 10,341               | 10,341                 |
| Service Call Summary (By Call Type) |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Call Type                           |              |                   | Total Calls      | Total Parts Price       | Total Parts Cost  | Total Labor Price                                               | Total Labor Cost     | Avg. Response Time   | Avg. Repair            |
| 00                                  |              |                   | 1                |                         |                   |                                                                 |                      | 0.27                 | 0.97                   |
|                                     |              |                   | 1                |                         |                   |                                                                 |                      | 0.27                 | 0.97                   |
|                                     |              |                   |                  |                         |                   |                                                                 |                      |                      | 0.27                   |
|                                     |              |                   |                  |                         |                   |                                                                 |                      |                      | 1.23                   |
|                                     |              |                   |                  |                         |                   |                                                                 |                      |                      | 99.99%                 |
|                                     |              |                   |                  |                         |                   |                                                                 |                      |                      | 99.98%                 |
| V0176                               | LVK4410382   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Essex High | Room C119            | Unknown              | Yes                    |
| Meter Information                   |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                             | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW                                 | 23,705       | 04/19/2020        | 217              | 356                     | 308               | 0                                                               |                      |                      |                        |
| V0178                               | LVK4410386   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Essex High | Room C110 MATH       | Unknown              | Yes                    |
| Meter Information                   |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                             | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW                                 | 19,738       | 03/31/2020        | 53               | 74                      | 96                | 0                                                               |                      |                      |                        |
| V0179                               | LVK4410310   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Essex High | Room C108 MATH       | Unknown              | Yes                    |
| Meter Information                   |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                             | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW                                 | 6,584        | 03/31/2020        | 0                | 26                      | 74                | 0                                                               |                      |                      |                        |
| V0182                               | LVK4411546   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Essex High | Room C113 SCIENCE    | Unknown              | Yes                    |
| Meter Information                   |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                             | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW                                 | 14,852       | 04/26/2020        | 68               | 164                     | 197               | 0                                                               |                      |                      |                        |
| V0184                               | LVK4411552   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Essex High | Room C112 SCIENCE    | Unknown              | Yes                    |
| Meter Information                   |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                             | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW                                 | 8,931        | 03/31/2020        | 0                | 16                      | 33                | 0                                                               |                      |                      |                        |
| V0186                               | LVK4410351   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Essex High | Room A105            | Unknown              | Yes                    |
| Meter Information                   |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                             | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW                                 | 9,412        | 03/31/2020        | 0                | 51                      | 160               | 0                                                               |                      |                      |                        |
| V0188                               | LVK4410296   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Essex High | Room C109B.          | Unknown              | Yes                    |
| Meter Information                   |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                             | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW                                 | 10,145       | 04/19/2020        | 522              | 917                     | 673               | 0                                                               |                      |                      |                        |
| V0189                               | LVK4410389   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Essex High | Room A108            | Unknown              | Yes                    |
| Meter Information                   |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                             | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW                                 | 11,451       | 04/26/2020        | 158              | 149                     | 159               | 0                                                               |                      |                      |                        |
| V0190                               | LVK4409728   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Essex High | Room A109            | Unknown              | Yes                    |
| Meter Information                   |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                             | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW                                 | 3,891        | 04/26/2020        | 5                | 13                      | 28                | 0                                                               |                      |                      |                        |
| V0191                               | LVK4410390   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Essex High | Room A110            | Unknown              | Yes                    |
| Meter Information                   |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                             | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW                                 | 9,585        | 04/26/2020        | 157              | 161                     | 137               | 0                                                               |                      |                      |                        |
| V0192                               | LVK4410345   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Essex High | Room A113 Principal  | Unknown              | Yes                    |
| Meter Information                   |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                             | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW                                 | 10,685       | 04/26/2020        | 210              | 189                     | 206               | 0                                                               |                      |                      |                        |
| V0193                               | LVK4410311   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Essex High | Room A112            | Unknown              | Yes                    |
| Meter Information                   |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                             | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW                                 | 8,324        | 04/26/2020        | 64               | 89                      | 119               | 0                                                               |                      |                      |                        |
| V0195                               | LW74701899   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6026cdn |                   | Essex Westford School District- Chittenden Central - Essex High | Room A114            | Unknown              | Yes                    |
| Meter Information                   |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                             | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW                                 | 1,719        | 03/31/2020        | 6                | 36                      | 30                | 0                                                               |                      |                      |                        |
| Color                               | 8,452        | 03/31/2020        | 44               | 56                      | 106               | 0                                                               |                      |                      |                        |
| V0196                               | LVK4410395   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Essex High | Room A115            | Unknown              | Yes                    |
| Meter Information                   |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                             | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW                                 | 3,153        | 04/26/2020        | 6                | 16                      | 30                | 0                                                               | 0                    | 0                    | 0                      |
| Service Call Summary (By Call Type) |              |                   |                  |                         |                   |                                                                 |                      |                      |                        |
| Call Type                           |              |                   | Total Calls      | Total Parts Price       | Total Parts Cost  | Total Labor Price                                               | Total Labor Cost     | Avg. Response Time   | Avg. Repair            |
| 01 DOWN                             |              |                   | 1                |                         |                   |                                                                 |                      | 3.52                 | 0.90                   |
|                                     |              |                   | 1                |                         |                   |                                                                 |                      | 3.52                 | 0.90                   |
|                                     |              |                   |                  |                         |                   |                                                                 |                      |                      | 0.12                   |
|                                     |              |                   |                  |                         |                   |                                                                 |                      |                      | 5.42                   |
|                                     |              |                   |                  |                         |                   |                                                                 |                      |                      | 99.93%                 |
|                                     |              |                   |                  |                         |                   |                                                                 |                      |                      | 99.93%                 |

|                                     |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
|-------------------------------------|------------|--------------|-------------------|-------------------------|-----------------------------------------------------------------|----------------------------|---------------------|----------------------|----------------------|------------------------|----------------|-------------------|
| V0197                               | NU43110691 | Kyocera      | FS-4200DN         | Kyocera FS-4200DN       | Essex Westford School District- Chittenden Central - Essex High | A49 IT                     | Unknown             | Yes                  |                      |                        |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                |                   |
| BIW                                 |            | 345,867      | 03/31/2020        | 0                       | 869                                                             | 434                        | 0                   |                      |                      |                        |                |                   |
| V0262                               | NUK2902829 | Kyocera      | FS-4100DN         | Kyocera FS-4100DN       | Essex Westford School District- Chittenden Central - Essex High | B12 MAINTENANCE            | Unknown             | Yes                  |                      |                        |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                |                   |
| BIW                                 |            | 61,049       | 04/26/2020        | 494                     | 650                                                             | 623                        | 0                   |                      |                      |                        |                |                   |
| V0263                               | LVK4410306 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room B018                  | Unknown             | Yes                  |                      |                        |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                |                   |
| BIW                                 |            | 5,384        | 04/26/2020        | 42                      | 64                                                              | 83                         | 0                   |                      |                      |                        |                |                   |
| V0271                               | LVK4410376 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C125C                 | Unknown             | Yes                  |                      |                        |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                |                   |
| BIW                                 |            | 7,677        | 04/26/2020        | 46                      | 50                                                              | 69                         | 0                   |                      |                      |                        |                |                   |
| V0278                               | LVK4410384 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | C244A                      | Unknown             | Yes                  |                      |                        |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                |                   |
| BIW                                 |            | 3,997        | 04/26/2020        | 91                      | 111                                                             | 115                        | 0                   |                      |                      |                        |                |                   |
| V0279                               | LQA4611054 | Kyocera      | FS-2100DN         | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - Essex High | Room B115                  | Unknown             | Yes                  |                      |                        |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                |                   |
| BIW                                 |            | 520          | 03/31/2020        | 0                       | 3                                                               | 11                         | 0                   |                      |                      |                        |                |                   |
| Service Call Summary (By Call Type) |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Call Type                           |            |              | Total Calls       | Total Parts Price       | Total Parts Cost                                                | Total Labor Price          | Total Labor Cost    | Avg. Response Time   | Avg. Repair          | Avg. Travel            | Avg. Down Time | 24 Hour Up Time % |
| 24 NFS Call                         |            |              | 1                 |                         |                                                                 |                            |                     | 1.40                 | 0.10                 | 0.00                   | 0.00           | 100.00%           |
|                                     |            |              | 1                 |                         |                                                                 |                            |                     | 1.40                 | 0.10                 | 0.00                   | 0.00           | 100.00%           |
| V0280                               | LVK4411548 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | 27                         | Unknown             | Yes                  |                      |                        |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                |                   |
| BIW                                 |            | 1,299        | 04/26/2020        | 56                      | 59                                                              | 57                         | 0                   |                      |                      |                        |                |                   |
| V0281                               | LVK4410383 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room L109                  | Unknown             | Yes                  |                      |                        |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                |                   |
| BIW                                 |            | 6,447        | 04/19/2020        | 97                      | 106                                                             | 94                         | 0                   |                      |                      |                        |                |                   |
| V0283                               | LVK4410411 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room B118                  | Unknown             | Yes                  |                      |                        |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                |                   |
| BIW                                 |            | 7,274        | 04/26/2020        | 120                     | 136                                                             | 197                        | 0                   |                      |                      |                        |                |                   |
| V0284                               | LVK4410378 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C130B SPED            | Unknown             | Yes                  |                      |                        |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                |                   |
| BIW                                 |            | 15,585       | 03/31/2020        | 55                      | 107                                                             | 167                        | 0                   |                      |                      |                        |                |                   |
| V0285                               | LVK4410457 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C125D                 | Unknown             | Yes                  |                      |                        |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                |                   |
| BIW                                 |            | 16,296       | 04/27/2020        | 241                     | 242                                                             | 249                        | 0                   |                      |                      |                        |                |                   |
| V0286                               | LQA4611057 | Kyocera      | FS-2100DN         | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - Essex High | ROOM 219                   | Unknown             | Yes                  |                      |                        |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                |                   |
| BIW                                 |            | 28,691       | 04/26/2020        | 1,271                   | 1,369                                                           | 1,189                      | 0                   |                      |                      |                        |                |                   |
| V0357                               | VM37503967 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | A2Security Office          | 08/24/2017          | Yes                  |                      |                        |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                |                   |
| BIW                                 |            | 3,473        | 04/26/2020        | 86                      | 86                                                              | 88                         | 0                   |                      |                      |                        |                |                   |
| V0432                               | LVK4410393 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room D114 CTE              | Unknown             | Yes                  |                      |                        |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                |                   |
| BIW                                 |            | 48,937       | 04/20/2020        | 709                     | 811                                                             | 819                        | 0                   |                      |                      |                        |                |                   |
| V0434                               | LVK4410309 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room D101 STUDENT SERVICES | Unknown             | Yes                  |                      |                        |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                |                   |
| BIW                                 |            | 55,099       | 04/26/2020        | 255                     | 434                                                             | 513                        | 0                   |                      |                      |                        |                |                   |
| V0436                               | LVK4410453 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room D102 CTE              | Unknown             | Yes                  |                      |                        |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                |                   |
| BIW                                 |            | 8,641        | 03/31/2020        | 0                       | 7                                                               | 79                         | 0                   |                      |                      |                        |                |                   |
| Service Call Summary (By Call Type) |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Call Type                           |            |              | Total Calls       | Total Parts Price       | Total Parts Cost                                                | Total Labor Price          | Total Labor Cost    | Avg. Response Time   | Avg. Repair          | Avg. Travel            | Avg. Down Time | 24 Hour Up Time % |
| 10 CourtesyCall                     |            |              | 1                 |                         |                                                                 |                            |                     | 3.97                 | 1.02                 | 0.20                   | 0.00           | 100.00%           |
|                                     |            |              | 1                 |                         |                                                                 |                            |                     | 3.97                 | 1.02                 | 0.20                   | 0.00           | 100.00%           |
| V0437                               | LVK4410327 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room D103 COSMO            | Unknown             | Yes                  |                      |                        |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                |                   |
| BIW                                 |            | 14,074       | 03/31/2020        | 256                     | 235                                                             | 237                        | 0                   |                      |                      |                        |                |                   |
| V0439                               | LVK4410329 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C133 CULINARY         | Unknown             | Yes                  |                      |                        |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                |                   |
| BIW                                 |            | 643          | 03/31/2020        | 5                       | 2                                                               | 1                          | 0                   |                      |                      |                        |                |                   |
| V0442                               | LW74701902 | Kyocera      | ECOSYS            | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - Essex High | Room L111                  | Unknown             | Yes                  |                      |                        |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.          | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                |                   |
| BIW                                 |            | 6,082        | 03/31/2020        | 154                     | 134                                                             | 112                        | 0                   |                      |                      |                        |                |                   |
| Color                               |            | 26,789       | 03/31/2020        | 541                     | 565                                                             | 492                        | 0                   | 614                  | 614                  | 2,728                  |                |                   |
| Service Call Summary (By Call Type) |            |              |                   |                         |                                                                 |                            |                     |                      |                      |                        |                |                   |

Page 19 of 46

| Call Type                                                                                                                                                                                                   | Total Calls         | Total Parts Price        | Total Parts Cost        | Total Labor Price        | Total Labor Cost         | Avg. Response Time         | Avg. Repair                 | Avg. Travel                 | Avg. Down Time                | 24 Hour Up Time %        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|--------------------------|-------------------------|--------------------------|--------------------------|----------------------------|-----------------------------|-----------------------------|-------------------------------|--------------------------|
| 03 Copy Quality                                                                                                                                                                                             | 2                   |                          |                         |                          |                          | 3.78                       | 0.80                        | 0.20                        | 15.58                         | 99.78%                   |
|                                                                                                                                                                                                             | 2                   |                          |                         |                          |                          | 3.78                       | 0.80                        | 0.20                        | 15.58                         | 99.78%                   |
| <b>V0443      LW74701901      Kyocera      ECOSYS      Kyocera ECOSYS P6026cdn      Essex Westford School District- Chittenden Central - Essex High      Room L110A LIBRARY      Unknown      Yes</b>       |                     |                          |                         |                          |                          |                            |                             |                             |                               |                          |
| <i>Meter Information</i>                                                                                                                                                                                    |                     |                          |                         |                          |                          |                            |                             |                             |                               |                          |
| <u>Meter Type</u>                                                                                                                                                                                           | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>  | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                          |
| BIW                                                                                                                                                                                                         | 2,433               | 04/26/2020               | 15                      | 24                       | 29                       | 0                          | 0                           | 270                         | 270                           |                          |
| Color                                                                                                                                                                                                       | 8,164               | 04/26/2020               | 48                      | 111                      | 95                       | 0                          | 0                           | 725                         | 725                           |                          |
| <i>Service Call Summary (By Call Type)</i>                                                                                                                                                                  |                     |                          |                         |                          |                          |                            |                             |                             |                               |                          |
| <u>Call Type</u>                                                                                                                                                                                            | <u>Total Calls</u>  | <u>Total Parts Price</u> | <u>Total Parts Cost</u> | <u>Total Labor Price</u> | <u>Total Labor Cost</u>  | <u>Avg. Response Time</u>  | <u>Avg. Repair</u>          | <u>Avg. Travel</u>          | <u>Avg. Down Time</u>         | <u>24 Hour Up Time %</u> |
| 10 CourtesyCall                                                                                                                                                                                             | 1                   |                          |                         |                          |                          | 2.98                       | 1.03                        | 0.00                        | 0.00                          | 100.00%                  |
|                                                                                                                                                                                                             | 1                   |                          |                         |                          |                          | 2.98                       | 1.03                        | 0.00                        | 0.00                          | 100.00%                  |
| <b>V0445      LQA4611080      Kyocera      FS-2100DN      Kyocera FS-2100DN      Essex Westford School District- Chittenden Central - Essex High      Room L101 Library Sungard      Unknown      Yes</b>   |                     |                          |                         |                          |                          |                            |                             |                             |                               |                          |
| <i>Meter Information</i>                                                                                                                                                                                    |                     |                          |                         |                          |                          |                            |                             |                             |                               |                          |
| <u>Meter Type</u>                                                                                                                                                                                           | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>  | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                          |
| BIW                                                                                                                                                                                                         | 119,912             | 03/31/2020               | 1,549                   | 1,605                    | 1,635                    | 0                          | 10,905                      | 10,905                      | 10,905                        |                          |
| <i>Service Call Summary (By Call Type)</i>                                                                                                                                                                  |                     |                          |                         |                          |                          |                            |                             |                             |                               |                          |
| <u>Call Type</u>                                                                                                                                                                                            | <u>Total Calls</u>  | <u>Total Parts Price</u> | <u>Total Parts Cost</u> | <u>Total Labor Price</u> | <u>Total Labor Cost</u>  | <u>Avg. Response Time</u>  | <u>Avg. Repair</u>          | <u>Avg. Travel</u>          | <u>Avg. Down Time</u>         | <u>24 Hour Up Time %</u> |
| 14 Problem                                                                                                                                                                                                  | 2                   |                          |                         |                          |                          | 3.33                       | 1.11                        | 0.23                        | 2.70                          | 99.96%                   |
|                                                                                                                                                                                                             | 2                   |                          |                         |                          |                          | 3.33                       | 1.11                        | 0.23                        | 2.70                          | 99.96%                   |
| <b>V0446      LVK4410354      Kyocera      Kyocera P2135dn      Kyocera P2135dn Printer      Essex Westford School District- Chittenden Central - Essex High      Room C111 SPED      Unknown      Yes</b>  |                     |                          |                         |                          |                          |                            |                             |                             |                               |                          |
| <i>Meter Information</i>                                                                                                                                                                                    |                     |                          |                         |                          |                          |                            |                             |                             |                               |                          |
| <u>Meter Type</u>                                                                                                                                                                                           | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>  | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                          |
| BIW                                                                                                                                                                                                         | 30,228              | 04/26/2020               | 303                     | 329                      | 410                      | 0                          | 0                           | 19,839                      | 19,839                        |                          |
| <i>Service Call Summary (By Call Type)</i>                                                                                                                                                                  |                     |                          |                         |                          |                          |                            |                             |                             |                               |                          |
| <u>Call Type</u>                                                                                                                                                                                            | <u>Total Calls</u>  | <u>Total Parts Price</u> | <u>Total Parts Cost</u> | <u>Total Labor Price</u> | <u>Total Labor Cost</u>  | <u>Avg. Response Time</u>  | <u>Avg. Repair</u>          | <u>Avg. Travel</u>          | <u>Avg. Down Time</u>         | <u>24 Hour Up Time %</u> |
| 03 Copy Quality                                                                                                                                                                                             | 1                   |                          |                         |                          |                          | 0.02                       | 0.95                        | 0.00                        | 0.97                          | 99.99%                   |
|                                                                                                                                                                                                             | 1                   |                          |                         |                          |                          | 0.02                       | 0.95                        | 0.00                        | 0.97                          | 99.99%                   |
| <b>V0447      LVK4411547      Kyocera      Kyocera P2135dn      Kyocera P2135dn Printer      Essex Westford School District- Chittenden Central - Essex High      Room C111A SPED      Unknown      Yes</b> |                     |                          |                         |                          |                          |                            |                             |                             |                               |                          |
| <i>Meter Information</i>                                                                                                                                                                                    |                     |                          |                         |                          |                          |                            |                             |                             |                               |                          |
| <u>Meter Type</u>                                                                                                                                                                                           | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>  | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                          |
| BIW                                                                                                                                                                                                         | 20,249              | 04/01/2020               | 309                     | 285                      | 295                      | 0                          |                             |                             |                               |                          |
| <b>V0450      LVK4410494      Kyocera      Kyocera P2135dn      Kyocera P2135dn Printer      Essex Westford School District- Chittenden Central - Essex High      Room R013      Unknown      Yes</b>       |                     |                          |                         |                          |                          |                            |                             |                             |                               |                          |
| <i>Meter Information</i>                                                                                                                                                                                    |                     |                          |                         |                          |                          |                            |                             |                             |                               |                          |
| <u>Meter Type</u>                                                                                                                                                                                           | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>  | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                          |
| BIW                                                                                                                                                                                                         | 17,315              | 04/26/2020               | 147                     | 253                      | 227                      | 0                          |                             |                             |                               |                          |
| <b>V0498      LW74701903      Kyocera      ECOSYS      Kyocera ECOSYS P6026cdn      Essex Westford School District- Chittenden Central - Essex High      Room L107      Unknown      Yes</b>                |                     |                          |                         |                          |                          |                            |                             |                             |                               |                          |
| <i>Meter Information</i>                                                                                                                                                                                    |                     |                          |                         |                          |                          |                            |                             |                             |                               |                          |
| <u>Meter Type</u>                                                                                                                                                                                           | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>2 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>  | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |                          |
| BIW                                                                                                                                                                                                         | 9,572               | 04/26/2020               | 42                      | 58                       | 86                       | 0                          |                             |                             |                               |                          |
| Color                                                                                                                                                                                                       | 5,735               | 04/26/2020               | 47                      | 74                       | 60                       | 0                          |                             |                             |                               |                          |

## Essex Westford School District- Chittenden Central - Essex Junction Rec

### Not Under Contract

|                   |            |              |                   |                         |                                                                         |                      |                     |                      |                      |                        |
|-------------------|------------|--------------|-------------------|-------------------------|-------------------------------------------------------------------------|----------------------|---------------------|----------------------|----------------------|------------------------|
| V164              | LVK4204358 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex Junction Rec | Director's Office    | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                         |                      |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                        | 12 Month Avg Vol.    | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 0            | 08/24/2017        | 0                       | 0                                                                       | 0                    | 0                   |                      |                      |                        |
| V165              | LVK4204339 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex Junction Rec | Front Office Caitlin | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                         |                      |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                        | 12 Month Avg Vol.    | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 0            | 08/24/2017        | 0                       | 0                                                                       | 0                    | 0                   |                      |                      |                        |
| V167              | LW33X00209 | Kyocera      | ECOSYS            | Kyocera ECOSYS P6021cdn | Essex Westford School District- Chittenden Central - Essex Junction Rec | Room RP105           | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                         |                      |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                        | 12 Month Avg Vol.    | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 0            | 08/24/2017        | 0                       | 0                                                                       | 0                    | 0                   |                      |                      |                        |
| Color             |            | 0            | 08/24/2017        | 0                       | 0                                                                       | 0                    | 0                   |                      |                      |                        |

### Under Contract Number Z-CPI4001-01

|                   |              |                   |                  |                         |                                                                         |                     |                      |                      |                        |     |
|-------------------|--------------|-------------------|------------------|-------------------------|-------------------------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|-----|
| V0295             | LVK4410455   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex Junction Rec |                     |                      | Room A36 PHYS ED     | Unknown                | Yes |
| Meter Information |              |                   |                  |                         |                                                                         |                     |                      |                      |                        |     |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                       | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |     |
| BIW               | 10,813       | 04/26/2020        | 184              | 177                     | 186                                                                     | 0                   |                      |                      |                        |     |

## Essex Westford School District- Chittenden Central - Essex Town Central Office

### Under Contract Number Z-CPI4001-01

|                   |              |                   |                  |                         |                                                                                |                      |                      |                      |                        |
|-------------------|--------------|-------------------|------------------|-------------------------|--------------------------------------------------------------------------------|----------------------|----------------------|----------------------|------------------------|
| B6889             | LVK4204366   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex Town Central Office | RM 05 CENERAL OFFICE | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                |                      |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 6,534        | 04/20/2020        | 43               | 27                      | 63                                                                             | 0                    |                      |                      |                        |
| B6890             | LVK4410337   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex Town Central Office | Room 14              | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                |                      |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 5,337        | 04/19/2020        | 49               | 37                      | 33                                                                             | 0                    |                      |                      |                        |
| V0022             | VM37503930   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Town Central Office | hall-RECEPTION       | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                |                      |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 1,433        | 04/26/2020        | 19               | 60                      | 50                                                                             | 0                    |                      |                      |                        |
| V0032             | VM37503939   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Town Central Office | Finance              | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                |                      |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 7,889        | 04/26/2020        | 179              | 200                     | 168                                                                            | 0                    |                      |                      |                        |
| V0057             | VM37503942   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Town Central Office | ROOM 1               | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                |                      |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 17           | 04/26/2020        | 0                | 0                       | 0                                                                              | 0                    |                      |                      |                        |
| V0112             | LQA4611044   | Kyocera           | FS-2100DN        | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - Essex Town Central Office | Room 211             | Unknown              | Yes                  |                        |

Page 20 of 46

|                          |                     |                          |                         |                         |                          |                            |                             |                             |                               |  |
|--------------------------|---------------------|--------------------------|-------------------------|-------------------------|--------------------------|----------------------------|-----------------------------|-----------------------------|-------------------------------|--|
| <i>Meter Information</i> |                     |                          |                         |                         |                          |                            |                             |                             |                               |  |
| <i>Meter Type</i>        | <i>Last Reading</i> | <i>Last Reading Date</i> | <i>3 Month Avg Vol.</i> | <i>6 Month Avg Vol.</i> | <i>12 Month Avg Vol.</i> | <i>Target Monthly Vol.</i> | <i>Avg Calls Btw Visits</i> | <i>Avg Copies Btw Calls</i> | <i>Avg Copies Btw Failure</i> |  |
| BIW                      | 33,610              | 04/26/2020               | 79                      | 60                      | 30                       | 0                          |                             |                             |                               |  |

## Essex Westford School District- Chittenden Central - Essex Town Elementary School

### Under Contract Number Z-CPI4001-01

|                   |              |                   |                  |                         |                                                                                   |                      |                      |                      |                        |
|-------------------|--------------|-------------------|------------------|-------------------------|-----------------------------------------------------------------------------------|----------------------|----------------------|----------------------|------------------------|
| V0017             | VM37503926   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Town Elementary School | 75                   | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                   |                      |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                 | Target Monthly Vol.  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 1,846        | 04/26/2020        | 52               | 39                      | 60                                                                                | 0                    |                      |                      |                        |
| V0023             | VM37503927   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Town Elementary School | RM 63 Pod D          | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                   |                      |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                 | Target Monthly Vol.  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 23,264       | 04/26/2020        | 1,067            | 922                     | 831                                                                               | 0                    |                      |                      |                        |
| V0028             | VM37503922   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Town Elementary School | POD A                | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                   |                      |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                 | Target Monthly Vol.  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 25,997       | 04/26/2020        | 882              | 1,057                   | 1,020                                                                             | 0                    |                      |                      |                        |
| V0033             | VM37503937   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Town Elementary School | WING C SUPPLY CLOSET | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                   |                      |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                 | Target Monthly Vol.  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 19,328       | 04/26/2020        | 299              | 384                     | 448                                                                               | 0                    |                      |                      |                        |
| V0058             | VM37503905   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Town Elementary School | Pod B                | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                   |                      |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                 | Target Monthly Vol.  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 18,187       | 04/26/2020        | 601              | 904                     | 754                                                                               | 0                    |                      |                      |                        |
| V0104             | V5Q7605195   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Town Elementary School | RM 59 EEE Color      | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                   |                      |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                 | Target Monthly Vol.  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW on color      | 19,432       | 04/20/2020        | 520              | 520                     | 518                                                                               | 0                    |                      |                      |                        |
| Color             | 12,285       | 04/20/2020        | 298              | 298                     | 440                                                                               | 0                    |                      |                      |                        |
| V0159             | LVK4410352   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex Town Elementary School | Room 1 Nurse         | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                   |                      |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                 | Target Monthly Vol.  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 3,645        | 04/26/2020        | 41               | 55                      | 61                                                                                | 0                    |                      |                      |                        |
| V0277             | LVK4411557   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex Town Elementary School | Room 24 SPED         | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                   |                      |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                 | Target Monthly Vol.  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 21,472       | 04/26/2020        | 328              | 448                     | 506                                                                               | 0                    |                      |                      |                        |

## Essex Westford School District- Chittenden Central - Essex Town Founders Mem Scho

### Under Contract Number Z-CPI4001-01

|                   |              |                   |                  |                        |                                                                                     |                                          |                      |                      |                        |
|-------------------|--------------|-------------------|------------------|------------------------|-------------------------------------------------------------------------------------|------------------------------------------|----------------------|----------------------|------------------------|
| V0018             | VM37503932   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | RM C114 First Floor Hallway              | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 18,864       | 04/26/2020        | 581              | 610                    | 483                                                                                 | 0                                        |                      |                      |                        |
| V0029             | VM37503924   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | RM C224                                  | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 16,122       | 04/26/2020        | 374              | 483                    | 491                                                                                 | 0                                        |                      |                      |                        |
| V0034             | VM37503928   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | RM C230                                  | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 24,092       | 04/26/2020        | 686              | 820                    | 652                                                                                 | 0                                        |                      |                      |                        |
| V0039             | VM37503951   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | RM C208                                  | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 32,887       | 04/26/2020        | 504              | 774                    | 762                                                                                 | 0                                        |                      |                      |                        |
| V0044             | VM37503964   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | RM C204 Cart                             | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 71,339       | 04/19/2020        | 2,690            | 2,917                  | 2,372                                                                               | 0                                        |                      |                      |                        |
| V0050             | VM37503950   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | RM C219                                  | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 15,055       | 04/26/2020        | 445              | 487                    | 440                                                                                 | 0                                        |                      |                      |                        |
| V0054             | VM37503948   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | 0125-Office                              | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 17,876       | 03/31/2020        | 0                | 0                      | 628                                                                                 | 0                                        |                      |                      |                        |
| V0059             | VM37503918   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | RM C209                                  | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 50,231       | 03/31/2020        | 1,077            | 1,325                  | 1,619                                                                               | 0                                        |                      |                      |                        |
| V0064             | VM37503923   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | Computer Lab                             | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 4,567        | 03/31/2020        | 12               | 30                     | 90                                                                                  | 0                                        |                      |                      |                        |
| V0065             | VM37503912   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | C118- Learning Center - Circulation Desk | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 21,865       | 04/26/2020        | 278              | 285                    | 424                                                                                 | 0                                        |                      |                      |                        |
| V0082             | VM37503869   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | RM C103A                                 | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |

Page 21 of 46

|                          |                     |                          |                         |                         |                                                                                     |                            |                             |                             |                               |  |
|--------------------------|---------------------|--------------------------|-------------------------|-------------------------|-------------------------------------------------------------------------------------|----------------------------|-----------------------------|-----------------------------|-------------------------------|--|
| BIW                      | 2,931               | 04/26/2020               | 72                      | 87                      | 121                                                                                 | 0                          |                             |                             |                               |  |
| V0103                    | V5Q7605180          | Kyocera                  | ECOSYS                  | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | Room C201 SPED             | 08/24/2017                  | Yes                         |                               |  |
| <i>Meter Information</i> |                     |                          |                         |                         |                                                                                     |                            |                             |                             |                               |  |
| <i>Meter Type</i>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u>                                                            | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |
| BIW on color             | 10,013              | 03/31/2020               | 0                       | 234                     | 227                                                                                 | 0                          |                             |                             |                               |  |
| Color                    | 17,046              | 03/31/2020               | 0                       | 296                     | 495                                                                                 | 0                          |                             |                             |                               |  |
| V0105                    | V5Q7605188          | Kyocera                  | ECOSYS                  | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | RM C106 SPED               | 08/24/2017                  | Yes                         |                               |  |
| <i>Meter Information</i> |                     |                          |                         |                         |                                                                                     |                            |                             |                             |                               |  |
| <i>Meter Type</i>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u>                                                            | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |
| BIW on color             | 34,258              | 04/20/2020               | 768                     | 769                     | 660                                                                                 | 0                          |                             |                             |                               |  |
| Color                    | 23,772              | 04/20/2020               | 705                     | 705                     | 651                                                                                 | 0                          |                             |                             |                               |  |
| V0107                    | V5Q7605187          | Kyocera                  | ECOSYS                  | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | C118                       | 08/24/2017                  | Yes                         |                               |  |
| <i>Meter Information</i> |                     |                          |                         |                         |                                                                                     |                            |                             |                             |                               |  |
| <i>Meter Type</i>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u>                                                            | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |
| BIW on color             | 4,831               | 04/20/2020               | 157                     | 157                     | 143                                                                                 | 0                          |                             |                             |                               |  |
| Color                    | 13,510              | 04/20/2020               | 348                     | 348                     | 316                                                                                 | 0                          |                             |                             |                               |  |

## Essex Westford School District- Chittenden Central - Hiawatha Elementary

### Under Contract Number CN4001-01

|                                     |            |              |                   |                         |                                                                          |                  |                    |                      |                      |                        |             |                |                   |
|-------------------------------------|------------|--------------|-------------------|-------------------------|--------------------------------------------------------------------------|------------------|--------------------|----------------------|----------------------|------------------------|-------------|----------------|-------------------|
| V0005                               | W2M7502078 | Kyocera      | TASKalfa 4052ci   | Kyocera TASKalfa 4052ci | Essex Westford School District- Chittenden Central - Hiawatha Elementary |                  |                    |                      | RM 28 (Common Area)  |                        | 08/24/2017  | Yes            |                   |
| Meter Information                   |            |              |                   |                         |                                                                          |                  |                    |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol         | 6 Month Avg Vol                                                          | 12 Month Avg Vol | Target Monthly Vol | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 168,025      | 04/26/2020        | 7,736                   | 7,942                                                                    | 6,544            | 0                  | 23,812               | 23,812               | 23,812                 |             |                |                   |
| Color                               |            | 218,393      | 04/26/2020        | 3,295                   | 6,066                                                                    | 6,906            | 0                  | 32,611               | 32,611               | 32,611                 |             |                |                   |
| Service Call Summary (By Call Type) |            |              |                   |                         |                                                                          |                  |                    |                      |                      |                        |             |                |                   |
| Call Type                           |            |              |                   | Total Calls             | Total Parts Price                                                        | Total Parts Cost | Total Labor Price  | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 01 DOWN                             |            |              |                   | 1                       |                                                                          |                  |                    |                      | 1.98                 | 1.18                   | 0.42        | 3.17           | 99.96%            |
| 10 CourtesyCall                     |            |              |                   | 1                       |                                                                          |                  |                    |                      | 0.25                 | 1.12                   | 0.23        | 0.00           | 100.00%           |
| 14 Problem                          |            |              |                   | 1                       |                                                                          |                  |                    |                      | 1.23                 | 1.03                   | 0.30        | 2.27           | 99.97%            |
|                                     |            |              |                   | 3                       |                                                                          |                  |                    |                      | 1.16                 | 1.11                   | 0.32        | 1.81           | 99.98%            |

### Not Under Contract

|                          |                     |                          |                         |                         |                                                                          |                            |                             |                             |                               |  |
|--------------------------|---------------------|--------------------------|-------------------------|-------------------------|--------------------------------------------------------------------------|----------------------------|-----------------------------|-----------------------------|-------------------------------|--|
| V209                     | LVV44020444         | Kyocera                  | M2035dn                 | Kyocera ECOSYS M2035dn  | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Hia Room 13 Nurses Office  | Unknown                     | Yes                         |                               |  |
| <i>Meter Information</i> |                     |                          |                         |                         |                                                                          |                            |                             |                             |                               |  |
| <i>Meter Type</i>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u>                                                 | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |
| BIW                      | 0                   | 08/24/2017               | 0                       | 0                       | 0                                                                        | 0                          |                             |                             |                               |  |

### Under Contract Number Z-CPI4001-01

|                          |                     |                          |                         |                         |                                                                          |                            |                             |                             |                               |  |
|--------------------------|---------------------|--------------------------|-------------------------|-------------------------|--------------------------------------------------------------------------|----------------------------|-----------------------------|-----------------------------|-------------------------------|--|
| V0020                    | VM37503935          | Kyocera                  | P3045dn                 | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Hiawatha Elementary | RM 26                      | 08/24/2017                  | Yes                         |                               |  |
| <i>Meter Information</i> |                     |                          |                         |                         |                                                                          |                            |                             |                             |                               |  |
| <i>Meter Type</i>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u>                                                 | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |
| BIW                      | 3,868               | 04/26/2020               | 124                     | 164                     | 142                                                                      | 0                          |                             |                             |                               |  |
| V0025                    | VM37503929          | Kyocera                  | P3045dn                 | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Hiawatha Elementary | RM24                       | 08/24/2017                  | Yes                         |                               |  |
| <i>Meter Information</i> |                     |                          |                         |                         |                                                                          |                            |                             |                             |                               |  |
| <i>Meter Type</i>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u>                                                 | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |
| BIW                      | 6,779               | 04/26/2020               | 185                     | 242                     | 229                                                                      | 0                          |                             |                             |                               |  |
| V0030                    | VM37503936          | Kyocera                  | P3045dn                 | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Hiawatha Elementary | RM 21A                     | 08/24/2017                  | Yes                         |                               |  |
| <i>Meter Information</i> |                     |                          |                         |                         |                                                                          |                            |                             |                             |                               |  |
| <i>Meter Type</i>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u>                                                 | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |
| BIW                      | 5,259               | 04/26/2020               | 191                     | 175                     | 132                                                                      | 0                          |                             |                             |                               |  |
| V0031                    | VM37503931          | Kyocera                  | P3045dn                 | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Hiawatha Elementary | RM 18A                     | 08/24/2017                  | Yes                         |                               |  |
| <i>Meter Information</i> |                     |                          |                         |                         |                                                                          |                            |                             |                             |                               |  |
| <i>Meter Type</i>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u>                                                 | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |
| BIW                      | 10,936              | 04/26/2020               | 152                     | 192                     | 230                                                                      | 0                          |                             |                             |                               |  |
| V0035                    | VM37503933          | Kyocera                  | P3045dn                 | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Hiawatha Elementary | RM 14                      | 08/24/2017                  | Yes                         |                               |  |
| <i>Meter Information</i> |                     |                          |                         |                         |                                                                          |                            |                             |                             |                               |  |
| <i>Meter Type</i>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u>                                                 | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |
| BIW                      | 4,007               | 04/26/2020               | 160                     | 147                     | 128                                                                      | 0                          |                             |                             |                               |  |
| V0211                    | LW74X02616          | Kyocera                  | ECOSYS                  | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - Hiawatha Elementary | B02                        | Unknown                     | Yes                         |                               |  |
| <i>Meter Information</i> |                     |                          |                         |                         |                                                                          |                            |                             |                             |                               |  |
| <i>Meter Type</i>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u>                                                 | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |
| BIW                      | 1,758               | 03/31/2020               | 35                      | 40                      | 26                                                                       | 0                          |                             |                             |                               |  |
| Color                    | 2,774               | 03/31/2020               | 76                      | 66                      | 50                                                                       | 0                          |                             |                             |                               |  |
| V0212                    | LVK4410332          | Kyocera                  | Kyocera P2135dn         | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room B1                    | Unknown                     | Yes                         |                               |  |
| <i>Meter Information</i> |                     |                          |                         |                         |                                                                          |                            |                             |                             |                               |  |
| <i>Meter Type</i>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u>                                                 | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |
| BIW                      | 2,898               | 04/26/2020               | 12                      | 21                      | 27                                                                       | 0                          |                             |                             |                               |  |
| V0213                    | LVK4410443          | Kyocera                  | Kyocera P2135dn         | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room 11                    | Unknown                     | Yes                         |                               |  |
| <i>Meter Information</i> |                     |                          |                         |                         |                                                                          |                            |                             |                             |                               |  |
| <i>Meter Type</i>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u>                                                 | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |
| BIW                      | 10,048              | 04/26/2020               | 118                     | 203                     | 174                                                                      | 0                          |                             |                             |                               |  |
| V0214                    | LVV4402044          | Kyocera                  | M2035dn                 | Kyocera ECOSYS M2035dn  | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room 13 Nurses Office      | Unknown                     | Yes                         |                               |  |
| <i>Meter Information</i> |                     |                          |                         |                         |                                                                          |                            |                             |                             |                               |  |
| <i>Meter Type</i>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u>                                                 | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |
| BIW                      | 10,744              | 04/26/2020               | 59                      | 75                      | 114                                                                      | 0                          |                             |                             |                               |  |
| V0215                    | LVK4410318          | Kyocera                  | Kyocera P2135dn         | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room 7 Library             | Unknown                     | Yes                         |                               |  |
| <i>Meter Information</i> |                     |                          |                         |                         |                                                                          |                            |                             |                             |                               |  |
| <i>Meter Type</i>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u>                                                 | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |
| BIW                      | 23,162              | 04/26/2020               | 220                     | 301                     | 348                                                                      | 0                          |                             |                             |                               |  |
| V0216                    | LVK4410446          | Kyocera                  | Kyocera P2135dn         | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room 6                     | Unknown                     | Yes                         |                               |  |
| <i>Meter Information</i> |                     |                          |                         |                         |                                                                          |                            |                             |                             |                               |  |
| <i>Meter Type</i>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u>                                                 | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |
| BIW                      | 9,878               | 04/26/2020               | 115                     | 246                     | 219                                                                      | 0                          |                             |                             |                               |  |
| V0217                    | LVK4410160          | Kyocera                  | Kyocera P2135dn         | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room 15                    | Unknown                     | Yes                         |                               |  |
| <i>Meter Information</i> |                     |                          |                         |                         |                                                                          |                            |                             |                             |                               |  |
| <i>Meter Type</i>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u>                                                 | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |
| BIW                      | 13,454              | 04/27/2020               | 178                     | 239                     | 192                                                                      | 0                          |                             |                             |                               |  |

|                                     |              |                   |                  |                         |                                                                  |                     |                      |                      |                        |             |                |                   |
|-------------------------------------|--------------|-------------------|------------------|-------------------------|------------------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|-------------|----------------|-------------------|
| V0218                               | LVK4410454   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Hiawatha Elementary | Chittenden          | Room 16              | Unknown              | Yes                    |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                  |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 4,707        | 04/26/2020        | 41               | 49                      | 54                                                               | 0                   |                      |                      |                        |             |                |                   |
| V0219                               | LVK4410334   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Hiawatha Elementary | Chittenden          | Room 4               | Unknown              | Yes                    |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                  |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 9,205        | 04/27/2020        | 80               | 128                     | 127                                                              | 0                   |                      |                      |                        |             |                |                   |
| V0220                               | LVK4410394   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Hiawatha Elementary | Chittenden          | Room 1               | Unknown              | Yes                    |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                  |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 7,847        | 04/26/2020        | 69               | 133                     | 136                                                              | 0                   |                      |                      |                        |             |                |                   |
| V0221                               | LVK4410450   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Hiawatha Elementary | Chittenden          | Room 32              | Unknown              | Yes                    |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                  |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 2,214        | 04/26/2020        | 14               | 24                      | 38                                                               | 0                   |                      |                      |                        |             |                |                   |
| V0222                               | LW74701897   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6026cdn | Essex Westford School District-<br>Central - Hiawatha Elementary | Chittenden          | 19- Teacher's Room   | Unknown              | Yes                    |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                  |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 12,923       | 04/19/2020        | 156              | 157                     | 185                                                              | 0                   | 841                  | 841                  | 841                    |             |                |                   |
| Color                               | 102,724      | 04/19/2020        | 682              | 785                     | 1,243                                                            | 0                   | 6,760                | 6,760                | 6,760                  |             |                |                   |
| Service Call Summary (By Call Type) |              |                   |                  |                         |                                                                  |                     |                      |                      |                        |             |                |                   |
| Call Type                           |              |                   | Total Calls      | Total Parts Price       | Total Parts Cost                                                 | Total Labor Price   | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 02 Jam                              |              |                   | 2                |                         |                                                                  |                     |                      | 3.36                 | 2.39                   | 0.15        | 48.39          | 99.33%            |
|                                     |              |                   | 2                |                         |                                                                  |                     |                      | 3.36                 | 2.39                   | 0.15        | 48.39          | 99.33%            |
| V0223                               | LVK4410317   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Hiawatha Elementary | Chittenden          | Room 29              | Unknown              | Yes                    |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                  |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 987          | 04/26/2020        | 4                | 9                       | 10                                                               | 0                   |                      |                      |                        |             |                |                   |
| V0224                               | LVK4410320   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Hiawatha Elementary | Chittenden          | Room 28A             | Unknown              | Yes                    |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                  |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 19,592       | 04/26/2020        | 256              | 168                     | 279                                                              | 0                   |                      |                      |                        |             |                |                   |
| V0226                               | LVK4410441   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Hiawatha Elementary | Chittenden          | Room 22              | Unknown              | Yes                    |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                  |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 19,584       | 04/27/2020        | 350              | 407                     | 370                                                              | 0                   |                      |                      |                        |             |                |                   |
| V0227                               | LVK4410445   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Hiawatha Elementary | Chittenden          | Room 23              | Unknown              | Yes                    |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                  |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 15,715       | 03/31/2020        | 322              | 325                     | 267                                                              | 0                   |                      |                      |                        |             |                |                   |
| V0228                               | LVK4410449   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Hiawatha Elementary | Chittenden          | Room 25              | Unknown              | Yes                    |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                  |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 19,220       | 04/26/2020        | 364              | 440                     | 346                                                              | 0                   |                      |                      |                        |             |                |                   |

## Essex Westford School District- Chittenden Central - Summit Street Elementary

### Under Contract Number CN4001-01

|                                     |              |                   |                  |                         |                                                                               |                      |                      |                      |                        |             |                |                   |
|-------------------------------------|--------------|-------------------|------------------|-------------------------|-------------------------------------------------------------------------------|----------------------|----------------------|----------------------|------------------------|-------------|----------------|-------------------|
| V0004                               | W2D7501479   | Kyocera           | TASKalfa 6052ci  | Kyocera TASKalfa 6052ci | Essex Westford School District- Chittenden Central - Summit Street Elementary | Main Office -01      | 08/24/2017           | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                      |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol.  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 471,512      | 04/26/2020        | 12,131           | 14,649                  | 13,779                                                                        | 0                    | 19,788               | 19,788               | 19,788                 |             |                |                   |
| Color                               | 202,769      | 04/26/2020        | 2,483            | 3,954                   | 5,733                                                                         | 0                    | 8,329                | 8,329                | 8,329                  |             |                |                   |
| Service Call Summary (By Call Type) |              |                   |                  |                         |                                                                               |                      |                      |                      |                        |             |                |                   |
| Call Type                           |              |                   | Total Calls      | Total Parts Price       | Total Parts Cost                                                              | Total Labor Price    | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 02 Jam                              |              |                   | 3                |                         |                                                                               |                      |                      | 3.88                 | 1.19                   | 0.75        | 6.07           | 99.92%            |
| 03 Copy Quality                     |              |                   | 1                |                         |                                                                               |                      |                      | 3.53                 | 1.65                   | 0.33        | 5.18           | 99.93%            |
| 10 CourtesyCall                     |              |                   | 4                |                         |                                                                               |                      |                      | 3.91                 | 1.15                   | 0.35        | 0.00           | 100.00%           |
| 20 Phone                            |              |                   | 5                |                         |                                                                               |                      |                      | 3.47                 | 0.11                   | 0.00        | 0.00           | 100.00%           |
| TR                                  |              |                   | 1                |                         |                                                                               |                      |                      | 0.38                 | 1.20                   | 0.37        | 0.00           | 100.00%           |
|                                     |              |                   | 14               |                         |                                                                               |                      |                      | 3.03                 | 1.06                   | 0.36        | 2.25           | 99.97%            |
| V0006                               | VAK7500834   | Kyocera           | TASKalfa 8002i   | Kyocera TASKalfa 8002i  | Essex Westford School District- Chittenden Central - Summit Street Elementary | RM B10 Teachers Room | 08/24/2017           | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                      |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol.  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 288,586      | 04/26/2020        | 12,488           | 12,298                  | 10,120                                                                        | 0                    | 0                    | 111,790              | 111,790                |             |                |                   |
| Service Call Summary (By Call Type) |              |                   |                  |                         |                                                                               |                      |                      |                      |                        |             |                |                   |
| Call Type                           |              |                   | Total Calls      | Total Parts Price       | Total Parts Cost                                                              | Total Labor Price    | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 02 Jam                              |              |                   | 1                |                         |                                                                               |                      |                      | 0.02                 | 1.13                   | 0.00        | 1.15           | 99.98%            |
|                                     |              |                   | 1                |                         |                                                                               |                      |                      | 0.02                 | 1.13                   | 0.00        | 1.15           | 99.98%            |
| V0358                               | W2Z7502736   | Kyocera           | TASKalfa 6002i   | Kyocera TASKalfa 6002i  | Essex Westford School District- Chittenden Central - Summit Street Elementary | RM B10 Teachers Room | 08/24/2017           | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                      |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol.  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 457,254      | 04/26/2020        | 11,313           | 11,758                  | 12,196                                                                        | 0                    | 59,553               | 59,553               | 59,553                 |             |                |                   |
| Service Call Summary (By Call Type) |              |                   |                  |                         |                                                                               |                      |                      |                      |                        |             |                |                   |
| Call Type                           |              |                   | Total Calls      | Total Parts Price       | Total Parts Cost                                                              | Total Labor Price    | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 02 Jam                              |              |                   | 1                |                         |                                                                               |                      |                      | 0.43                 | 1.03                   | 0.12        | 1.47           | 99.98%            |
| 10 CourtesyCall                     |              |                   | 1                |                         |                                                                               |                      |                      | 0.18                 | 1.03                   | 0.17        | 0.00           | 100.00%           |
|                                     |              |                   | 2                |                         |                                                                               |                      |                      | 0.31                 | 1.03                   | 0.14        | 0.73           | 99.99%            |

### Under Contract Number Z-CPI4001-01

|                                     |              |                   |                  |                         |                                                                               |                     |                      |                      |                        |             |                |                   |
|-------------------------------------|--------------|-------------------|------------------|-------------------------|-------------------------------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|-------------|----------------|-------------------|
| V0475                               | LVK4410319   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Summit Street Elementary |                     |                      | Room 14              | Unknown                | Yes         |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 5,563        | 04/26/2020        | 117              | 156                     | 150                                                                           | 0                   |                      |                      |                        |             |                |                   |
| V0476                               | LVK4410323   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Summit Street Elementary |                     |                      | Room 11              | Unknown                | Yes         |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                     |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 20,936       | 03/31/2020        | 0                | 0                       | 226                                                                           | 0                   |                      |                      |                        |             |                |                   |
| Service Call Summary (By Call Type) |              |                   |                  |                         |                                                                               |                     |                      |                      |                        |             |                |                   |
| Call Type                           |              |                   | Total Calls      | Total Parts Price       | Total Parts Cost                                                              | Total Labor Price   | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 02 Jam                              |              |                   | 1                |                         |                                                                               |                     |                      | 1.12                 | 0.97                   | 0.30        | 1.47           | 99.97%            |
|                                     |              |                   | 1                |                         |                                                                               |                     |                      | 1.12                 | 0.97                   | 0.30        | 2.08           | 99.97%            |

Page 23 of 46

|                                     |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
|-------------------------------------|--------------|-------------------|------------------|-------------------------|-------------------------------------------------------------------------------|---------------------------|----------------------|----------------------|------------------------|-------------|----------------|-------------------|
| V0477                               | LQA4611096   | Kyocera           | FS-2100DN        | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - Summit Street Elementary | ROOM 17 - LIBRARY         | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol.       | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 23,798       | 04/26/2020        | 344              | 607                     | 534                                                                           | 0                         |                      |                      |                        |             |                |                   |
| V0478                               | LW74701888   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - Summit Street Elementary | Room 17 Library           | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol.       | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 11,451       | 04/26/2020        | 96               | 110                     | 108                                                                           | 0                         |                      |                      |                        |             |                |                   |
| Color                               | 49,599       | 04/26/2020        | 557              | 698                     | 715                                                                           | 0                         |                      |                      |                        |             |                |                   |
| V0479                               | LVK4411697   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Summit Street Elementary | Room B14                  | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol.       | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 12,269       | 04/26/2020        | 215              | 327                     | 276                                                                           | 0                         |                      |                      |                        |             |                |                   |
| V0480                               | LVV5804829   | Kyocera           | M2035dn          | Kyocera ECOSYS M2035dn  | Essex Westford School District- Chittenden Central - Summit Street Elementary | Room B18 Nurse's Office   | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol.       | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 14,400       | 04/26/2020        | 114              | 139                     | 208                                                                           | 0                         |                      |                      |                        |             |                |                   |
| V0481                               | LVK4411695   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Summit Street Elementary | Room B11                  | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol.       | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 16,391       | 04/26/2020        | 257              | 281                     | 284                                                                           | 0                         |                      |                      |                        |             |                |                   |
| V0482                               | LVK411694    | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Summit Street Elementary | Room B9                   | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol.       | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 9,218        | 04/26/2020        | 140              | 173                     | 137                                                                           | 0                         |                      | 0                    | 1,515                  | 1,515       |                |                   |
| Service Call Summary (By Call Type) |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Call Type                           |              |                   | Total Calls      | Total Parts Price       | Total Parts Cost                                                              | Total Labor Price         | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 24 NFS Call                         |              |                   | 1                |                         |                                                                               |                           |                      | 2.68                 | 0.52                   | 0.00        | 0.00           | 100.00%           |
|                                     |              |                   | 1                |                         |                                                                               |                           |                      | 2.68                 | 0.52                   | 0.00        | 0.00           | 100.00%           |
| V0483                               | LVK4411698   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Summit Street Elementary | Room B12                  | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol.       | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 20,987       | 04/19/2020        | 189              | 197                     | 221                                                                           | 0                         |                      |                      |                        |             |                |                   |
| V0484                               | LVK4410324   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Summit Street Elementary | Room B05                  | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol.       | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 49,563       | 04/26/2020        | 662              | 722                     | 622                                                                           | 0                         |                      | 0                    | 2,498                  | 2,498       |                |                   |
| Service Call Summary (By Call Type) |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Call Type                           |              |                   | Total Calls      | Total Parts Price       | Total Parts Cost                                                              | Total Labor Price         | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 24 NFS Call                         |              |                   | 1                |                         |                                                                               |                           |                      | 3.17                 | 0.47                   | 0.00        | 0.00           | 100.00%           |
|                                     |              |                   | 1                |                         |                                                                               |                           |                      | 3.17                 | 0.47                   | 0.00        | 0.00           | 100.00%           |
| V0485                               | LVK4411702   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Summit Street Elementary | Room B08                  | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol.       | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 7,271        | 04/26/2020        | 77               | 122                     | 94                                                                            | 0                         |                      |                      |                        |             |                |                   |
| V0486                               | LVK4411700   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Summit Street Elementary | Room B06                  | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol.       | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 10,980       | 04/19/2020        | 126              | 175                     | 164                                                                           | 0                         |                      |                      |                        |             |                |                   |
| V0487                               | LVK4410316   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Summit Street Elementary | Room 10                   | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol.       | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 9,485        | 04/19/2020        | 69               | 107                     | 102                                                                           | 0                         |                      |                      |                        |             |                |                   |
| V0488                               | LVK4411708   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Summit Street Elementary | Room 8                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol.       | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 18,895       | 04/19/2020        | 341              | 337                     | 302                                                                           | 0                         |                      | 0                    | 4,716                  | 4,716       |                |                   |
| Service Call Summary (By Call Type) |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Call Type                           |              |                   | Total Calls      | Total Parts Price       | Total Parts Cost                                                              | Total Labor Price         | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 03 Copy Quality                     |              |                   | 1                |                         |                                                                               |                           |                      | 0.02                 | 0.95                   | 0.00        | 0.97           | 99.99%            |
|                                     |              |                   | 1                |                         |                                                                               |                           |                      | 0.02                 | 0.95                   | 0.00        | 0.97           | 99.99%            |
| V0489                               | LVK4410326   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Summit Street Elementary | Room 5                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol.       | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 6,708        | 03/28/2020        | 180              | 184                     | 150                                                                           | 0                         |                      | 0                    | 510                    | 510         |                |                   |
| Service Call Summary (By Call Type) |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Call Type                           |              |                   | Total Calls      | Total Parts Price       | Total Parts Cost                                                              | Total Labor Price         | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 24 NFS Call                         |              |                   | 1                |                         |                                                                               |                           |                      | 2.15                 | 0.48                   | 0.00        | 0.00           | 100.00%           |
|                                     |              |                   | 1                |                         |                                                                               |                           |                      | 2.15                 | 0.48                   | 0.00        | 0.00           | 100.00%           |
| V0490                               | LVK4410330   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Summit Street Elementary | Room 6                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol.       | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 12,746       | 04/20/2020        | 113              | 136                     | 141                                                                           | 0                         |                      |                      |                        |             |                |                   |
| V0491                               | LVK4410328   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Summit Street Elementary | Room 4                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol.       | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 16,742       | 04/26/2020        | 86               | 144                     | 208                                                                           | 0                         |                      | 0                    | 1,875                  | 1,875       |                |                   |
| Service Call Summary (By Call Type) |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Call Type                           |              |                   | Total Calls      | Total Parts Price       | Total Parts Cost                                                              | Total Labor Price         | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 03 Copy Quality                     |              |                   | 1                |                         |                                                                               |                           |                      | 1.20                 | 0.50                   | 0.87        | 1.95           | 99.97%            |
|                                     |              |                   | 1                |                         |                                                                               |                           |                      | 1.20                 | 0.50                   | 0.87        | 1.95           | 99.97%            |
| V0492                               | LVK4410314   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Summit Street Elementary | ROOM 03                   | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol.       | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 | 11,932       | 04/19/2020        | 154              | 110                     | 160                                                                           | 0                         |                      |                      |                        |             |                |                   |
| Service Call Summary (By Call Type) |              |                   |                  |                         |                                                                               |                           |                      |                      |                        |             |                |                   |
| Call Type                           |              |                   | Total Calls      | Total Parts Price       | Total Parts Cost                                                              | Total Labor Price         | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 24 NFS Call                         |              |                   | 1                |                         |                                                                               |                           |                      | 1.67                 | 0.48                   | 0.00        | 0.00           | 100.00%           |
|                                     |              |                   | 1                |                         |                                                                               |                           |                      | 1.67                 | 0.48                   | 0.00        | 0.00           | 100.00%           |
| V0493                               | LVK4410322   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Summit Street Elementary | Room 1 Principal's Office | Unknown              | Yes                  |                        |             |                |                   |

Page 24 of 46

Meter Information

| Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. |
|------------|--------------|-------------------|------------------|------------------|-------------------|
| BIW        | 772          | 04/26/2020        | 24               | 15               | 8                 |

Essex Westford School District- Chittenden Central - Thomas Fleming Elementary

Under Contract Number Z-CPI4001-01

|                                     |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
|-------------------------------------|--------------|-------------------|-------------------|-------------------------|--------------------------------------------------------------------------------|------------------------------|----------------------|----------------------|------------------------|--------------------|-------------|-------------|----------------|-------------------|
| VM37503963                          |              | Kyocera           | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | RM 103                       | 08/24/2017           | Yes                  |                        |                    |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.          | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                    |             |             |                |                   |
| BIW                                 | 2,945        | 03/31/2020        | 0                 | 16                      | 24                                                                             | 0                            |                      |                      |                        |                    |             |             |                |                   |
| V0045                               | VM37503962   | Kyocera           | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | 115-Library General Populace | 08/24/2017           | Yes                  |                        |                    |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.          | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                    |             |             |                |                   |
| BIW                                 | 971          | 03/31/2020        | 0                 | 0                       | 0                                                                              | 0                            |                      |                      |                        |                    |             |             |                |                   |
| V0060                               | VM37503911   | Kyocera           | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | RM B11                       | 08/24/2017           | Yes                  |                        |                    |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.          | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                    |             |             |                |                   |
| BIW                                 | 7,265        | 04/26/2020        | 353               | 470                     | 378                                                                            | 0                            |                      |                      |                        |                    |             |             |                |                   |
| V0300                               | LVK4411693   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 118 Gym Office          | Unknown              | Yes                  |                        |                    |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.          | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                    |             |             |                |                   |
| BIW                                 | 291          | 04/20/2020        | 0                 | 0                       | 0                                                                              | 0                            | 0                    | 0                    | 0                      |                    |             |             |                |                   |
| Service Call Summary (By Call Type) |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Call Type                           | Total Calls  |                   | Total Parts Price |                         | Total Parts Cost                                                               |                              | Total Labor Price    |                      | Total Labor Cost       | Avg. Response Time | Avg. Repair | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 10 CourtesyCall                     | 1            |                   |                   |                         |                                                                                |                              |                      |                      |                        | 0.02               | 1.48        | 0.00        | 0.00           | 100.00%           |
|                                     | 1            |                   |                   |                         |                                                                                |                              |                      |                      |                        | 0.02               | 1.48        | 0.00        | 0.00           | 100.00%           |
| V0451                               | LVK4410502   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 220                     | Unknown              | Yes                  |                        |                    |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.          | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                    |             |             |                |                   |
| BIW                                 | 28,332       | 03/29/2020        | 424               | 460                     | 413                                                                            | 0                            |                      |                      |                        |                    |             |             |                |                   |
| V0452                               | LVK4411682   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 218                     | Unknown              | Yes                  |                        |                    |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.          | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                    |             |             |                |                   |
| BIW                                 | 10,687       | 04/26/2020        | 73                | 192                     | 160                                                                            | 0                            | 0                    | 0                    | 0                      |                    |             |             |                |                   |
| Service Call Summary (By Call Type) |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Call Type                           | Total Calls  |                   | Total Parts Price |                         | Total Parts Cost                                                               |                              | Total Labor Price    |                      | Total Labor Cost       | Avg. Response Time | Avg. Repair | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 24 NFS Call                         | 1            |                   |                   |                         |                                                                                |                              |                      |                      |                        | 0.23               | 1.17        | 0.22        | 0.00           | 100.00%           |
|                                     | 1            |                   |                   |                         |                                                                                |                              |                      |                      |                        | 0.23               | 1.17        | 0.22        | 0.00           | 100.00%           |
| V0453                               | LVK4410510   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 216                     | Unknown              | Yes                  |                        |                    |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.          | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                    |             |             |                |                   |
| BIW                                 | 23,152       | 04/19/2020        | 145               | 308                     | 263                                                                            | 0                            |                      |                      |                        |                    |             |             |                |                   |
| V0454                               | LW74701893   | Kyocera           | ECOSYS            | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 213 Hall                | Unknown              | Yes                  |                        |                    |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.          | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                    |             |             |                |                   |
| BIW                                 | 10,393       | 04/26/2020        | 50                | 85                      | 60                                                                             | 0                            |                      |                      |                        |                    |             |             |                |                   |
| Color                               | 57,642       | 04/26/2020        | 228               | 325                     | 312                                                                            | 0                            |                      |                      |                        |                    |             |             |                |                   |
| V0455                               | LVK4410511   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 212                     | Unknown              | Yes                  |                        |                    |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.          | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                    |             |             |                |                   |
| BIW                                 | 7,290        | 04/19/2020        | 80                | 92                      | 110                                                                            | 0                            | 0                    | 854                  | 854                    |                    |             |             |                |                   |
| Service Call Summary (By Call Type) |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Call Type                           | Total Calls  |                   | Total Parts Price |                         | Total Parts Cost                                                               |                              | Total Labor Price    |                      | Total Labor Cost       | Avg. Response Time | Avg. Repair | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 05 Call Back                        | 1            |                   |                   |                         |                                                                                |                              |                      |                      |                        | 0.00               | 1.03        | 0.00        | 1.03           | 99.99%            |
|                                     | 1            |                   |                   |                         |                                                                                |                              |                      |                      |                        | 0.00               | 1.03        | 0.00        | 1.03           | 99.99%            |
| V0456                               | LVK4411651   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 200                     | Unknown              | Yes                  |                        |                    |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.          | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                    |             |             |                |                   |
| BIW                                 | 35,218       | 04/15/2020        | 366               | 379                     | 391                                                                            | 0                            |                      |                      |                        |                    |             |             |                |                   |
| V0457                               | LVK4411699   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 202                     | Unknown              | Yes                  |                        |                    |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.          | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                    |             |             |                |                   |
| BIW                                 | 11,510       | 04/19/2020        | 128               | 117                     | 151                                                                            | 0                            |                      |                      |                        |                    |             |             |                |                   |
| V0458                               | LVK4410504   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 207                     | Unknown              | Yes                  |                        |                    |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.          | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                    |             |             |                |                   |
| BIW                                 | 7,708        | 04/04/2020        | 114               | 114                     | 112                                                                            | 0                            |                      |                      |                        |                    |             |             |                |                   |
| V0459                               | LVK3202192   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 203                     | Unknown              | Yes                  |                        |                    |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.          | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                    |             |             |                |                   |
| BIW                                 | 29,698       | 04/19/2020        | 508               | 763                     | 588                                                                            | 0                            | 0                    | 5,858                | 5,858                  |                    |             |             |                |                   |
| Service Call Summary (By Call Type) |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Call Type                           | Total Calls  |                   | Total Parts Price |                         | Total Parts Cost                                                               |                              | Total Labor Price    |                      | Total Labor Cost       | Avg. Response Time | Avg. Repair | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 03 Copy Quality                     | 1            |                   |                   |                         |                                                                                |                              |                      |                      |                        | 0.00               | 0.78        | 0.00        | 0.78           | 99.99%            |
|                                     | 1            |                   |                   |                         |                                                                                |                              |                      |                      |                        | 0.00               | 0.78        | 0.00        | 0.78           | 99.99%            |
| V0460                               | LVK4411692   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 201                     | Unknown              | Yes                  |                        |                    |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.          | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                    |             |             |                |                   |
| BIW                                 | 10,719       | 03/28/2020        | 183               | 177                     | 160                                                                            | 0                            | 45                   | 45                   | 45                     |                    |             |             |                |                   |
| Service Call Summary (By Call Type) |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Call Type                           | Total Calls  |                   | Total Parts Price |                         | Total Parts Cost                                                               |                              | Total Labor Price    |                      | Total Labor Cost       | Avg. Response Time | Avg. Repair | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 02 Jam                              | 3            |                   |                   |                         |                                                                                |                              |                      |                      |                        | 3.51               | 1.08        | 0.16        | 45.59          | 99.37%            |
|                                     | 3            |                   |                   |                         |                                                                                |                              |                      |                      |                        | 3.51               | 1.08        | 0.16        | 45.59          | 99.37%            |
| V0462                               | LVK4411707   | Kyocera           | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 101                     | Unknown              | Yes                  |                        |                    |             |             |                |                   |
| Meter Information                   |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Meter Type                          | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                              | Target Monthly Vol.          | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                    |             |             |                |                   |
| BIW                                 | 60,380       | 03/31/2020        | 863               | 1,050                   | 1,006                                                                          | 0                            | 2,063                | 2,063                | 2,063                  |                    |             |             |                |                   |
| Service Call Summary (By Call Type) |              |                   |                   |                         |                                                                                |                              |                      |                      |                        |                    |             |             |                |                   |
| Call Type                           | Total Calls  |                   | Total Parts Price |                         | Total Parts Cost                                                               |                              | Total Labor Price    |                      | Total Labor Cost       | Avg. Response Time | Avg. Repair | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 02 Jam                              | 2            |                   |                   |                         |                                                                                |                              |                      |                      |                        | 0.45               | 0.94        | 0.14        | 45.59          | 99.98%            |
| 10 CourtesyCall                     | 1            |                   |                   |                         |                                                                                |                              |                      |                      |                        | 0.13               | 0.90        | 0.12        | 0.00           | 100.00%           |
|                                     | 3            |                   |                   |                         |                                                                                |                              |                      |                      |                        | 0.29               | 0.92        | 0.13        | 0.70           | 99.99%            |

Page 25 of 46

|                          |            |                     |                          |                         |                                                                                |                            |                            |                             |                             |                               |
|--------------------------|------------|---------------------|--------------------------|-------------------------|--------------------------------------------------------------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-------------------------------|
| V0463                    | LVK4411690 | Kyocera             | Kyocera P2135dn          | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 102                   | Unknown                    | Yes                         |                             |                               |
| <i>Meter Information</i> |            |                     |                          |                         |                                                                                |                            |                            |                             |                             |                               |
| <i>Meter Type</i>        |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                        | <u>12 Month Avg Vol.</u>   | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |
| BIW                      |            | 20,759              | 03/28/2020               | 371                     | 407                                                                            | 305                        | 0                          |                             |                             |                               |
| V0464                    | LVK4411686 | Kyocera             | Kyocera P2135dn          | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 104                   | Unknown                    | Yes                         |                             |                               |
| <i>Meter Information</i> |            |                     |                          |                         |                                                                                |                            |                            |                             |                             |                               |
| <i>Meter Type</i>        |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                        | <u>12 Month Avg Vol.</u>   | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |
| BIW                      |            | 3,815               | 04/17/2020               | 23                      | 32                                                                             | 36                         | 0                          |                             |                             |                               |
| V0465                    | LVK4411701 | Kyocera             | Kyocera P2135dn          | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 106                   | Unknown                    | Yes                         |                             |                               |
| <i>Meter Information</i> |            |                     |                          |                         |                                                                                |                            |                            |                             |                             |                               |
| <i>Meter Type</i>        |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                        | <u>12 Month Avg Vol.</u>   | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |
| BIW                      |            | 8,132               | 04/19/2020               | 58                      | 123                                                                            | 112                        | 0                          |                             |                             |                               |
| V0466                    | LVK4410507 | Kyocera             | Kyocera P2135dn          | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Library Circulation Desk   | Unknown                    | Yes                         |                             |                               |
| <i>Meter Information</i> |            |                     |                          |                         |                                                                                |                            |                            |                             |                             |                               |
| <i>Meter Type</i>        |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                        | <u>12 Month Avg Vol.</u>   | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |
| BIW                      |            | 12,374              | 04/26/2020               | 294                     | 429                                                                            | 489                        | 0                          |                             |                             |                               |
| V0467                    | LW74701890 | Kyocera             | ECOSYS                   | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Library General Use        | Unknown                    | Yes                         |                             |                               |
| <i>Meter Information</i> |            |                     |                          |                         |                                                                                |                            |                            |                             |                             |                               |
| <i>Meter Type</i>        |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                        | <u>12 Month Avg Vol.</u>   | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |
| BIW                      |            | 6,587               | 04/19/2020               | 53                      | 52                                                                             | 49                         | 0                          |                             |                             |                               |
| Color                    |            | 20,095              | 04/19/2020               | 93                      | 115                                                                            | 107                        | 0                          |                             |                             |                               |
| V0469                    | LVK4411678 | Kyocera             | Kyocera P2135dn          | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Librarian Desk             | Unknown                    | Yes                         |                             |                               |
| <i>Meter Information</i> |            |                     |                          |                         |                                                                                |                            |                            |                             |                             |                               |
| <i>Meter Type</i>        |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                        | <u>12 Month Avg Vol.</u>   | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |
| BIW                      |            | 5,319               | 04/26/2020               | 43                      | 28                                                                             | 32                         | 0                          |                             |                             |                               |
| V0470                    | LVK4411683 | Kyocera             | Kyocera P2135dn          | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 109 Main Office       | Unknown                    | Yes                         |                             |                               |
| <i>Meter Information</i> |            |                     |                          |                         |                                                                                |                            |                            |                             |                             |                               |
| <i>Meter Type</i>        |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                        | <u>12 Month Avg Vol.</u>   | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |
| BIW                      |            | 8,722               | 04/26/2020               | 25                      | 26                                                                             | 31                         | 0                          |                             |                             |                               |
| V0471                    | LVK4204359 | Kyocera             | Kyocera P2135dn          | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room B1                    | Unknown                    | Yes                         |                             |                               |
| <i>Meter Information</i> |            |                     |                          |                         |                                                                                |                            |                            |                             |                             |                               |
| <i>Meter Type</i>        |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                        | <u>12 Month Avg Vol.</u>   | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |
| BIW                      |            | 15,483              | 04/26/2020               | 154                     | 168                                                                            | 158                        | 0                          |                             |                             |                               |
| V0472                    | LVK4410509 | Kyocera             | Kyocera P2135dn          | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room B21                   | Unknown                    | Yes                         |                             |                               |
| <i>Meter Information</i> |            |                     |                          |                         |                                                                                |                            |                            |                             |                             |                               |
| <i>Meter Type</i>        |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                        | <u>12 Month Avg Vol.</u>   | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |
| BIW                      |            | 2,650               | 03/31/2020               | 0                       | 6                                                                              | 21                         | 0                          |                             |                             |                               |
| V0474                    | LVK4410495 | Kyocera             | Kyocera P2135dn          | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room B2 Staff Lounge V0474 | Unknown                    | Yes                         |                             |                               |
| <i>Meter Information</i> |            |                     |                          |                         |                                                                                |                            |                            |                             |                             |                               |
| <i>Meter Type</i>        |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                                        | <u>12 Month Avg Vol.</u>   | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |
| BIW                      |            | 13,164              | 04/26/2020               | 91                      | 115                                                                            | 113                        | 0                          |                             |                             |                               |

| Equipment No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Serial Number | Make              | Model            | Description                   | Customer                                                      | Location                             | Install Date         | Active               |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------------|------------------|-------------------------------|---------------------------------------------------------------|--------------------------------------|----------------------|----------------------|------------------------|--------------|-------------------|------------------|------------------|-------------------|---------------------|----------------------|----------------------|------------------------|-----|---------|------------|-------|-------|-------|---|--|--|--|-------|---------|------------|-----|-------|-------|---|--|--|--|
| Essex Westford School District- Chittenden Central - Westford Elementary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |               |                   |                  |                               |                                                               |                                      |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| Under Contract Number CN4001-01                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |               |                   |                  |                               |                                                               |                                      |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| V0007                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | VAP7500733    | Kyocera           | TASKalfa 7002i   | Kyocera TASKalfa 7002i        | Essex Westford School District- Central - Westford Elementary | RM 128 Teachers Room                 | 08/24/2017           | Yes                  |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| <div>Meter Information</div> <table><tr><th>Meter Type</th><th>Last Reading</th><th>Last Reading Date</th><th>3 Month Avg Vol.</th><th>6 Month Avg Vol.</th><th>12 Month Avg Vol.</th><th>Target Monthly Vol.</th><th>Avg Calls Btw Visits</th><th>Avg Copies Btw Calls</th><th>Avg Copies Btw Failure</th></tr><tr><td>BIW</td><td>268,722</td><td>07/28/2020</td><td>1,410</td><td>4,153</td><td>6,747</td><td>0</td><td></td><td></td><td></td></tr></table>                                                                                                                                        |               |                   |                  |                               |                                                               |                                      |                      |                      | Meter Type             | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure | BIW | 268,722 | 07/28/2020 | 1,410 | 4,153 | 6,747 | 0 |  |  |  |       |         |            |     |       |       |   |  |  |  |
| Meter Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Last Reading  | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.              | 12 Month Avg Vol.                                             | Target Monthly Vol.                  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| BIW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 268,722       | 07/28/2020        | 1,410            | 4,153                         | 6,747                                                         | 0                                    |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| V0008                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | W2H7403282    | Kyocera           | TASKalfa 5052ci  | Kyocera TASKalfa 5052ci       | Essex Westford School District- Central - Westford Elementary | 128- Teachers Room                   | 08/15/2017           | Yes                  |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| <div>Meter Information</div> <table><tr><th>Meter Type</th><th>Last Reading</th><th>Last Reading Date</th><th>3 Month Avg Vol.</th><th>6 Month Avg Vol.</th><th>12 Month Avg Vol.</th><th>Target Monthly Vol.</th><th>Avg Calls Btw Visits</th><th>Avg Copies Btw Calls</th><th>Avg Copies Btw Failure</th></tr><tr><td>BIW</td><td>246,373</td><td>07/28/2020</td><td>1,383</td><td>3,395</td><td>5,949</td><td>0</td><td></td><td></td><td></td></tr><tr><td>Color</td><td>147,894</td><td>07/28/2020</td><td>416</td><td>1,674</td><td>3,228</td><td>0</td><td></td><td></td><td></td></tr></table> |               |                   |                  |                               |                                                               |                                      |                      |                      | Meter Type             | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure | BIW | 246,373 | 07/28/2020 | 1,383 | 3,395 | 5,949 | 0 |  |  |  | Color | 147,894 | 07/28/2020 | 416 | 1,674 | 3,228 | 0 |  |  |  |
| Meter Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Last Reading  | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.              | 12 Month Avg Vol.                                             | Target Monthly Vol.                  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| BIW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 246,373       | 07/28/2020        | 1,383            | 3,395                         | 5,949                                                         | 0                                    |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| Color                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 147,894       | 07/28/2020        | 416              | 1,674                         | 3,228                                                         | 0                                    |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| Customer Contract Summary For CN4001-01                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |               |                   |                  |                               |                                                               | Total Paid By Customer for Contract: |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| Contract Start Date: July 01, 2017                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |               |                   |                  | Total Calls Under Contract: 0 |                                                               | Total Parts Cost:                    |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| Contract End Date:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |               |                   |                  | Total Parts Price:            |                                                               | Total Labor Cost:                    |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |               |                   |                  | Total Labor Price:            |                                                               | Total Margin:                        |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |               |                   |                  | Total Supply Price:           |                                                               | Total Supply Cost:                   |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |               |                   |                  |                               |                                                               | Total Savings:                       |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| Under Contract Number Z-CPI4001-01                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |               |                   |                  |                               |                                                               |                                      |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| V0051                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | VM37503953    | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn        | Essex Westford School District- Central - Westford Elementary | RM 152                               | 08/24/2017           | Yes                  |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| <div>Meter Information</div> <table><tr><th>Meter Type</th><th>Last Reading</th><th>Last Reading Date</th><th>3 Month Avg Vol.</th><th>6 Month Avg Vol.</th><th>12 Month Avg Vol.</th><th>Target Monthly Vol.</th><th>Avg Calls Btw Visits</th><th>Avg Copies Btw Calls</th><th>Avg Copies Btw Failure</th></tr><tr><td>BIW</td><td>19,258</td><td>07/28/2020</td><td>17</td><td>229</td><td>470</td><td>0</td><td></td><td></td><td></td></tr></table>                                                                                                                                                |               |                   |                  |                               |                                                               |                                      |                      |                      | Meter Type             | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure | BIW | 19,258  | 07/28/2020 | 17    | 229   | 470   | 0 |  |  |  |       |         |            |     |       |       |   |  |  |  |
| Meter Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Last Reading  | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.              | 12 Month Avg Vol.                                             | Target Monthly Vol.                  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| BIW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 19,258        | 07/28/2020        | 17               | 229                           | 470                                                           | 0                                    |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| V0495                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | LVK4410501    | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer       | Essex Westford School District- Central - Westford Elementary | Room 149                             | Unknown              | Yes                  |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| <div>Meter Information</div> <table><tr><th>Meter Type</th><th>Last Reading</th><th>Last Reading Date</th><th>3 Month Avg Vol.</th><th>6 Month Avg Vol.</th><th>12 Month Avg Vol.</th><th>Target Monthly Vol.</th><th>Avg Calls Btw Visits</th><th>Avg Copies Btw Calls</th><th>Avg Copies Btw Failure</th></tr><tr><td>BIW</td><td>11,211</td><td>07/28/2020</td><td>7</td><td>83</td><td>92</td><td>0</td><td></td><td></td><td></td></tr></table>                                                                                                                                                   |               |                   |                  |                               |                                                               |                                      |                      |                      | Meter Type             | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure | BIW | 11,211  | 07/28/2020 | 7     | 83    | 92    | 0 |  |  |  |       |         |            |     |       |       |   |  |  |  |
| Meter Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Last Reading  | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.              | 12 Month Avg Vol.                                             | Target Monthly Vol.                  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| BIW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 11,211        | 07/28/2020        | 7                | 83                            | 92                                                            | 0                                    |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| V0497                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | LVK4410312    | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer       | Essex Westford School District- Central - Westford Elementary | Room 103                             | Unknown              | Yes                  |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| <div>Meter Information</div> <table><tr><th>Meter Type</th><th>Last Reading</th><th>Last Reading Date</th><th>3 Month Avg Vol.</th><th>6 Month Avg Vol.</th><th>12 Month Avg Vol.</th><th>Target Monthly Vol.</th><th>Avg Calls Btw Visits</th><th>Avg Copies Btw Calls</th><th>Avg Copies Btw Failure</th></tr><tr><td>BIW</td><td>119,800</td><td>07/28/2020</td><td>0</td><td>828</td><td>1,638</td><td>0</td><td></td><td></td><td></td></tr></table>                                                                                                                                              |               |                   |                  |                               |                                                               |                                      |                      |                      | Meter Type             | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure | BIW | 119,800 | 07/28/2020 | 0     | 828   | 1,638 | 0 |  |  |  |       |         |            |     |       |       |   |  |  |  |
| Meter Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Last Reading  | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.              | 12 Month Avg Vol.                                             | Target Monthly Vol.                  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| BIW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 119,800       | 07/28/2020        | 0                | 828                           | 1,638                                                         | 0                                    |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| Customer Contract Summary For Z-CPI4001-01                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |               |                   |                  |                               |                                                               | Total Paid By Customer for Contract: |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| Contract Start Date: August 24, 2017                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |                   |                  | Total Calls Under Contract: 0 |                                                               | Total Parts Cost:                    |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| Contract End Date:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |               |                   |                  | Total Parts Price:            |                                                               | Total Labor Cost:                    |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |               |                   |                  | Total Labor Price:            |                                                               | Total Margin:                        |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |               |                   |                  | Total Supply Price:           |                                                               | Total Supply Cost:                   |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |               |                   |                  |                               |                                                               | Total Savings:                       |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |
| <div>Total Equipment Count: 5</div> <div>Total Equipment on Contract: 5</div> <div>Total Equipment Serviced (in period): 0</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |               |                   |                  |                               |                                                               |                                      |                      |                      |                        |              |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |       |       |   |  |  |  |       |         |            |     |       |       |   |  |  |  |

Essex Westford School District- Chittenden Central

Under Contract Number CN4001-01

|                   |            |              |                   |                         |                                                    |                   |                     |                      |                      |                                         |            |     |
|-------------------|------------|--------------|-------------------|-------------------------|----------------------------------------------------|-------------------|---------------------|----------------------|----------------------|-----------------------------------------|------------|-----|
| B4816             | LW75203723 | Kyocera      | ECOSYS            | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central |                   |                     |                      |                      | 06/29/2015                              | Yes        |     |
| Meter Information |            |              |                   |                         |                                                    |                   |                     |                      |                      |                                         |            |     |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                   | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure                  |            |     |
| BIW               |            | 6,048        | 07/28/2020        | 0                       | 33                                                 | 153               | 0                   |                      |                      |                                         |            |     |
| Color             |            | 8,158        | 07/28/2020        | 1                       | 31                                                 | 73                | 0                   |                      |                      |                                         |            |     |
| V0043             | VM37503947 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central |                   |                     |                      |                      | room C238                               | 10/09/2019 | Yes |
| Meter Information |            |              |                   |                         |                                                    |                   |                     |                      |                      |                                         |            |     |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                   | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure                  |            |     |
| BIW               |            | 22,291       | 07/28/2020        | 10                      | 215                                                | 2,298             | 0                   |                      |                      |                                         |            |     |
| V0731             | VCJ9324021 | Kyocera      | M2540dw           | Kyocera ECOSYS M2540dw  | Essex Westford School District- Chittenden Central |                   |                     |                      |                      | Albert D. Lawton Tech department office | 06/19/2019 | Yes |
| Meter Information |            |              |                   |                         |                                                    |                   |                     |                      |                      |                                         |            |     |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                   | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure                  |            |     |
| BIW               |            | 1,867        | 06/30/2020        | 0                       | 0                                                  | 154               | 0                   |                      |                      |                                         |            |     |

Customer Contract Summary For CN4001-01

|                                    |  |  |  |                               |  |                    |  |  |
|------------------------------------|--|--|--|-------------------------------|--|--------------------|--|--|
| Contract Start Date: July 01, 2017 |  |  |  | Total Calls Under Contract: 0 |  | Total Parts Cost:  |  |  |
| Contract End Date:                 |  |  |  | Total Parts Price:            |  | Total Labor Cost:  |  |  |
|                                    |  |  |  | Total Labor Price:            |  | Total Margin:      |  |  |
|                                    |  |  |  | Total Supply Price:           |  | Total Supply Cost: |  |  |
|                                    |  |  |  |                               |  | Total Savings:     |  |  |

Not Under Contract

|       |           |    |      |                                              |                                                    |               |         |     |
|-------|-----------|----|------|----------------------------------------------|----------------------------------------------------|---------------|---------|-----|
| V0250 | CN657M048 | HP | T520 | HP DesignJet T520 Large Format Printer - 36" | Essex Westford School District- Chittenden Central | Room E105 CTE | Unknown | Yes |
|-------|-----------|----|------|----------------------------------------------|----------------------------------------------------|---------------|---------|-----|

Under Contract Number Z-CPI4001-01

|       |            |         |         |                        |                                                    |           |            |     |
|-------|------------|---------|---------|------------------------|----------------------------------------------------|-----------|------------|-----|
| V0026 | VM37503977 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central | room C215 | 10/09/2019 | Yes |
|-------|------------|---------|---------|------------------------|----------------------------------------------------|-----------|------------|-----|

| Meter Information |              |                   |                  |                  |                   |                     |                      |                      |                        |  |
|-------------------|--------------|-------------------|------------------|------------------|-------------------|---------------------|----------------------|----------------------|------------------------|--|
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |  |
| BIW               | 67,791       | 07/28/2020        | 17               | 579              | 1,609             | 0                   |                      |                      |                        |  |

## Customer Contract Summary For Z-CPI4001-01

Contract Start Date: August 24, 2017  
Contract End Date:

Total Calls Under Contract: 0  
Total Parts Price:  
Total Labor Price:  
Total Supply Price: \_\_\_\_\_

Total Parts Cost:  
Total Labor Cost:  
Total Supply Cost: \_\_\_\_\_

Total Paid By Customer for Contract:  
  
Total Margin:  
  
Total Savings:

Total Equipment Count: 5  
Total Equipment on Contract: 4  
Total Equipment Serviced (in period): 0

## Essex Westford School District- Chittenden Central - ACE

### Under Contract Number CN4001-01

|                   |              |                   |                  |                        |                                                          |                     |                      |                      |                        |
|-------------------|--------------|-------------------|------------------|------------------------|----------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|
| V0260             | W377505080   | Kyocera           | TASKalfa 4002i   | Kyocera TASKalfa 4002i | Essex Westford School District- Chittenden Central - ACE | P204                | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                          |                     |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                        | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 94,265       | 07/28/2020        | 14               | 757                    | 2,025                                                    | 0                   |                      |                      |                        |

## Customer Contract Summary For CN4001-01

Contract Start Date: July 01, 2017  
Contract End Date:

Total Calls Under Contract: 0  
Total Parts Price:  
Total Labor Price:  
Total Supply Price: \_\_\_\_\_

Total Parts Cost:  
Total Labor Cost:  
Total Supply Cost: \_\_\_\_\_

Total Paid By Customer for Contract:  
  
Total Margin:  
  
Total Savings:

### Under Contract Number Z-CPI4001-01

|                   |            |              |                   |                   |                                                          |                   |                     |                      |                      |                        |         |     |
|-------------------|------------|--------------|-------------------|-------------------|----------------------------------------------------------|-------------------|---------------------|----------------------|----------------------|------------------------|---------|-----|
| V0229             | LQA4611082 | Kyocera      | FS-2100DN         | Kyocera FS-2100DN | Essex Westford School District- Chittenden Central - ACE |                   |                     |                      |                      | P207                   | Unknown | Yes |
| Meter Information |            |              |                   |                   |                                                          |                   |                     |                      |                      |                        |         |     |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.  | 6 Month Avg Vol.                                         | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |         |     |
| BIW               |            | 5,434        | 07/28/2020        | 6                 | 24                                                       | 141               | 0                   |                      |                      |                        |         |     |

|                   |            |              |                   |                         |                                                          |                   |                     |                      |                      |                        |         |     |
|-------------------|------------|--------------|-------------------|-------------------------|----------------------------------------------------------|-------------------|---------------------|----------------------|----------------------|------------------------|---------|-----|
| V0230             | LW74701906 | Kyocera      | ECOSYS            | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - ACE |                   |                     |                      |                      | P204                   | Unknown | Yes |
| Meter Information |            |              |                   |                         |                                                          |                   |                     |                      |                      |                        |         |     |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                         | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |         |     |
| BIW               |            | 2,933        | 07/28/2020        | 36                      | 8                                                        | 13                | 0                   |                      |                      |                        |         |     |
| Color             |            | 6,100        | 07/28/2020        | 202                     | 48                                                       | 60                | 0                   |                      |                      |                        |         |     |

## Customer Contract Summary For Z-CPI4001-01

Contract Start Date: August 24, 2017  
Contract End Date:

Total Calls Under Contract: 0  
Total Parts Price:  
Total Labor Price:  
Total Supply Price: \_\_\_\_\_

Total Parts Cost:  
Total Labor Cost:  
Total Supply Cost: \_\_\_\_\_

Total Paid By Customer for Contract:  
  
Total Margin:  
  
Total Savings:

Total Equipment Count: 3  
Total Equipment on Contract: 3  
Total Equipment Serviced (in period): 0

## Essex Westford School District- Chittenden Central - Albert D. Lawton

### Under Contract Number Z-CPI4001-01

|                   |              |                   |                  |                        |                                                                       |                     |                      |                      |                        |
|-------------------|--------------|-------------------|------------------|------------------------|-----------------------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|
| V0027             | VM37503938   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Albert D. Lawton | ROOM B22            | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                                       |                     |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 5,966        | 06/30/2020        | 0                | 92                     | 134                                                                   | 0                   |                      |                      |                        |
| V0036             | VM37503921   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Albert D. Lawton | RM C09 CLASSROOM    | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                                       |                     |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 10,251       | 07/28/2020        | 0                | 125                    | 269                                                                   | 0                   |                      |                      |                        |
| V0038             | VM37503956   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Albert D. Lawton | ROOM C16            | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                                       |                     |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 4,119        | 07/28/2020        | 16               | 49                     | 69                                                                    | 0                   |                      |                      |                        |
| V0081             | VM37503881   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Albert D. Lawton | RM B18 SPED         | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                                       |                     |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 50,578       | 07/28/2020        | 212              | 612                    | 1,051                                                                 | 0                   |                      |                      |                        |
| V0086             | VM37503871   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Albert D. Lawton | RM B14 SPED         | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                                       |                     |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 44,348       | 07/28/2020        | 0                | 484                    | 1,131                                                                 | 0                   |                      |                      |                        |
| V0091             | VM37503874   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Albert D. Lawton | RM C26              | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                                       |                     |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 13,006       | 07/28/2020        | 0                | 274                    | 410                                                                   | 0                   |                      |                      |                        |
| V0096             | VM37503862   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Albert D. Lawton | RM C23              | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                                       |                     |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 8,028        | 07/28/2020        | 3                | 122                    | 204                                                                   | 0                   |                      |                      |                        |
| V0113             | NUF2800120   | Kyocera           | FS-2100DN        | Kyocera FS-2100DN      | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room C20 CLASSROOM  | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                        |                                                                       |                     |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.       | 12 Month Avg Vol.                                                     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |

Page 28 of 46

|                   |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
|-------------------|--------------|-------------------|------------------|-------------------------|-------------------|-----------------------------------------------------------------------|---------------------------------|----------------------|------------------------|--|--|--|
| BIW               | 20,371       | 06/30/2020        | 0                | 0                       | 127               | 0                                                                     |                                 |                      |                        |  |  |  |
| V0114             | NUF2800085   | Kyocera           | FS-2100DN        | Kyocera FS-2100DN       |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | Storage                         | Unknown              | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 21,017       | 06/30/2020        | 0                | 0                       | 0                 | 0                                                                     |                                 |                      |                        |  |  |  |
| V0118             | LVK4410508   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room B-24                       | Unknown              | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 6,181        | 07/07/2020        | 32               | 141                     | 178               | 0                                                                     |                                 |                      |                        |  |  |  |
| V0124             | LVK4410447   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | storage                         | Unknown              | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 20,391       | 06/30/2020        | 0                | 0                       | 12                | 0                                                                     |                                 |                      |                        |  |  |  |
| V0194             | LVK4410301   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room A111                       | Unknown              | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 4,819        | 07/28/2020        | 45               | 52                      | 59                | 0                                                                     |                                 |                      |                        |  |  |  |
| V0199             | LVK4410493   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | storage                         | Unknown              | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 1,480        | 06/30/2020        | 0                | 0                       | 3                 | 0                                                                     |                                 |                      |                        |  |  |  |
| V0225             | LVK4410440   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | Storage                         | Unknown              | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 13,788       | 06/30/2020        | 0                | 0                       | 11                | 0                                                                     |                                 |                      |                        |  |  |  |
| V0231             | VM37503981   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | CO02                            | 08/24/2017           | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 29,591       | 07/28/2020        | 1                | 296                     | 616               | 0                                                                     |                                 |                      |                        |  |  |  |
| V0287             | LVK4410344   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room B3 SPED                    | Unknown              | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 25,163       | 06/30/2020        | 0                | 160                     | 243               | 0                                                                     |                                 |                      |                        |  |  |  |
| V0288             | LVK4410302   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room B23 CLASSROOM              | Unknown              | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 23,315       | 07/16/2020        | 7                | 210                     | 331               | 0                                                                     |                                 |                      |                        |  |  |  |
| V0289             | LVK4410343   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room C06 CLASSROOM              | Unknown              | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 29,143       | 07/28/2020        | 0                | 134                     | 390               | 0                                                                     |                                 |                      |                        |  |  |  |
| V0290             | LVK4411560   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room C10 CLASSROOM              | Unknown              | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 15,792       | 07/28/2020        | 5                | 94                      | 237               | 0                                                                     |                                 |                      |                        |  |  |  |
| V0291             | LVK4411540   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room C22 CLASSROOM              | Unknown              | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 17,934       | 07/28/2020        | 0                | 122                     | 240               | 0                                                                     |                                 |                      |                        |  |  |  |
| V0292             | LVK4410304   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room C25                        | Unknown              | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 48,831       | 07/28/2020        | 1                | 135                     | 430               | 0                                                                     |                                 |                      |                        |  |  |  |
| V0293             | LVK4410339   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room A08 Main Office            | Unknown              | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 15,531       | 07/28/2020        | 39               | 56                      | 80                | 0                                                                     |                                 |                      |                        |  |  |  |
| V0294             | LVK4410338   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room A22 GUIDANCE               | Unknown              | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 67,543       | 07/29/2020        | 643              | 686                     | 860               | 0                                                                     |                                 |                      |                        |  |  |  |
| V0296             | LW74701907   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6026cdn |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room A52 CLASSROOM              | Unknown              | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 11,442       | 06/30/2020        | 0                | 101                     | 154               | 0                                                                     |                                 |                      |                        |  |  |  |
| Color             | 10,583       | 06/30/2020        | 0                | 125                     | 197               | 0                                                                     |                                 |                      |                        |  |  |  |
| V0297             | LVK4410199   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room A46 MAINTENANCE            | Unknown              | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 4,728        | 07/29/2020        | 36               | 58                      | 51                | 0                                                                     |                                 |                      |                        |  |  |  |
| V0298             | LVV4401742   | Kyocera           | M2035dn          | Kyocera ECOSYS M2035dn  |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room A49 IT OFFICE              | Unknown              | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 27,561       | 07/28/2020        | 173              | 197                     | 225               | 0                                                                     |                                 |                      |                        |  |  |  |
| V0299             | LW74701884   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6026cdn |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room A49 IT Office (Skunkworks) | Unknown              | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 11,875       | 07/28/2020        | 183              | 156                     | 162               | 0                                                                     |                                 |                      |                        |  |  |  |
| Color             | 35,161       | 07/28/2020        | 258              | 294                     | 394               | 0                                                                     |                                 |                      |                        |  |  |  |
| V0431             | LQA4611086   | Kyocera           | FS-2100DN        | Kyocera FS-2100DN       |                   | Essex Westford School District- Chittenden Central - Albert D. Lawton | storage                         | Unknown              | Yes                    |  |  |  |
| Meter Information |              |                   |                  |                         |                   |                                                                       |                                 |                      |                        |  |  |  |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol. | Target Monthly Vol.                                                   | Avg Calls Btw Visits            | Avg Copies Btw Calls | Avg Copies Btw Failure |  |  |  |
| BIW               | 71,134       | 06/30/2020        | 0                | 0                       | 130               | 0                                                                     |                                 |                      |                        |  |  |  |

Page 29 of 46

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |            |         |                 |                         |                                                                       |                  |         |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|-----------------|-------------------------|-----------------------------------------------------------------------|------------------|---------|-----|
| V0433                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | LVK4410359 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Albert D. Lawton | Room A49 Storage | Unknown | Yes |
| <div> <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>43,415</div> <div>06/30/2020</div> <div>0</div> <div>0</div> <div>25</div> <div>0</div> <div></div> <div></div> <div></div> </div> |            |         |                 |                         |                                                                       |                  |         |     |
| V0435                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | LVK4411562 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Albert D. Lawton | storage          | Unknown | Yes |
| <div> <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>99</div> <div>06/30/2020</div> <div>0</div> <div>0</div> <div>0</div> <div>0</div> <div></div> <div></div> <div></div> </div>      |            |         |                 |                         |                                                                       |                  |         |     |

### Customer Contract Summary For Z-CPI4001-01

Contract Start Date: August 24, 2017  
Contract End Date:

Total Calls Under Contract: 0  
Total Parts Price:  
Total Labor Price:  
Total Supply Price:

Total Parts Cost:  
Total Labor Cost:  
Total Supply Cost:

Total Paid By Customer for Contract:  
  
Total Margin:  
  
Total Savings:

Total Equipment Count: 30  
Total Equipment on Contract: 30  
Total Equipment Serviced (in period): 0

### Essex Westford School District- Chittenden Central - Center for Technology

#### Under Contract Number CN4001-01

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |            |         |        |                         |                                                                            |      |            |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|--------|-------------------------|----------------------------------------------------------------------------|------|------------|-----|
| V0516                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | RCB8600565 | Kyocera | ECOSYS | Kyocera ECOSYS P6230cdn | Essex Westford School District- Chittenden Central - Center for Technology | E100 | 08/28/2018 | Yes |
| <div> <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW on color</div> <div>27,845</div> <div>06/30/2020</div> <div>514</div> <div>415</div> <div>1,142</div> <div>0</div> <div></div> <div></div> <div></div> </div> <div> <div>Color</div> <div>12,604</div> <div>06/30/2020</div> <div>297</div> <div>458</div> <div>640</div> <div>0</div> <div></div> <div></div> <div></div> </div> |            |         |        |                         |                                                                            |      |            |     |

### Customer Contract Summary For CN4001-01

Contract Start Date: July 01, 2017  
Contract End Date:

Total Calls Under Contract: 0  
Total Parts Price:  
Total Labor Price:  
Total Supply Price:

Total Parts Cost:  
Total Labor Cost:  
Total Supply Cost:

Total Paid By Customer for Contract:  
  
Total Margin:  
  
Total Savings:

#### Not Under Contract

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |             |         |                 |                         |                                                                            |            |         |    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------|-----------------|-------------------------|----------------------------------------------------------------------------|------------|---------|----|
| V010                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | LVK4410387A | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room D111C | Unknown | No |
| <div> <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div></div> <div></div> <div>0</div> <div>0</div> <div>0</div> <div>0</div> <div></div> <div></div> <div></div> </div>                                                                                                                                               |             |         |                 |                         |                                                                            |            |         |    |
| V072                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | LW74701907a | Kyocera | ECOSYS          | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - Center for Technology | Room A52   | Unknown | No |
| <div> <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div></div> <div></div> <div>0</div> <div>0</div> <div>0</div> <div>0</div> <div></div> <div></div> <div></div> </div> <div> <div>Color</div> <div></div> <div></div> <div>0</div> <div>0</div> <div>0</div> <div>0</div> <div></div> <div></div> <div></div> </div> |             |         |                 |                         |                                                                            |            |         |    |

#### Under Contract Number Z-CPI4001-01

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |            |         |                 |                         |                                                                            |                     |            |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|-----------------|-------------------------|----------------------------------------------------------------------------|---------------------|------------|-----|
| V0087                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | VM37503876 | Kyocera | P3045dn         | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Center for Technology | RM M113 CTE         | 08/24/2017 | Yes |
| <div> <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>10,813</div> <div>07/28/2020</div> <div>0</div> <div>100</div> <div>345</div> <div>0</div> <div></div> <div></div> <div></div> </div>   |            |         |                 |                         |                                                                            |                     |            |     |
| V0110                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | VM37503898 | Kyocera | P3045dn         | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Center for Technology | RM D105A CTE        | 08/24/2017 | Yes |
| <div> <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>5,299</div> <div>07/28/2020</div> <div>1</div> <div>64</div> <div>133</div> <div>0</div> <div></div> <div></div> <div></div> </div>     |            |         |                 |                         |                                                                            |                     |            |     |
| V0116                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | LVK4410459 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | maintenance garage  | Unknown    | Yes |
| <div> <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>1,552</div> <div>07/28/2020</div> <div>21</div> <div>18</div> <div>16</div> <div>0</div> <div></div> <div></div> <div></div> </div>     |            |         |                 |                         |                                                                            |                     |            |     |
| V0130                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | LVK4410350 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room R215A          | Unknown    | Yes |
| <div> <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>10,631</div> <div>06/30/2020</div> <div>21</div> <div>105</div> <div>125</div> <div>0</div> <div></div> <div></div> <div></div> </div>  |            |         |                 |                         |                                                                            |                     |            |     |
| V0131                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | LVK4411550 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room R209           | Unknown    | Yes |
| <div> <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>28,225</div> <div>07/28/2020</div> <div>228</div> <div>250</div> <div>310</div> <div>0</div> <div></div> <div></div> <div></div> </div> |            |         |                 |                         |                                                                            |                     |            |     |
| V0132                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | LVK4410347 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room R217 DENTAL    | Unknown    | Yes |
| <div> <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>9,443</div> <div>07/28/2020</div> <div>0</div> <div>4</div> <div>10</div> <div>0</div> <div></div> <div></div> <div></div> </div>       |            |         |                 |                         |                                                                            |                     |            |     |
| V0134                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | LVK4410336 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room R119           | Unknown    | Yes |
| <div> <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>6,060</div> <div>06/30/2020</div> <div>0</div> <div>73</div> <div>105</div> <div>0</div> <div></div> <div></div> <div></div> </div>     |            |         |                 |                         |                                                                            |                     |            |     |
| V0175                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | LVK4410321 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room C122A Pre-Tech | Unknown    | Yes |
| <div> <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>19,997</div> <div>06/30/2020</div> <div>0</div> <div>127</div> <div>164</div> <div>0</div> <div></div> <div></div> <div></div> </div>   |            |         |                 |                         |                                                                            |                     |            |     |
| V0264                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | LVK4410305 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room E110           | Unknown    | Yes |
| <div> <div>Meter Information</div> <div> <div>Meter Type</div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>6,963</div> <div>07/11/2020</div> <div>1</div> <div>9</div> <div>24</div> <div>0</div> <div></div> <div></div> <div></div> </div>       |            |         |                 |                         |                                                                            |                     |            |     |
| V0265                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | LVK4411556 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Center for Technology | Room E109           | Unknown    | Yes |

| Meter Information |              |                   |                  |                         |                                                                    |                     |                          |                      |                        |         |     |
|-------------------|--------------|-------------------|------------------|-------------------------|--------------------------------------------------------------------|---------------------|--------------------------|----------------------|------------------------|---------|-----|
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                  | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |         |     |
| BIW               | 28,069       | 06/30/2020        | 146              | 271                     | 327                                                                | 0                   |                          |                      |                        |         |     |
| V0266             | LVK4410325   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Center for Technology | Chittenden          | Room E108                |                      |                        | Unknown | Yes |
| Meter Information |              |                   |                  |                         |                                                                    |                     |                          |                      |                        |         |     |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                  | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |         |     |
| BIW               | 13,974       | 06/30/2020        | 0                | 246                     | 181                                                                | 0                   |                          |                      |                        |         |     |
| V0267             | LVK4410392   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Center for Technology | Chittenden          | Room E106                |                      |                        | Unknown | Yes |
| Meter Information |              |                   |                  |                         |                                                                    |                     |                          |                      |                        |         |     |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                  | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |         |     |
| BIW               | 19,603       | 06/30/2020        | 3                | 210                     | 193                                                                | 0                   |                          |                      |                        |         |     |
| V0268             | LVK4411553   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Center for Technology | Chittenden          | Room E107                |                      |                        | Unknown | Yes |
| Meter Information |              |                   |                  |                         |                                                                    |                     |                          |                      |                        |         |     |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                  | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |         |     |
| BIW               | 16,369       | 06/30/2020        | 0                | 54                      | 64                                                                 | 0                   |                          |                      |                        |         |     |
| V0269             | LVK4410516   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Center for Technology | Chittenden          | Room D104                |                      |                        | Unknown | Yes |
| Meter Information |              |                   |                  |                         |                                                                    |                     |                          |                      |                        |         |     |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                  | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |         |     |
| BIW               | 51,334       | 07/28/2020        | 4                | 158                     | 452                                                                | 0                   |                          |                      |                        |         |     |
| V0270             | LVK4410340   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Center for Technology | Chittenden          | Room D102                |                      |                        | Unknown | Yes |
| Meter Information |              |                   |                  |                         |                                                                    |                     |                          |                      |                        |         |     |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                  | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |         |     |
| BIW               | 1,056        | 06/30/2020        | 0                | 0                       | 0                                                                  | 0                   |                          |                      |                        |         |     |
| V0272             | LW74701882   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6026cdn | Essex Westford School District-<br>Central - Center for Technology | Chittenden          | Room C121                |                      |                        | Unknown | Yes |
| Meter Information |              |                   |                  |                         |                                                                    |                     |                          |                      |                        |         |     |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                  | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |         |     |
| BIW               | 12,346       | 07/20/2020        | 0                | 43                      | 92                                                                 | 0                   |                          |                      |                        |         |     |
| Color             | 12,169       | 07/20/2020        | 1                | 61                      | 115                                                                | 0                   |                          |                      |                        |         |     |
| V0273             | LVK4411554   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Center for Technology | Chittenden          | Room M119                |                      |                        | Unknown | Yes |
| Meter Information |              |                   |                  |                         |                                                                    |                     |                          |                      |                        |         |     |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                  | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |         |     |
| BIW               | 4,467        | 07/28/2020        | 133              | 93                      | 118                                                                | 0                   |                          |                      |                        |         |     |
| V0274             | LVK4411558   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Center for Technology | Chittenden          | Room M117                |                      |                        | Unknown | Yes |
| Meter Information |              |                   |                  |                         |                                                                    |                     |                          |                      |                        |         |     |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                  | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |         |     |
| BIW               | 19,743       | 07/28/2020        | 295              | 173                     | 177                                                                | 0                   |                          |                      |                        |         |     |
| V0275             | LVK4409814   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Center for Technology | Chittenden          | Room M112 CTE            |                      |                        | Unknown | Yes |
| Meter Information |              |                   |                  |                         |                                                                    |                     |                          |                      |                        |         |     |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                  | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |         |     |
| BIW               | 9,026        | 07/28/2020        | 694              | 228                     | 157                                                                | 0                   |                          |                      |                        |         |     |
| V0276             | LQA4611042   | Kyocera           | FS-2100DN        | Kyocera FS-2100DN       | Essex Westford School District-<br>Central - Center for Technology | Chittenden          | ROOM M109A HIM           |                      |                        | Unknown | Yes |
| Meter Information |              |                   |                  |                         |                                                                    |                     |                          |                      |                        |         |     |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                  | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |         |     |
| BIW               | 67,454       | 07/28/2020        | 364              | 180                     | 611                                                                | 0                   |                          |                      |                        |         |     |
| V0282             | LVK4410331   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Center for Technology | Chittenden          | Room R129 COSMO          |                      |                        | Unknown | Yes |
| Meter Information |              |                   |                  |                         |                                                                    |                     |                          |                      |                        |         |     |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                  | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |         |     |
| BIW               | 2,129        | 06/30/2020        | 0                | 0                       | 0                                                                  | 0                   |                          |                      |                        |         |     |
| V0430             | LVK4410294   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Center for Technology | Chittenden          | Room E108B PRE TECH      |                      |                        | Unknown | Yes |
| Meter Information |              |                   |                  |                         |                                                                    |                     |                          |                      |                        |         |     |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                  | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |         |     |
| BIW               | 2,541        | 07/28/2020        | 0                | 1                       | 2                                                                  | 0                   |                          |                      |                        |         |     |
| V0440             | LQA4611056   | Kyocera           | FS-2100DN        | Kyocera FS-2100DN       | Essex Westford School District-<br>Central - Center for Technology | Chittenden          | Room M118 CTE            |                      |                        | Unknown | Yes |
| Meter Information |              |                   |                  |                         |                                                                    |                     |                          |                      |                        |         |     |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                  | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |         |     |
| BIW               | 32,294       | 07/28/2020        | 48               | 162                     | 465                                                                | 0                   |                          |                      |                        |         |     |
| V0441             | LVK4410452   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Center for Technology | Chittenden          | Room M116 HIM            |                      |                        | Unknown | Yes |
| Meter Information |              |                   |                  |                         |                                                                    |                     |                          |                      |                        |         |     |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                  | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |         |     |
| BIW               | 49,823       | 07/27/2020        | 146              | 375                     | 999                                                                | 0                   |                          |                      |                        |         |     |
| V0448             | LVK4411545   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District-<br>Central - Center for Technology | Chittenden          | Building Trades          |                      |                        | Unknown | Yes |
| Meter Information |              |                   |                  |                         |                                                                    |                     |                          |                      |                        |         |     |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                  | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |         |     |
| BIW               | 266          | 06/30/2020        | 0                | 0                       | 0                                                                  | 0                   |                          |                      |                        |         |     |
| V0449             | LW74701873   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6026cdn | Essex Westford School District-<br>Central - Center for Technology | Chittenden          | Building Trades, NATURAL |                      |                        | Unknown | Yes |
| Meter Information |              |                   |                  |                         |                                                                    |                     |                          |                      |                        |         |     |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                  | Target Monthly Vol. | Avg Calls Btw Visits     | Avg Copies Btw Calls | Avg Copies Btw Failure |         |     |
| BIW               | 24,682       | 06/30/2020        | 0                | 0                       | 114                                                                | 0                   |                          |                      |                        |         |     |
| Color             | 25,731       | 06/30/2020        | 0                | 0                       | 185                                                                | 0                   |                          |                      |                        |         |     |

## Customer Contract Summary For Z-CPI4001-01

Contract Start Date: August 24, 2017  
Contract End Date:

Total Calls Under Contract: 0  
Total Parts Price:  
Total Labor Price:  
Total Supply Price:

Total Parts Cost:  
Total Labor Cost:  
Total Supply Cost:

Total Paid By Customer for Contract:

Total Margin:

Total Savings:

Total Equipment Count: 29  
Total Equipment on Contract: 27  
Total Equipment Serviced (in period): 0

## Essex Westford School District- Chittenden Central - District

### Under Contract Number CN4001-01

|       |            |         |           |                   |                                                               |     |         |     |
|-------|------------|---------|-----------|-------------------|---------------------------------------------------------------|-----|---------|-----|
| V0205 | NUK2902818 | Kyocera | FS-4100DN | Kyocera FS-4100DN | Essex Westford School District- Chittenden Central - District | 120 | Unknown | Yes |
|-------|------------|---------|-----------|-------------------|---------------------------------------------------------------|-----|---------|-----|

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |  |  |  |  |  |  |  |  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|--|
| <div> <div>Meter Information</div> <div> <div>Meter Type</div> <div>BIW</div> </div> <div> <div>Last Reading</div> <div>261,893</div> </div> <div> <div>Last Reading Date</div> <div>07/28/2020</div> </div> <div> <div>3 Month Avg Vol.</div> <div>184</div> </div> <div> <div>6 Month Avg Vol.</div> <div>269</div> </div> <div> <div>12 Month Avg Vol.</div> <div>682</div> </div> <div> <div>Target Monthly Vol.</div> <div>0</div> </div> <div> <div>Avg Calls Btw Visits</div> </div> <div> <div>Avg Copies Btw Calls</div> </div> <div> <div>Avg Copies Btw Failure</div> </div> </div> |  |  |  |  |  |  |  |  |  |  |
| <div> <div>Customer Contract Summary</div> <div>For CN4001-01</div> <div>Contract Start Date: July 01, 2017</div> <div>Contract End Date:</div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |  |  |  |  |  |  |  |  |
| <div> <div>Total Calls Under Contract:</div> <div>0</div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |  |  |  |  |  |  |  |  |  |
| <div> <div>Total Parts Price:</div> <div>Total Labor Price:</div> <div>Total Supply Price:</div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |  |  |  |  |  |  |  |  |  |
| <div> <div>Total Parts Cost:</div> <div>Total Labor Cost:</div> <div>Total Supply Cost:</div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |
| <div> <div>Total Paid By Customer for Contract:</div> <div>Total Margin:</div> <div>Total Savings:</div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |  |  |  |  |  |  |  |  |  |

### Under Contract Number Z-CPI4001-01

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |              |                   |                  |                         |                                                               |                                                                      |                      |                      |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------|------------------|-------------------------|---------------------------------------------------------------|----------------------------------------------------------------------|----------------------|----------------------|------------------------|-------------------|-------------------|------------------|------------------|-------------------|---------------------|----------------------|----------------------|------------------------|-----|---------|------------|-------|-----|-------|---|---|---|---|-----------|-------------|-------------------|------------------|-------------------|------------------|--------------------|-------------|-------------|----------------|-------------------|--------|---|---|--|--|--|------|------|------|------|--------|--|--|--|--|--|--|------|------|------|------|--------|
| V0056                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | VM37503909   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - District | RM 112                                                               | 08/24/2017           | Yes                  |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| <div>Meter Information</div> <table><tr><td>Meter Type</td><td>Last Reading</td><td>Last Reading Date</td><td>3 Month Avg Vol.</td><td>6 Month Avg Vol.</td><td>12 Month Avg Vol.</td><td>Target Monthly Vol.</td><td>Avg Calls Btw Visits</td><td>Avg Copies Btw Calls</td><td>Avg Copies Btw Failure</td></tr><tr><td>BIW</td><td>17,222</td><td>07/28/2020</td><td>659</td><td>450</td><td>453</td><td>0</td><td></td><td></td><td></td></tr></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |              |                   |                  |                         |                                                               |                                                                      |                      |                      | Meter Type             | Last Reading      | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure | BIW | 17,222  | 07/28/2020 | 659   | 450 | 453   | 0 |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| Meter Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                             | Target Monthly Vol.                                                  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| BIW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 17,222       | 07/28/2020        | 659              | 450                     | 453                                                           | 0                                                                    |                      |                      |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| V0076                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | VM37503901   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - District | RM 112                                                               | 08/24/2017           | Yes                  |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| <div>Meter Information</div> <table><tr><td>Meter Type</td><td>Last Reading</td><td>Last Reading Date</td><td>3 Month Avg Vol.</td><td>6 Month Avg Vol.</td><td>12 Month Avg Vol.</td><td>Target Monthly Vol.</td><td>Avg Calls Btw Visits</td><td>Avg Copies Btw Calls</td><td>Avg Copies Btw Failure</td></tr><tr><td>BIW</td><td>21,396</td><td>07/28/2020</td><td>254</td><td>356</td><td>447</td><td>0</td><td></td><td></td><td></td></tr></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |              |                   |                  |                         |                                                               |                                                                      |                      |                      | Meter Type             | Last Reading      | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure | BIW | 21,396  | 07/28/2020 | 254   | 356 | 447   | 0 |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| Meter Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                             | Target Monthly Vol.                                                  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| BIW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 21,396       | 07/28/2020        | 254              | 356                     | 447                                                           | 0                                                                    |                      |                      |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| V0200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LVK4410297   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - District | 201                                                                  | Unknown              | Yes                  |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| <div>Meter Information</div> <table><tr><td>Meter Type</td><td>Last Reading</td><td>Last Reading Date</td><td>3 Month Avg Vol.</td><td>6 Month Avg Vol.</td><td>12 Month Avg Vol.</td><td>Target Monthly Vol.</td><td>Avg Calls Btw Visits</td><td>Avg Copies Btw Calls</td><td>Avg Copies Btw Failure</td></tr><tr><td>BIW</td><td>27,428</td><td>07/28/2020</td><td>1</td><td>227</td><td>500</td><td>0</td><td></td><td></td><td></td></tr></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |              |                   |                  |                         |                                                               |                                                                      |                      |                      | Meter Type             | Last Reading      | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure | BIW | 27,428  | 07/28/2020 | 1     | 227 | 500   | 0 |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| Meter Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                             | Target Monthly Vol.                                                  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| BIW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 27,428       | 07/28/2020        | 1                | 227                     | 500                                                           | 0                                                                    |                      |                      |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| V0201                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LVK4410451   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - District | Room 205                                                             | Unknown              | Yes                  |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| <div>Meter Information</div> <table><tr><td>Meter Type</td><td>Last Reading</td><td>Last Reading Date</td><td>3 Month Avg Vol.</td><td>6 Month Avg Vol.</td><td>12 Month Avg Vol.</td><td>Target Monthly Vol.</td><td>Avg Calls Btw Visits</td><td>Avg Copies Btw Calls</td><td>Avg Copies Btw Failure</td></tr><tr><td>BIW</td><td>10,257</td><td>06/30/2020</td><td>5</td><td>78</td><td>63</td><td>0</td><td></td><td></td><td></td></tr></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |              |                   |                  |                         |                                                               |                                                                      |                      |                      | Meter Type             | Last Reading      | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure | BIW | 10,257  | 06/30/2020 | 5     | 78  | 63    | 0 |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| Meter Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                             | Target Monthly Vol.                                                  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| BIW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 10,257       | 06/30/2020        | 5                | 78                      | 63                                                            | 0                                                                    |                      |                      |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| V0202                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LQA4611077   | Kyocera           | FS-2100DN        | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - District | Room 210                                                             | Unknown              | Yes                  |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| <div>Meter Information</div> <table><tr><td>Meter Type</td><td>Last Reading</td><td>Last Reading Date</td><td>3 Month Avg Vol.</td><td>6 Month Avg Vol.</td><td>12 Month Avg Vol.</td><td>Target Monthly Vol.</td><td>Avg Calls Btw Visits</td><td>Avg Copies Btw Calls</td><td>Avg Copies Btw Failure</td></tr><tr><td>BIW</td><td>2,426</td><td>06/30/2020</td><td>0</td><td>0</td><td>18</td><td>0</td><td></td><td></td><td></td></tr></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |              |                   |                  |                         |                                                               |                                                                      |                      |                      | Meter Type             | Last Reading      | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure | BIW | 2,426   | 06/30/2020 | 0     | 0   | 18    | 0 |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| Meter Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                             | Target Monthly Vol.                                                  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| BIW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 2,426        | 06/30/2020        | 0                | 0                       | 18                                                            | 0                                                                    |                      |                      |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| V0203                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LQA4611099   | Kyocera           | FS-2100DN        | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - District | ROOM 214                                                             | Unknown              | Yes                  |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| <div>Meter Information</div> <table><tr><td>Meter Type</td><td>Last Reading</td><td>Last Reading Date</td><td>3 Month Avg Vol.</td><td>6 Month Avg Vol.</td><td>12 Month Avg Vol.</td><td>Target Monthly Vol.</td><td>Avg Calls Btw Visits</td><td>Avg Copies Btw Calls</td><td>Avg Copies Btw Failure</td></tr><tr><td>BIW</td><td>93,194</td><td>07/28/2020</td><td>11</td><td>340</td><td>1,245</td><td>0</td><td></td><td></td><td></td></tr></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |              |                   |                  |                         |                                                               |                                                                      |                      |                      | Meter Type             | Last Reading      | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure | BIW | 93,194  | 07/28/2020 | 11    | 340 | 1,245 | 0 |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| Meter Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                             | Target Monthly Vol.                                                  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| BIW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 93,194       | 07/28/2020        | 11               | 340                     | 1,245                                                         | 0                                                                    |                      |                      |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| V0204                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | NUK3408328   | Kyocera           | FS-4100DN        | Kyocera FS-4100DN       | Essex Westford School District- Chittenden Central - District | Room 107B                                                            | Unknown              | Yes                  |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| <div>Meter Information</div> <table><tr><td>Meter Type</td><td>Last Reading</td><td>Last Reading Date</td><td>3 Month Avg Vol.</td><td>6 Month Avg Vol.</td><td>12 Month Avg Vol.</td><td>Target Monthly Vol.</td><td>Avg Calls Btw Visits</td><td>Avg Copies Btw Calls</td><td>Avg Copies Btw Failure</td></tr><tr><td>BIW</td><td>84,798</td><td>07/28/2020</td><td>408</td><td>516</td><td>1,021</td><td>0</td><td></td><td></td><td></td></tr></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |              |                   |                  |                         |                                                               |                                                                      |                      |                      | Meter Type             | Last Reading      | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure | BIW | 84,798  | 07/28/2020 | 408   | 516 | 1,021 | 0 |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| Meter Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                             | Target Monthly Vol.                                                  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| BIW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 84,798       | 07/28/2020        | 408              | 516                     | 1,021                                                         | 0                                                                    |                      |                      |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| V0206                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LQP5912239   | Kyocera           | FS-4100DN        | Kyocera FS-4100DN       | Essex Westford School District- Chittenden Central - District | Room 115                                                             | Unknown              | Yes                  |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| <div>Meter Information</div> <table><tr><td>Meter Type</td><td>Last Reading</td><td>Last Reading Date</td><td>3 Month Avg Vol.</td><td>6 Month Avg Vol.</td><td>12 Month Avg Vol.</td><td>Target Monthly Vol.</td><td>Avg Calls Btw Visits</td><td>Avg Copies Btw Calls</td><td>Avg Copies Btw Failure</td></tr><tr><td>BIW</td><td>138,270</td><td>07/28/2020</td><td>581</td><td>868</td><td>1,140</td><td>0</td><td></td><td></td><td></td></tr></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |                   |                  |                         |                                                               |                                                                      |                      |                      | Meter Type             | Last Reading      | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure | BIW | 138,270 | 07/28/2020 | 581   | 868 | 1,140 | 0 |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| Meter Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                             | Target Monthly Vol.                                                  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| BIW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 138,270      | 07/28/2020        | 581              | 868                     | 1,140                                                         | 0                                                                    |                      |                      |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| V0207                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | CNGX304126   | HP                | 4200             | HP LaserJet 4200        | Essex Westford School District- Chittenden Central - District | ROOM 112                                                             | Unknown              | Yes                  |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| <div>Meter Information</div> <table><tr><td>Meter Type</td><td>Last Reading</td><td>Last Reading Date</td><td>3 Month Avg Vol.</td><td>6 Month Avg Vol.</td><td>12 Month Avg Vol.</td><td>Target Monthly Vol.</td><td>Avg Calls Btw Visits</td><td>Avg Copies Btw Calls</td><td>Avg Copies Btw Failure</td></tr><tr><td>BIW</td><td>141,365</td><td>07/01/2020</td><td>0</td><td>0</td><td>363</td><td>0</td><td></td><td></td><td></td></tr></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |              |                   |                  |                         |                                                               |                                                                      |                      |                      | Meter Type             | Last Reading      | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure | BIW | 141,365 | 07/01/2020 | 0     | 0   | 363   | 0 |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| Meter Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                             | Target Monthly Vol.                                                  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| BIW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 141,365      | 07/01/2020        | 0                | 0                       | 363                                                           | 0                                                                    |                      |                      |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| V0208                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | CNDX301567   | HP                | 4250 MICR        | HP LaserJet 4250 MICR   | Essex Westford School District- Chittenden Central - District | ROOM 112                                                             | Unknown              | Yes                  |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| <div>Meter Information</div> <table><tr><td>Meter Type</td><td>Last Reading</td><td>Last Reading Date</td><td>3 Month Avg Vol.</td><td>6 Month Avg Vol.</td><td>12 Month Avg Vol.</td><td>Target Monthly Vol.</td><td>Avg Calls Btw Visits</td><td>Avg Copies Btw Calls</td><td>Avg Copies Btw Failure</td></tr><tr><td>BIW</td><td>94,077</td><td>07/01/2020</td><td>0</td><td>0</td><td>1</td><td>0</td><td></td><td></td><td></td></tr></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |              |                   |                  |                         |                                                               |                                                                      |                      |                      | Meter Type             | Last Reading      | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure | BIW | 94,077  | 07/01/2020 | 0     | 0   | 1     | 0 |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| Meter Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                             | Target Monthly Vol.                                                  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| BIW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 94,077       | 07/01/2020        | 0                | 0                       | 1                                                             | 0                                                                    |                      |                      |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| V0209                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LVK4410371   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - District | Through COVID Machine is located at 87 Beech street (teachers house) | Unknown              | Yes                  |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| <div>Meter Information</div> <table><tr><td>Meter Type</td><td>Last Reading</td><td>Last Reading Date</td><td>3 Month Avg Vol.</td><td>6 Month Avg Vol.</td><td>12 Month Avg Vol.</td><td>Target Monthly Vol.</td><td>Avg Calls Btw Visits</td><td>Avg Copies Btw Calls</td><td>Avg Copies Btw Failure</td></tr><tr><td>BIW</td><td>57,238</td><td>07/28/2020</td><td>1,022</td><td>908</td><td>849</td><td>0</td><td>0</td><td>0</td><td>0</td></tr></table> <div>Service Call Summary (By Call Type)</div> <table><tr><td>Call Type</td><td>Total Calls</td><td>Total Parts Price</td><td>Total Parts Cost</td><td>Total Labor Price</td><td>Total Labor Cost</td><td>Avg. Response Time</td><td>Avg. Repair</td><td>Avg. Travel</td><td>Avg. Down Time</td><td>24 Hour Up Time %</td></tr><tr><td>02 Jam</td><td>1</td><td>1</td><td></td><td></td><td></td><td>1.17</td><td>1.00</td><td>0.10</td><td>2.57</td><td>99.83%</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>1.17</td><td>1.00</td><td>0.10</td><td>2.57</td><td>99.83%</td></tr></table> |              |                   |                  |                         |                                                               |                                                                      |                      |                      | Meter Type             | Last Reading      | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure | BIW | 57,238  | 07/28/2020 | 1,022 | 908 | 849   | 0 | 0 | 0 | 0 | Call Type | Total Calls | Total Parts Price | Total Parts Cost | Total Labor Price | Total Labor Cost | Avg. Response Time | Avg. Repair | Avg. Travel | Avg. Down Time | 24 Hour Up Time % | 02 Jam | 1 | 1 |  |  |  | 1.17 | 1.00 | 0.10 | 2.57 | 99.83% |  |  |  |  |  |  | 1.17 | 1.00 | 0.10 | 2.57 | 99.83% |
| Meter Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                             | Target Monthly Vol.                                                  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| BIW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 57,238       | 07/28/2020        | 1,022            | 908                     | 849                                                           | 0                                                                    | 0                    | 0                    | 0                      |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| Call Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Total Calls  | Total Parts Price | Total Parts Cost | Total Labor Price       | Total Labor Cost                                              | Avg. Response Time                                                   | Avg. Repair          | Avg. Travel          | Avg. Down Time         | 24 Hour Up Time % |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| 02 Jam                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 1            | 1                 |                  |                         |                                                               | 1.17                                                                 | 1.00                 | 0.10                 | 2.57                   | 99.83%            |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |              |                   |                  |                         |                                                               | 1.17                                                                 | 1.00                 | 0.10                 | 2.57                   | 99.83%            |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| V0210                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LVK4410391   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - District | Room 102                                                             | Unknown              | Yes                  |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| <div>Meter Information</div> <table><tr><td>Meter Type</td><td>Last Reading</td><td>Last Reading Date</td><td>3 Month Avg Vol.</td><td>6 Month Avg Vol.</td><td>12 Month Avg Vol.</td><td>Target Monthly Vol.</td><td>Avg Calls Btw Visits</td><td>Avg Copies Btw Calls</td><td>Avg Copies Btw Failure</td></tr><tr><td>BIW</td><td>38,296</td><td>06/30/2020</td><td>7</td><td>434</td><td>550</td><td>0</td><td></td><td></td><td></td></tr></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |              |                   |                  |                         |                                                               |                                                                      |                      |                      | Meter Type             | Last Reading      | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol. | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure | BIW | 38,296  | 06/30/2020 | 7     | 434 | 550   | 0 |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| Meter Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                             | Target Monthly Vol.                                                  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |
| BIW                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 38,296       | 06/30/2020        | 7                | 434                     | 550                                                           | 0                                                                    |                      |                      |                        |                   |                   |                  |                  |                   |                     |                      |                      |                        |     |         |            |       |     |       |   |   |   |   |           |             |                   |                  |                   |                  |                    |             |             |                |                   |        |   |   |  |  |  |      |      |      |      |        |  |  |  |  |  |  |      |      |      |      |        |

### Customer Contract Summary For Z-CPI4001-01

|                                                                                                                                                                                  |                             |   |                    |                                      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---|--------------------|--------------------------------------|
| Contract Start Date: August 24, 2017                                                                                                                                             | Total Calls Under Contract: | 1 | Total Parts Cost:  | Total Paid By Customer for Contract: |
| Contract End Date:                                                                                                                                                               | Total Parts Price:          |   | Total Labor Cost:  |                                      |
|                                                                                                                                                                                  | Total Labor Price:          |   | Total Margin:      |                                      |
|                                                                                                                                                                                  | Total Supply Price:         |   | Total Supply Cost: |                                      |
|                                                                                                                                                                                  |                             |   | Total Savings:     |                                      |
| <div> <div>Total Equipment Count:</div> <div>13</div> <div>Total Equipment on Contract:</div> <div>13</div> <div>Total Equipment Serviced (in period):</div> <div>1</div> </div> |                             |   |                    |                                      |

### Essex Westford School District- Chittenden Central - Essex Elementary School

### Under Contract Number Z-CPI4001-01

|                   |            |              |                   |                        |                                                                              |                   |                     |                      |                      |                        |
|-------------------|------------|--------------|-------------------|------------------------|------------------------------------------------------------------------------|-------------------|---------------------|----------------------|----------------------|------------------------|
| V0019             | VM37503944 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 169            | 08/24/2017          | Yes                  |                      |                        |
| Meter Information |            |              |                   |                        |                                                                              |                   |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.       | 6 Month Avg Vol.                                                             | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 4,860        | 06/25/2020        | 0                      | 75                                                                           | 120               | 0                   |                      |                      |                        |
| V0024             | VM37503941 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 208            | 08/24/2017          | Yes                  |                      |                        |
| Meter Information |            |              |                   |                        |                                                                              |                   |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.       | 6 Month Avg Vol.                                                             | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 11,052       | 06/30/2020        | 1                      | 193                                                                          | 237               | 0                   |                      |                      |                        |

Page 32 of 46

|                   |            |              |                   |                         |                                                                              |                                  |                     |                        |
|-------------------|------------|--------------|-------------------|-------------------------|------------------------------------------------------------------------------|----------------------------------|---------------------|------------------------|
| V0049             | VM37503960 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 188                           | 08/24/2017          | Yes                    |
| Meter Information |            |              |                   |                         |                                                                              |                                  |                     |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                             | 12 Month Avg Vol.                | Target Monthly Vol. | Avg Calls Btw Visits   |
| BIW               |            | 4,579        | 07/22/2020        | 31                      | 69                                                                           | 147                              | 0                   | Avg Copies Btw Calls   |
|                   |            |              |                   |                         |                                                                              |                                  |                     | Avg Copies Btw Failure |
| V0055             | VM37503954 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Elementary School | 222-Learning Center              | 08/24/2017          | Yes                    |
| Meter Information |            |              |                   |                         |                                                                              |                                  |                     |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                             | 12 Month Avg Vol.                | Target Monthly Vol. | Avg Calls Btw Visits   |
| BIW               |            | 4,845        | 07/28/2020        | 7                       | 27                                                                           | 47                               | 0                   | Avg Copies Btw Calls   |
|                   |            |              |                   |                         |                                                                              |                                  |                     | Avg Copies Btw Failure |
| V0066             | VM37503917 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 120                           | 08/24/2017          | Yes                    |
| Meter Information |            |              |                   |                         |                                                                              |                                  |                     |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                             | 12 Month Avg Vol.                | Target Monthly Vol. | Avg Calls Btw Visits   |
| BIW               |            | 7,948        | 06/30/2020        | 13                      | 61                                                                           | 72                               | 0                   | Avg Copies Btw Calls   |
|                   |            |              |                   |                         |                                                                              |                                  |                     | Avg Copies Btw Failure |
| V0071             | VM37503916 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Elementary School | Room 104.                        | 08/24/2017          | Yes                    |
| Meter Information |            |              |                   |                         |                                                                              |                                  |                     |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                             | 12 Month Avg Vol.                | Target Monthly Vol. | Avg Calls Btw Visits   |
| BIW               |            | 6,214        | 06/30/2020        | 0                       | 136                                                                          | 147                              | 0                   | Avg Copies Btw Calls   |
|                   |            |              |                   |                         |                                                                              |                                  |                     | Avg Copies Btw Failure |
| V0075             | VM37503907 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 210                           | 08/24/2017          | Yes                    |
| Meter Information |            |              |                   |                         |                                                                              |                                  |                     |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                             | 12 Month Avg Vol.                | Target Monthly Vol. | Avg Calls Btw Visits   |
| BIW               |            | 8,472        | 06/30/2020        | 0                       | 0                                                                            | 17                               | 0                   | Avg Copies Btw Calls   |
|                   |            |              |                   |                         |                                                                              |                                  |                     | Avg Copies Btw Failure |
| V0080             | VM37503867 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 238                           | 08/24/2017          | Yes                    |
| Meter Information |            |              |                   |                         |                                                                              |                                  |                     |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                             | 12 Month Avg Vol.                | Target Monthly Vol. | Avg Calls Btw Visits   |
| BIW               |            | 11,077       | 06/30/2020        | 0                       | 200                                                                          | 243                              | 0                   | Avg Copies Btw Calls   |
|                   |            |              |                   |                         |                                                                              |                                  |                     | Avg Copies Btw Failure |
| V0085             | VM37503880 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 243                           | 08/24/2017          | Yes                    |
| Meter Information |            |              |                   |                         |                                                                              |                                  |                     |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                             | 12 Month Avg Vol.                | Target Monthly Vol. | Avg Calls Btw Visits   |
| BIW               |            | 18,291       | 06/30/2020        | 0                       | 278                                                                          | 353                              | 0                   | Avg Copies Btw Calls   |
|                   |            |              |                   |                         |                                                                              |                                  |                     | Avg Copies Btw Failure |
| V0090             | VM37503878 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 261                           | 08/24/2017          | Yes                    |
| Meter Information |            |              |                   |                         |                                                                              |                                  |                     |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                             | 12 Month Avg Vol.                | Target Monthly Vol. | Avg Calls Btw Visits   |
| BIW               |            | 8,553        | 06/30/2020        | 0                       | 218                                                                          | 214                              | 0                   | Avg Copies Btw Calls   |
|                   |            |              |                   |                         |                                                                              |                                  |                     | Avg Copies Btw Failure |
| V0098             | V5Q7605196 | Kyocera      | ECOSYS            | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Elementary School | Essex Middle School RM 211 SP Ed | 08/24/2017          | Yes                    |
| Meter Information |            |              |                   |                         |                                                                              |                                  |                     |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                             | 12 Month Avg Vol.                | Target Monthly Vol. | Avg Calls Btw Visits   |
| BIW on color      |            | 12,914       | 06/30/2020        | 0                       | 0                                                                            | 177                              | 0                   | Avg Copies Btw Calls   |
| Color             |            | 16,175       | 06/30/2020        | 0                       | 0                                                                            | 199                              | 0                   | Avg Copies Btw Failure |
| V0099             | V5Q7605189 | Kyocera      | ECOSYS            | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 248 SPED                      | 08/24/2017          | Yes                    |
| Meter Information |            |              |                   |                         |                                                                              |                                  |                     |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                             | 12 Month Avg Vol.                | Target Monthly Vol. | Avg Calls Btw Visits   |
| BIW on color      |            | 14,252       | 06/30/2020        | 182                     | 260                                                                          | 309                              | 0                   | Avg Copies Btw Calls   |
| Color             |            | 9,160        | 06/30/2020        | 0                       | 210                                                                          | 254                              | 0                   | Avg Copies Btw Failure |
| V0100             | V5Q7605190 | Kyocera      | ECOSYS            | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Elementary School | Office                           | 08/24/2017          | Yes                    |
| Meter Information |            |              |                   |                         |                                                                              |                                  |                     |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                             | 12 Month Avg Vol.                | Target Monthly Vol. | Avg Calls Btw Visits   |
| BIW on color      |            | 4,893        | 06/30/2020        | 127                     | 63                                                                           | 111                              | 0                   | Avg Copies Btw Calls   |
| Color             |            | 6,900        | 06/30/2020        | 205                     | 103                                                                          | 162                              | 0                   | Avg Copies Btw Failure |
| V0101             | V5Q7605178 | Kyocera      | ECOSYS            | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Elementary School | RM 144 Gathering Space           | 08/24/2017          | Yes                    |
| Meter Information |            |              |                   |                         |                                                                              |                                  |                     |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                             | 12 Month Avg Vol.                | Target Monthly Vol. | Avg Calls Btw Visits   |
| BIW on color      |            | 7,135        | 06/30/2020        | 283                     | 141                                                                          | 202                              | 0                   | Avg Copies Btw Calls   |
| Color             |            | 12,280       | 06/30/2020        | 842                     | 421                                                                          | 466                              | 0                   | Avg Copies Btw Failure |
| V0102             | V5Q7605197 | Kyocera      | ECOSYS            | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Elementary School | EES 7 C-Wing                     | 08/24/2017          | Yes                    |
| Meter Information |            |              |                   |                         |                                                                              |                                  |                     |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                             | 12 Month Avg Vol.                | Target Monthly Vol. | Avg Calls Btw Visits   |
| BIW on color      |            | 18,094       | 06/30/2020        | 670                     | 335                                                                          | 467                              | 0                   | Avg Copies Btw Calls   |
| Color             |            | 31,336       | 06/30/2020        | 1,938                   | 969                                                                          | 1,333                            | 0                   | Avg Copies Btw Failure |
| V0106             | V5Q7605183 | Kyocera      | ECOSYS            | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Elementary School | color laser                      | 08/24/2017          | Yes                    |
| Meter Information |            |              |                   |                         |                                                                              |                                  |                     |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                             | 12 Month Avg Vol.                | Target Monthly Vol. | Avg Calls Btw Visits   |
| BIW on color      |            | 4,840        | 06/30/2020        | 43                      | 88                                                                           | 146                              | 0                   | Avg Copies Btw Calls   |
| Color             |            | 2,137        | 06/30/2020        | 17                      | 46                                                                           | 109                              | 0                   | Avg Copies Btw Failure |
| V0111             | V6D7511252 | Kyocera      | M6535ciddn        | Kyocera M6535ciddn      | Essex Westford School District- Chittenden Central - Essex Elementary School | DTE                              | 08/24/2017          | Yes                    |
| Meter Information |            |              |                   |                         |                                                                              |                                  |                     |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                             | 12 Month Avg Vol.                | Target Monthly Vol. | Avg Calls Btw Visits   |
| BIW on color      |            | 1,681        | 06/30/2020        | 36                      | 18                                                                           | 11                               | 0                   | Avg Copies Btw Calls   |
| Color             |            | 3,787        | 06/30/2020        | 107                     | 54                                                                           | 53                               | 0                   | Avg Copies Btw Failure |
| V0261             | V5Q7605175 | Kyocera      | ECOSYS            | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Elementary School | RM32 LC Color                    | 08/24/2017          | Yes                    |
| Meter Information |            |              |                   |                         |                                                                              |                                  |                     |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                             | 12 Month Avg Vol.                | Target Monthly Vol. | Avg Calls Btw Visits   |
| BIW on color      |            | 9,577        | 06/30/2020        | 130                     | 112                                                                          | 212                              | 0                   | Avg Copies Btw Calls   |
| Color             |            | 3,836        | 06/30/2020        | 57                      | 35                                                                           | 77                               | 0                   | Avg Copies Btw Failure |

## Customer Contract Summary For Z-CPI4001-01

Contract Start Date: August 24, 2017  
Contract End Date:

Total Calls Under Contract: 0  
Total Parts Price:  
Total Labor Price:  
Total Supply Price:

Total Parts Cost:  
Total Labor Cost:  
Total Supply Cost:

Total Paid By Customer for Contract:

Total Margin:

Total Savings:

Total Equipment Count: 18  
Total Equipment on Contract: 18  
Total Equipment Serviced (in period): 0

Essex Westford School District- Chittenden Central - Essex High

Under Contract Number CN4001-01

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |            |         |                 |                         |                                                                 |            |            |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|-----------------|-------------------------|-----------------------------------------------------------------|------------|------------|-----|
| V0259                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | W2H7403283 | Kyocera | TASKalfa 5052ci | Kyocera TASKalfa 5052ci | Essex Westford School District- Chittenden Central - Essex High | A116 MO    | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol.</div> <div>6 Month Avg Vol.</div> <div>12 Month Avg Vol.</div> </div> </div> <div> <div>BIW</div> <div>86,217</div> <div>07/28/2020</div> <div>541</div> <div>1,368</div> <div>3,902</div> </div> <div> <div>Color</div> <div>324,270</div> <div>07/28/2020</div> <div>1,265</div> <div>5,457</div> <div>8,761</div> </div> <div> <div>Target Monthly Vol.</div> <div>0</div> </div> <div> <div>Avg Calls Btw Visits</div> <div>0</div> </div> <div> <div>Avg Copies Btw Calls</div> <div></div> </div> <div> <div>Avg Copies Btw Failure</div> <div></div> </div> |            |         |                 |                         |                                                                 |            |            |     |
| V0517                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | RCB8600667 | Kyocera | ECOSYS          | Kyocera ECOSYS P6230cdn | Essex Westford School District- Chittenden Central - Essex High | Room C134  | 08/28/2018 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol.</div> <div>6 Month Avg Vol.</div> <div>12 Month Avg Vol.</div> </div> </div> <div> <div>BIW on color</div> <div>5,354</div> <div>06/30/2020</div> <div>297</div> <div>148</div> <div>146</div> </div> <div> <div>Color</div> <div>6,122</div> <div>06/30/2020</div> <div>434</div> <div>217</div> <div>209</div> </div> <div> <div>Target Monthly Vol.</div> <div>0</div> </div> <div> <div>Avg Calls Btw Visits</div> <div></div> </div> <div> <div>Avg Copies Btw Calls</div> <div></div> </div> <div> <div>Avg Copies Btw Failure</div> <div></div> </div>      |            |         |                 |                         |                                                                 |            |            |     |
| V0786                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | VCJ9526652 | Kyocera | M2540dw         | Kyocera ECOSYS M2540dw  | Essex Westford School District- Chittenden Central - Essex High | Room B113A | 12/23/2019 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol.</div> <div>6 Month Avg Vol.</div> <div>12 Month Avg Vol.</div> </div> </div> <div> <div>BIW</div> <div>107</div> <div>06/30/2020</div> <div>0</div> <div>0</div> <div>0</div> </div> <div> <div>Target Monthly Vol.</div> <div>0</div> </div> <div> <div>Avg Calls Btw Visits</div> <div></div> </div> <div> <div>Avg Copies Btw Calls</div> <div></div> </div> <div> <div>Avg Copies Btw Failure</div> <div></div> </div>                                                                                                                                         |            |         |                 |                         |                                                                 |            |            |     |

## Customer Contract Summary For CN4001-01

Contract Start Date: July 01, 2017  
Contract End Date:

Total Calls Under Contract: 0

Total Parts Price:

Total Labor Price:

Total Supply Price: \_\_\_\_\_

Total Parts Cost:

Total Labor Cost:

Total Supply Cost: \_\_\_\_\_

Total Paid By Customer for Contract:

Total Margin:

Total Savings:

## Not Under Contract

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |             |         |                 |                         |                                                                 |                 |         |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------|-----------------|-------------------------|-----------------------------------------------------------------|-----------------|---------|-----|
| V076                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | LVK44010303 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C136B      | Unknown | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol.</div> <div>6 Month Avg Vol.</div> <div>12 Month Avg Vol.</div> </div> </div> <div> <div>BIW</div> <div>0</div> <div>08/24/2017</div> <div>0</div> <div>0</div> <div>0</div> </div> <div> <div>Target Monthly Vol.</div> <div>0</div> </div> <div> <div>Avg Calls Btw Visits</div> <div></div> </div> <div> <div>Avg Copies Btw Calls</div> <div></div> </div> <div> <div>Avg Copies Btw Failure</div> <div></div> </div> |             |         |                 |                         |                                                                 |                 |         |     |
| V162                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | LVK4410333  | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Security Office | Unknown | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol.</div> <div>6 Month Avg Vol.</div> <div>12 Month Avg Vol.</div> </div> </div> <div> <div>BIW</div> <div>0</div> <div>08/24/2017</div> <div>0</div> <div>0</div> <div>0</div> </div> <div> <div>Target Monthly Vol.</div> <div>0</div> </div> <div> <div>Avg Calls Btw Visits</div> <div></div> </div> <div> <div>Avg Copies Btw Calls</div> <div></div> </div> <div> <div>Avg Copies Btw Failure</div> <div></div> </div> |             |         |                 |                         |                                                                 |                 |         |     |

## Under Contract Number Z-CPI4001-01

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |         |         |                        |                                                                 |               |            |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|---------|------------------------|-----------------------------------------------------------------|---------------|------------|-----|
| V0021                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | VM37503934 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | RM C137B SPED | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol.</div> <div>6 Month Avg Vol.</div> <div>12 Month Avg Vol.</div> </div> </div> <div> <div>BIW</div> <div>14,266</div> <div>07/28/2020</div> <div>2</div> <div>140</div> <div>315</div> </div> <div> <div>Target Monthly Vol.</div> <div>0</div> </div> <div> <div>Avg Calls Btw Visits</div> <div></div> </div> <div> <div>Avg Copies Btw Calls</div> <div></div> </div> <div> <div>Avg Copies Btw Failure</div> <div></div> </div>     |            |         |         |                        |                                                                 |               |            |     |
| V0037                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | VM37503940 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | RM C222B      | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol.</div> <div>6 Month Avg Vol.</div> <div>12 Month Avg Vol.</div> </div> </div> <div> <div>BIW</div> <div>58,521</div> <div>07/28/2020</div> <div>0</div> <div>651</div> <div>1,285</div> </div> <div> <div>Target Monthly Vol.</div> <div>0</div> </div> <div> <div>Avg Calls Btw Visits</div> <div></div> </div> <div> <div>Avg Copies Btw Calls</div> <div></div> </div> <div> <div>Avg Copies Btw Failure</div> <div></div> </div>   |            |         |         |                        |                                                                 |               |            |     |
| V0041                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | VM37503949 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | RM B120       | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol.</div> <div>6 Month Avg Vol.</div> <div>12 Month Avg Vol.</div> </div> </div> <div> <div>BIW</div> <div>8,285</div> <div>07/28/2020</div> <div>0</div> <div>111</div> <div>178</div> </div> <div> <div>Target Monthly Vol.</div> <div>0</div> </div> <div> <div>Avg Calls Btw Visits</div> <div></div> </div> <div> <div>Avg Copies Btw Calls</div> <div></div> </div> <div> <div>Avg Copies Btw Failure</div> <div></div> </div>      |            |         |         |                        |                                                                 |               |            |     |
| V0042                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | VM37503959 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | ROOM A106     | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol.</div> <div>6 Month Avg Vol.</div> <div>12 Month Avg Vol.</div> </div> </div> <div> <div>BIW</div> <div>5,049</div> <div>07/28/2020</div> <div>0</div> <div>53</div> <div>109</div> </div> <div> <div>Target Monthly Vol.</div> <div>0</div> </div> <div> <div>Avg Calls Btw Visits</div> <div></div> </div> <div> <div>Avg Copies Btw Calls</div> <div></div> </div> <div> <div>Avg Copies Btw Failure</div> <div></div> </div>       |            |         |         |                        |                                                                 |               |            |     |
| V0046                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | VM37503952 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | 1             | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol.</div> <div>6 Month Avg Vol.</div> <div>12 Month Avg Vol.</div> </div> </div> <div> <div>BIW</div> <div>4,225</div> <div>07/28/2020</div> <div>149</div> <div>183</div> <div>196</div> </div> <div> <div>Target Monthly Vol.</div> <div>0</div> </div> <div> <div>Avg Calls Btw Visits</div> <div></div> </div> <div> <div>Avg Copies Btw Calls</div> <div></div> </div> <div> <div>Avg Copies Btw Failure</div> <div></div> </div>    |            |         |         |                        |                                                                 |               |            |     |
| V0047                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | VM37503957 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | A116 MO       | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol.</div> <div>6 Month Avg Vol.</div> <div>12 Month Avg Vol.</div> </div> </div> <div> <div>BIW</div> <div>9,315</div> <div>07/28/2020</div> <div>14</div> <div>230</div> <div>357</div> </div> <div> <div>Target Monthly Vol.</div> <div>0</div> </div> <div> <div>Avg Calls Btw Visits</div> <div></div> </div> <div> <div>Avg Copies Btw Calls</div> <div></div> </div> <div> <div>Avg Copies Btw Failure</div> <div></div> </div>     |            |         |         |                        |                                                                 |               |            |     |
| V0048                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | VM37503946 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | RM L110B      | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol.</div> <div>6 Month Avg Vol.</div> <div>12 Month Avg Vol.</div> </div> </div> <div> <div>BIW</div> <div>9,428</div> <div>07/28/2020</div> <div>4</div> <div>16</div> <div>91</div> </div> <div> <div>Target Monthly Vol.</div> <div>0</div> </div> <div> <div>Avg Calls Btw Visits</div> <div></div> </div> <div> <div>Avg Copies Btw Calls</div> <div></div> </div> <div> <div>Avg Copies Btw Failure</div> <div></div> </div>        |            |         |         |                        |                                                                 |               |            |     |
| V0052                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | VM37503961 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | RM C111B      | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol.</div> <div>6 Month Avg Vol.</div> <div>12 Month Avg Vol.</div> </div> </div> <div> <div>BIW</div> <div>11,016</div> <div>06/30/2020</div> <div>20</div> <div>126</div> <div>151</div> </div> <div> <div>Target Monthly Vol.</div> <div>0</div> </div> <div> <div>Avg Calls Btw Visits</div> <div></div> </div> <div> <div>Avg Copies Btw Calls</div> <div></div> </div> <div> <div>Avg Copies Btw Failure</div> <div></div> </div>    |            |         |         |                        |                                                                 |               |            |     |
| V0053                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | VM37503945 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | RM L110B      | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol.</div> <div>6 Month Avg Vol.</div> <div>12 Month Avg Vol.</div> </div> </div> <div> <div>BIW</div> <div>7,610</div> <div>07/28/2020</div> <div>2</div> <div>8</div> <div>44</div> </div> <div> <div>Target Monthly Vol.</div> <div>0</div> </div> <div> <div>Avg Calls Btw Visits</div> <div></div> </div> <div> <div>Avg Copies Btw Calls</div> <div></div> </div> <div> <div>Avg Copies Btw Failure</div> <div></div> </div>         |            |         |         |                        |                                                                 |               |            |     |
| V0061                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | VM37503903 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | A116 MO       | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol.</div> <div>6 Month Avg Vol.</div> <div>12 Month Avg Vol.</div> </div> </div> <div> <div>BIW</div> <div>42,637</div> <div>07/28/2020</div> <div>21</div> <div>265</div> <div>660</div> </div> <div> <div>Target Monthly Vol.</div> <div>0</div> </div> <div> <div>Avg Calls Btw Visits</div> <div></div> </div> <div> <div>Avg Copies Btw Calls</div> <div></div> </div> <div> <div>Avg Copies Btw Failure</div> <div></div> </div>    |            |         |         |                        |                                                                 |               |            |     |
| V0062                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | VM37503906 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | RM F112       | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol.</div> <div>6 Month Avg Vol.</div> <div>12 Month Avg Vol.</div> </div> </div> <div> <div>BIW</div> <div>8,801</div> <div>07/28/2020</div> <div>2</div> <div>69</div> <div>194</div> </div> <div> <div>Target Monthly Vol.</div> <div>0</div> </div> <div> <div>Avg Calls Btw Visits</div> <div></div> </div> <div> <div>Avg Copies Btw Calls</div> <div></div> </div> <div> <div>Avg Copies Btw Failure</div> <div></div> </div>       |            |         |         |                        |                                                                 |               |            |     |
| V0063                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | VM37503910 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | RM C108B      | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol.</div> <div>6 Month Avg Vol.</div> <div>12 Month Avg Vol.</div> </div> </div> <div> <div>BIW</div> <div>53,940</div> <div>07/28/2020</div> <div>230</div> <div>669</div> <div>1,265</div> </div> <div> <div>Target Monthly Vol.</div> <div>0</div> </div> <div> <div>Avg Calls Btw Visits</div> <div></div> </div> <div> <div>Avg Copies Btw Calls</div> <div></div> </div> <div> <div>Avg Copies Btw Failure</div> <div></div> </div> |            |         |         |                        |                                                                 |               |            |     |
| V0067                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | VM37503920 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex High | RM C123A      | 08/24/2017 | Yes |

|                          |            |                     |                          |                         |                                                                 |                          |                             |                             |                             |                               |  |  |
|--------------------------|------------|---------------------|--------------------------|-------------------------|-----------------------------------------------------------------|--------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------------|--|--|
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW                 | 10,566                   | 06/30/2020              | 0                                                               | 211                      | 196                         | 0                           |                             |                               |  |  |
| V0068                    | VM37503915 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High |                          | RM F106 Athletics           | 08/24/2017                  | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW                 | 15,349                   | 07/28/2020              | 9                                                               | 184                      | 481                         | 0                           |                             |                               |  |  |
| V0069                    | VM37503902 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High |                          | ROOM B024 PHYS ED           | 08/24/2017                  | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW                 | 24,439                   | 07/28/2020              | 0                                                               | 0                        | 160                         | 0                           |                             |                               |  |  |
| V0070                    | VM37503908 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High |                          | RM F108 FINE ARTS           | 08/24/2017                  | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW                 | 18,906                   | 07/28/2020              | 0                                                               | 265                      | 614                         | 0                           |                             |                               |  |  |
| V0072                    | VM37503914 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High |                          | RM B119 - special Education | 08/24/2017                  | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW                 | 12,890                   | 07/28/2020              | 0                                                               | 460                      | 502                         | 0                           |                             |                               |  |  |
| V0073                    | VM37503913 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High |                          | RM C137A SPED               | 08/24/2017                  | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW                 | 17,086                   | 07/28/2020              | 0                                                               | 142                      | 348                         | 0                           |                             |                               |  |  |
| V0074                    | VM37503919 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High |                          | RM C127B BUSINESS           | 08/24/2017                  | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW                 | 25,130                   | 07/28/2020              | 0                                                               | 260                      | 976                         | 0                           |                             |                               |  |  |
| V0078                    | VM37503963 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High |                          | RM C131 TECHNOLOGY          | 08/24/2017                  | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW                 | 4,109                    | 06/30/2020              | 0                                                               | 90                       | 142                         | 0                           |                             |                               |  |  |
| V0079                    | VM37503875 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High |                          | RM C127A BUSINESS           | 08/24/2017                  | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW                 | 24,048                   | 06/30/2020              | 0                                                               | 354                      | 344                         | 0                           |                             |                               |  |  |
| V0083                    | VM37503879 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High |                          | RM C115                     | 08/24/2017                  | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW                 | 6,801                    | 07/28/2020              | 0                                                               | 43                       | 81                          | 0                           |                             |                               |  |  |
| V0084                    | VM37503873 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High |                          | Main Office                 | 08/24/2017                  | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW                 | 14,467                   | 07/12/2020              | 10                                                              | 266                      | 322                         | 0                           |                             |                               |  |  |
| V0088                    | VM37503865 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High |                          | RM C105                     | 08/24/2017                  | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW                 | 6,551                    | 07/13/2020              | 3                                                               | 73                       | 152                         | 0                           |                             |                               |  |  |
| V0089                    | VM37503870 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High |                          | RM C139 SPED                | 08/24/2017                  | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW                 | 30,265                   | 07/28/2020              | 352                                                             | 736                      | 894                         | 0                           |                             |                               |  |  |
| V0092                    | VM37503866 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High |                          | RM B014 ATHLETIC            | 08/24/2017                  | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW                 | 1,198                    | 07/28/2020              | 0                                                               | 2                        | 45                          | 0                           |                             |                               |  |  |
| V0093                    | VM37503864 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High |                          | B017 Black Box              | 08/24/2017                  | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW                 | 192                      | 07/28/2020              | 0                                                               | 7                        | 4                           | 0                           |                             |                               |  |  |
| V0094                    | VM37503877 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High |                          | ROOM B101A SCIENCE          | 08/24/2017                  | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW                 | 17,243                   | 07/28/2020              | 9                                                               | 82                       | 290                         | 0                           |                             |                               |  |  |
| V0095                    | VM37503872 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High |                          | GUIDANCE OFFICE             | 08/24/2017                  | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW                 | 15,168                   | 07/28/2020              | 265                                                             | 240                      | 362                         | 0                           |                             |                               |  |  |
| V0097                    | V5Q7605192 | Kyocera             | ECOSYS                   | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex High |                          | RM B120                     | 08/24/2017                  | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW on color        | 2,662                    | 06/30/2020              | 0                                                               | 0                        | 37                          | 0                           |                             |                               |  |  |
| <b>Color</b>             |            |                     | 5,481                    | 06/30/2020              | 0                                                               | 0                        | 89                          | 0                           |                             |                               |  |  |
| V0108                    | V5Q7605185 | Kyocera             | ECOSYS                   | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex High |                          | C136B BUS TECH              | 08/24/2017                  | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW on color        | 1,897                    | 06/30/2020              | 9                                                               | 24                       | 28                          | 0                           |                             |                               |  |  |
| <b>Color</b>             |            |                     | 7,491                    | 06/30/2020              | 59                                                              | 164                      | 161                         | 0                           |                             |                               |  |  |
| V0109                    | VM37503893 | Kyocera             | P3045dn                  | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High |                          | spare printer               | 08/24/2017                  | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            | BIW                 | 10,093                   | 07/28/2020              | 1,048                                                           | 583                      | 322                         | 0                           |                             |                               |  |  |
| V0115                    | LVK4411680 | Kyocera             | Kyocera P2135dn          | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High |                          | Room B116                   | Unknown                     | Yes                         |                               |  |  |
| <b>Meter Information</b> |            | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u>                                         | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>  | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |  |  |
| <b>Meter Type</b>        |            |                     |                          |                         |                                                                 |                          |                             |                             |                             |                               |  |  |

[illegible]

|                   |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
|-------------------|------------|--------------|-------------------|-------------------------|-----------------------------------------------------------------|--------------------|---------------------|----------------------|----------------------|------------------------|
| V0150             | LVK4410388 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C212          | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 39,323       | 06/30/2020        | 0                       | 277                                                             | 386                | 0                   |                      |                      |                        |
| V0151             | LVK4410456 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C214 SCIENCE  | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 68,508       | 06/30/2020        | 0                       | 745                                                             | 1,056              | 0                   |                      |                      |                        |
| V0152             | LVK4410448 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C222          | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 15,227       | 06/29/2020        | 0                       | 79                                                              | 111                | 0                   |                      |                      |                        |
| V0153             | LVK4410442 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C223C         | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 36,422       | 07/28/2020        | 0                       | 132                                                             | 302                | 0                   |                      |                      |                        |
| V0154             | LQA4611046 | Kyocera      | FS-2100DN         | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - Essex High | Room C232          | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 129,750      | 06/29/2020        | 0                       | 588                                                             | 951                | 0                   |                      |                      |                        |
| V0155             | LVK4411563 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C233 SPED     | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 57,024       | 07/29/2020        | 162                     | 353                                                             | 665                | 0                   |                      |                      |                        |
| V0156             | LVK4411555 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C234          | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 5,372        | 07/28/2020        | 0                       | 5                                                               | 14                 | 0                   |                      |                      |                        |
| V0157             | LQA4611085 | Kyocera      | FS-2100DN         | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - Essex High | Room C236          | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 63,234       | 07/16/2020        | 6                       | 747                                                             | 1,545              | 0                   |                      |                      |                        |
| V0158             | LVK4410380 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C230          | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 24,378       | 06/30/2020        | 0                       | 101                                                             | 130                | 0                   |                      |                      |                        |
| V0160             | LVK4410315 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C138E SPED    | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 13,643       | 06/30/2020        | 0                       | 0                                                               | 35                 | 0                   |                      |                      |                        |
| V0163             | LVK4410303 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | C136B              | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 5,853        | 07/28/2020        | 0                       | 25                                                              | 93                 | 0                   |                      |                      |                        |
| V0165             | LVK4410505 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C130 SPED     | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 29,126       | 07/27/2020        | 0                       | 126                                                             | 358                | 0                   |                      |                      |                        |
| V0166             | LQA4611089 | Kyocera      | FS-2100DN         | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - Essex High | Room C130C         | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 23,364       | 06/30/2020        | 0                       | 0                                                               | 222                | 0                   |                      |                      |                        |
| V0168             | LVK4410307 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C129 PRE TECH | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 20,415       | 06/30/2020        | 0                       | 203                                                             | 248                | 0                   |                      |                      |                        |
| V0169             | LVK4410342 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C128          | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 33,344       | 07/28/2020        | 0                       | 249                                                             | 605                | 0                   |                      |                      |                        |
| V0172             | LVK4410381 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C126B         | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 19,166       | 06/30/2020        | 0                       | 199                                                             | 191                | 0                   |                      |                      |                        |
| V0173             | LVK4410385 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C124          | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 82,975       | 07/28/2020        | 0                       | 343                                                             | 827                | 0                   |                      |                      |                        |
| V0176             | LVK4410382 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C119          | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 23,707       | 06/30/2020        | 1                       | 194                                                             | 238                | 0                   |                      |                      |                        |
| V0178             | LVK4410386 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C110 MATH     | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 19,740       | 07/28/2020        | 0                       | 8                                                               | 46                 | 0                   |                      |                      |                        |
| V0179             | LVK4410310 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C108 MATH     | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                | 12 Month Avg Vol.  | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 6,584        | 06/30/2020        | 0                       | 0                                                               | 26                 | 0                   |                      |                      |                        |
| V0182             | LVK4411546 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C113 SCIENCE  | Unknown             | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                 |                    |                     |                      |                      |                        |

Page 37 of 46

|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|-------|------------|--------------------------|---------------------|--------------------------|-------------------------|-------------------------|--------------------------|----------------------------|-----------------------------------------------------------------|-----------------------------|-------------------------------|---------|-----|
|       |            | BIW                      | 14,852              | 06/30/2020               | 0                       | 61                      | 141                      | 0                          |                                                                 |                             |                               |         |     |
| V0184 | LVK4411552 |                          |                     |                          | Kyocera                 | Kyocera P2135dn         | Kyocera P2135dn Printer  |                            | Essex Westford School District- Chittenden Central - Essex High | Room C112 SCIENCE           |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 8,931               | 06/30/2020               | 0                       | 0                       | 16                       | 0                          |                                                                 |                             |                               |         |     |
| V0186 | LVK4410351 |                          |                     |                          | Kyocera                 | Kyocera P2135dn         | Kyocera P2135dn Printer  |                            | Essex Westford School District- Chittenden Central - Essex High | Room A105                   |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 9,412               | 06/30/2020               | 0                       | 0                       | 66                       | 0                          |                                                                 |                             |                               |         |     |
| V0188 | LVK4410296 |                          |                     |                          | Kyocera                 | Kyocera P2135dn         | Kyocera P2135dn Printer  |                            | Essex Westford School District- Chittenden Central - Essex High | Room C109B.                 |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 10,145              | 06/30/2020               | 2                       | 528                     | 620                      | 0                          |                                                                 |                             |                               |         |     |
| V0189 | LVK4410389 |                          |                     |                          | Kyocera                 | Kyocera P2135dn         | Kyocera P2135dn Printer  |                            | Essex Westford School District- Chittenden Central - Essex High | Room A108                   |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 11,451              | 07/28/2020               | 0                       | 79                      | 129                      | 0                          |                                                                 |                             |                               |         |     |
| V0190 | LVK4409728 |                          |                     |                          | Kyocera                 | Kyocera P2135dn         | Kyocera P2135dn Printer  |                            | Essex Westford School District- Chittenden Central - Essex High | Room A109                   |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 3,899               | 07/28/2020               | 3                       | 4                       | 12                       | 0                          |                                                                 |                             |                               |         |     |
| V0191 | LVK4410390 |                          |                     |                          | Kyocera                 | Kyocera P2135dn         | Kyocera P2135dn Printer  |                            | Essex Westford School District- Chittenden Central - Essex High | Room A110                   |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 9,585               | 07/28/2020               | 0                       | 78                      | 130                      | 0                          |                                                                 |                             |                               |         |     |
| V0192 | LVK4410345 |                          |                     |                          | Kyocera                 | Kyocera P2135dn         | Kyocera P2135dn Printer  |                            | Essex Westford School District- Chittenden Central - Essex High | Room A113 Principal         |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 10,955              | 07/28/2020               | 91                      | 155                     | 181                      | 0                          |                                                                 |                             |                               |         |     |
| V0193 | LVK4410311 |                          |                     |                          | Kyocera                 | Kyocera P2135dn         | Kyocera P2135dn Printer  |                            | Essex Westford School District- Chittenden Central - Essex High | Room A112                   |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 8,459               | 07/29/2020               | 45                      | 54                      | 103                      | 0                          |                                                                 |                             |                               |         |     |
| V0195 | LW74701899 |                          |                     |                          | Kyocera                 | ECOSYS                  | Kyocera ECOSYS P6026cdn  |                            | Essex Westford School District- Chittenden Central - Essex High | Room A114                   |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 1,724               | 07/28/2020               | 5                       | 3                       | 21                       | 0                          |                                                                 |                             |                               |         |     |
|       |            | Color                    | 8,476               | 07/28/2020               | 26                      | 16                      | 56                       | 0                          |                                                                 |                             |                               |         |     |
| V0196 | LVK4410395 |                          |                     |                          | Kyocera                 | Kyocera P2135dn         | Kyocera P2135dn Printer  |                            | Essex Westford School District- Chittenden Central - Essex High | Room A115                   |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 3,159               | 07/28/2020               | 2                       | 3                       | 20                       | 0                          |                                                                 |                             |                               |         |     |
| V0197 | NU43110691 |                          |                     |                          | Kyocera                 | FS-4200DN               | Kyocera FS-4200DN        |                            | Essex Westford School District- Chittenden Central - Essex High | A49 IT                      |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 345,867             | 06/30/2020               | 0                       | 0                       | 434                      | 0                          |                                                                 |                             |                               |         |     |
| V0262 | NUK2902829 |                          |                     |                          | Kyocera                 | FS-4100DN               | Kyocera FS-4100DN        |                            | Essex Westford School District- Chittenden Central - Essex High | B12 MAINTENANCE             |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 62,553              | 07/28/2020               | 495                     | 484                     | 608                      | 0                          |                                                                 |                             |                               |         |     |
| V0263 | LVK4410306 |                          |                     |                          | Kyocera                 | Kyocera P2135dn         | Kyocera P2135dn Printer  |                            | Essex Westford School District- Chittenden Central - Essex High | Room B018                   |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 5,390               | 06/30/2020               | 2                       | 38                      | 52                       | 0                          |                                                                 |                             |                               |         |     |
| V0271 | LVK4410376 |                          |                     |                          | Kyocera                 | Kyocera P2135dn         | Kyocera P2135dn Printer  |                            | Essex Westford School District- Chittenden Central - Essex High | Room C125C                  |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 7,677               | 06/30/2020               | 0                       | 37                      | 50                       | 0                          |                                                                 |                             |                               |         |     |
| V0278 | LVK4410384 |                          |                     |                          | Kyocera                 | Kyocera P2135dn         | Kyocera P2135dn Printer  |                            | Essex Westford School District- Chittenden Central - Essex High | C244A                       |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 4,000               | 06/30/2020               | 1                       | 65                      | 89                       | 0                          |                                                                 |                             |                               |         |     |
| V0279 | LQA4611054 |                          |                     |                          | Kyocera                 | FS-2100DN               | Kyocera FS-2100DN        |                            | Essex Westford School District- Chittenden Central - Essex High | Room B115                   |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 520                 | 06/30/2020               | 0                       | 0                       | 2                        | 0                          |                                                                 |                             |                               |         |     |
| V0280 | LVK4411548 |                          |                     |                          | Kyocera                 | Kyocera P2135dn         | Kyocera P2135dn Printer  |                            | Essex Westford School District- Chittenden Central - Essex High | 27                          |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 1,301               | 07/20/2020               | 1                       | 31                      | 40                       | 0                          |                                                                 |                             |                               |         |     |
| V0281 | LVK4410383 |                          |                     |                          | Kyocera                 | Kyocera P2135dn         | Kyocera P2135dn Printer  |                            | Essex Westford School District- Chittenden Central - Essex High | Room L109                   |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 6,448               | 07/10/2020               | 0                       | 66                      | 72                       | 0                          |                                                                 |                             |                               |         |     |
| V0283 | LVK4410411 |                          |                     |                          | Kyocera                 | Kyocera P2135dn         | Kyocera P2135dn Printer  |                            | Essex Westford School District- Chittenden Central - Essex High | Room B118                   |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 7,274               | 07/28/2020               | 0                       | 60                      | 117                      | 0                          |                                                                 |                             |                               |         |     |
| V0284 | LVK4410378 |                          |                     |                          | Kyocera                 | Kyocera P2135dn         | Kyocera P2135dn Printer  |                            | Essex Westford School District- Chittenden Central - Essex High | Room C130B SPED             |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                            |                                                                 |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u>                                     | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 15,806              | 07/28/2020               | 33                      | 56                      | 95                       | 0                          |                                                                 |                             |                               |         |     |

|                   |              |                   |                  |                         |                                                                 |                            |                      |                      |                        |
|-------------------|--------------|-------------------|------------------|-------------------------|-----------------------------------------------------------------|----------------------------|----------------------|----------------------|------------------------|
| V0285             | LVK4410457   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C125D                 | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                            |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.        | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 16,296       | 06/30/2020        | 0                | 155                     | 203                                                             | 0                          |                      |                      |                        |
| V0286             | LQA4611057   | Kyocera           | FS-2100DN        | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - Essex High | ROOM 219                   | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                            |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.        | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 28,700       | 06/30/2020        | 3                | 898                     | 999                                                             | 0                          |                      |                      |                        |
| V0357             | VM37503967   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex High | A2Security Office          | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                            |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.        | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 3,855        | 07/28/2020        | 81               | 106                     | 104                                                             | 0                          |                      |                      |                        |
| V0432             | LVK4410393   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room D114 CTE              | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                            |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.        | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 49,039       | 06/30/2020        | 34               | 517                     | 660                                                             | 0                          |                      |                      |                        |
| V0434             | LVK4410309   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room D101 STUDENT SERVICES | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                            |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.        | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 55,106       | 07/28/2020        | 2                | 123                     | 390                                                             | 0                          |                      |                      |                        |
| V0436             | LVK4410453   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room D102 CTE              | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                            |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.        | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 8,641        | 06/30/2020        | 0                | 0                       | 52                                                              | 0                          |                      |                      |                        |
| V0437             | LVK4410327   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room D103 COSMO            | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                            |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.        | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 14,280       | 06/30/2020        | 68               | 161                     | 189                                                             | 0                          |                      |                      |                        |
| V0439             | LVK4410329   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C133 CULINARY         | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                            |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.        | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 644          | 07/28/2020        | 0                | 0                       | 1                                                               | 0                          |                      |                      |                        |
| V0442             | LW74701902   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - Essex High | Room L111                  | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                            |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.        | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 6,098        | 06/30/2020        | 5                | 79                      | 86                                                              | 0                          |                      |                      |                        |
| Color             | 26,792       | 06/30/2020        | 1                | 268                     | 351                                                             | 0                          |                      |                      |                        |
| V0443             | LW74701901   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - Essex High | Room L110A LIBRARY         | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                            |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.        | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 2,433        | 07/08/2020        | 0                | 15                      | 21                                                              | 0                          |                      |                      |                        |
| Color             | 8,165        | 07/08/2020        | 0                | 69                      | 76                                                              | 0                          |                      |                      |                        |
| V0445             | LQA4611080   | Kyocera           | FS-2100DN        | Kyocera FS-2100DN       | Essex Westford School District- Chittenden Central - Essex High | Room L101 Library Sungard  | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                            |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.        | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 120,059      | 07/28/2020        | 82               | 363                     | 1,045                                                           | 0                          |                      |                      |                        |
| V0446             | LVK4410354   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C111 SPED             | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                            |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.        | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 30,228       | 07/28/2020        | 0                | 144                     | 281                                                             | 0                          |                      |                      |                        |
| V0447             | LVK4411547   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room C111A SPED            | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                            |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.        | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 20,249       | 07/16/2020        | 0                | 134                     | 250                                                             | 0                          |                      |                      |                        |
| V0450             | LVK4410494   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex High | Room R013                  | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                            |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.        | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 17,556       | 07/28/2020        | 80               | 113                     | 205                                                             | 0                          |                      |                      |                        |
| V0498             | LW74701903   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - Essex High | Room L107                  | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                 |                            |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                               | Target Monthly Vol.        | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 9,572        | 06/30/2020        | 0                | 43                      | 62                                                              | 0                          |                      |                      |                        |
| Color             | 5,735        | 06/30/2020        | 0                | 46                      | 46                                                              | 0                          |                      |                      |                        |

### Customer Contract Summary For Z-CPI4001-01

Contract Start Date: August 24, 2017  
Contract End Date:

Total Calls Under Contract: 0  
Total Parts Price:  
Total Labor Price:  
Total Supply Price:

Total Parts Cost:  
Total Labor Cost:  
Total Supply Cost:

Total Paid By Customer for Contract:

Total Margin:

Total Savings:

Total Equipment Count: 114  
Total Equipment on Contract: 112  
Total Equipment Serviced (in period): 0

### Essex Westford School District- Chittenden Central - Essex Junction Rec

#### Not Under Contract

|                   |              |                   |                  |                         |                                                                         |                     |                      |                      |                        |
|-------------------|--------------|-------------------|------------------|-------------------------|-------------------------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|
| V164              | LVK4204358   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex Junction Rec | Director's Office   | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                         |                     |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                       | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 0            | 08/24/2017        | 0                | 0                       | 0                                                                       | 0                   |                      |                      |                        |

|                   |              |                   |                  |                         |                                                                         |                      |                      |                      |                        |
|-------------------|--------------|-------------------|------------------|-------------------------|-------------------------------------------------------------------------|----------------------|----------------------|----------------------|------------------------|
| V165              | LVK4204339   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex Junction Rec | Front Office Caitlin | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                         |                      |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                       | Target Monthly Vol.  | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 0            | 08/24/2017        | 0                | 0                       | 0                                                                       | 0                    |                      |                      |                        |

Page 39 of 46

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |            |         |        |                         |                                                                         |            |         |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|--------|-------------------------|-------------------------------------------------------------------------|------------|---------|-----|
| V167                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | LW33X00209 | Kyocera | ECOSYS | Kyocera ECOSYS P6021cdn | Essex Westford School District- Chittenden Central - Essex Junction Rec | Room RP105 | Unknown | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>0</div> <div>08/24/2017</div> <div>0</div> <div>0</div> <div>0</div> <div>0</div> <div>0</div> <div>0</div> </div> <div> <div>Color</div> <div>0</div> <div>08/24/2017</div> <div>0</div> <div>0</div> <div>0</div> <div>0</div> <div>0</div> <div>0</div> </div> |            |         |        |                         |                                                                         |            |         |     |

### Under Contract Number Z-CPI4001-01

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |            |         |                 |                         |                                                                         |                  |         |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|-----------------|-------------------------|-------------------------------------------------------------------------|------------------|---------|-----|
| V0295                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | LVK4410455 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex Junction Rec | Room A36 PHYS ED | Unknown | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>10,938</div> <div>07/29/2020</div> <div>42</div> <div>109</div> <div>161</div> <div>0</div> <div></div> <div></div> <div></div> </div> |            |         |                 |                         |                                                                         |                  |         |     |

### Customer Contract Summary For Z-CPI4001-01

Contract Start Date: August 24, 2017  
Contract End Date:

Total Calls Under Contract: 0  
Total Parts Price:  
Total Labor Price:  
Total Supply Price: \_\_\_\_\_

Total Parts Cost:  
Total Labor Cost:  
Total Supply Cost: \_\_\_\_\_

Total Paid By Customer for Contract:  
  
Total Margin:  
  
Total Savings:

Total Equipment Count: 4  
Total Equipment on Contract: 1  
Total Equipment Serviced (in period): 0

### Essex Westford School District- Chittenden Central - Essex Town Central Office

### Under Contract Number Z-CPI4001-01

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |            |         |                 |                         |                                                                                |                      |         |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|-----------------|-------------------------|--------------------------------------------------------------------------------|----------------------|---------|-----|
| B6889                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | LVK4204366 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex Town Central Office | RM 05 CENTRAL OFFICE | Unknown | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>6,534</div> <div>07/28/2020</div> <div>0</div> <div>21</div> <div>41</div> <div>0</div> <div></div> <div></div> <div></div> </div> |            |         |                 |                         |                                                                                |                      |         |     |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |            |         |                 |                         |                                                                                |         |         |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|-----------------|-------------------------|--------------------------------------------------------------------------------|---------|---------|-----|
| B6890                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | LVK4410337 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex Town Central Office | Room 14 | Unknown | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>5,468</div> <div>07/28/2020</div> <div>142</div> <div>45</div> <div>35</div> <div>0</div> <div></div> <div></div> <div></div> </div> |            |         |                 |                         |                                                                                |         |         |     |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |            |         |         |                        |                                                                                |                |            |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|---------|------------------------|--------------------------------------------------------------------------------|----------------|------------|-----|
| V0022                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | VM37503930 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Town Central Office | hall-RECEPTION | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>1,511</div> <div>07/28/2020</div> <div>26</div> <div>22</div> <div>50</div> <div>0</div> <div></div> <div></div> <div></div> </div> |            |         |         |                        |                                                                                |                |            |     |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |            |         |         |                        |                                                                                |         |            |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|---------|------------------------|--------------------------------------------------------------------------------|---------|------------|-----|
| V0032                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | VM37503939 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Town Central Office | Finance | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>7,923</div> <div>07/28/2020</div> <div>11</div> <div>90</div> <div>146</div> <div>0</div> <div></div> <div></div> <div></div> </div> |            |         |         |                        |                                                                                |         |            |     |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |            |         |         |                        |                                                                                |        |            |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|---------|------------------------|--------------------------------------------------------------------------------|--------|------------|-----|
| V0057                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | VM37503942 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Town Central Office | ROOM 1 | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>17</div> <div>07/28/2020</div> <div>0</div> <div>0</div> <div>0</div> <div>0</div> <div></div> <div></div> <div></div> </div> |            |         |         |                        |                                                                                |        |            |     |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |            |         |           |                   |                                                                                |          |         |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|-----------|-------------------|--------------------------------------------------------------------------------|----------|---------|-----|
| V0112                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LQA4611044 | Kyocera | FS-2100DN | Kyocera FS-2100DN | Essex Westford School District- Chittenden Central - Essex Town Central Office | Room 211 | Unknown | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>33,611</div> <div>07/28/2020</div> <div>0</div> <div>38</div> <div>31</div> <div>0</div> <div></div> <div></div> <div></div> </div> |            |         |           |                   |                                                                                |          |         |     |

### Customer Contract Summary For Z-CPI4001-01

Contract Start Date: August 24, 2017  
Contract End Date:

Total Calls Under Contract: 0  
Total Parts Price:  
Total Labor Price:  
Total Supply Price: \_\_\_\_\_

Total Parts Cost:  
Total Labor Cost:  
Total Supply Cost: \_\_\_\_\_

Total Paid By Customer for Contract:  
  
Total Margin:  
  
Total Savings:

Total Equipment Count: 6  
Total Equipment on Contract: 6  
Total Equipment Serviced (in period): 0

### Essex Westford School District- Chittenden Central - Essex Town Elementary School

### Under Contract Number Z-CPI4001-01

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |            |         |         |                        |                                                                                   |    |            |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|---------|------------------------|-----------------------------------------------------------------------------------|----|------------|-----|
| V0017                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | VM37503926 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Town Elementary School | 75 | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>2,044</div> <div>07/28/2020</div> <div>66</div> <div>59</div> <div>53</div> <div>0</div> <div></div> <div></div> <div></div> </div> |            |         |         |                        |                                                                                   |    |            |     |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |            |         |         |                        |                                                                                   |             |            |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|---------|------------------------|-----------------------------------------------------------------------------------|-------------|------------|-----|
| V0023                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | VM37503927 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Town Elementary School | RM 63 Pod D | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>23,529</div> <div>07/28/2020</div> <div>88</div> <div>568</div> <div>694</div> <div>0</div> <div></div> <div></div> <div></div> </div> |            |         |         |                        |                                                                                   |             |            |     |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |            |         |         |                        |                                                                                   |       |            |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|---------|------------------------|-----------------------------------------------------------------------------------|-------|------------|-----|
| V0028                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | VM37503922 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Town Elementary School | POD A | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>26,067</div> <div>07/15/2020</div> <div>23</div> <div>606</div> <div>926</div> <div>0</div> <div></div> <div></div> <div></div> </div> |            |         |         |                        |                                                                                   |       |            |     |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |            |         |         |                        |                                                                                   |                      |            |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|---------|------------------------|-----------------------------------------------------------------------------------|----------------------|------------|-----|
| V0033                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | VM37503937 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Town Elementary School | WING C SUPPLY CLOSET | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>19,406</div> <div>07/28/2020</div> <div>26</div> <div>155</div> <div>325</div> <div>0</div> <div></div> <div></div> <div></div> </div> |            |         |         |                        |                                                                                   |                      |            |     |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |            |         |         |                        |                                                                                   |       |            |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|---------|------------------------|-----------------------------------------------------------------------------------|-------|------------|-----|
| V0058                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | VM37503905 | Kyocera | P3045dn | Kyocera ECOSYS P3045dn | Essex Westford School District- Chittenden Central - Essex Town Elementary School | Pod B | 08/24/2017 | Yes |
| <div>Meter Information</div> <div> <div>Meter Type</div> <div> <div>Last Reading</div> <div>Last Reading Date</div> <div>3 Month Avg Vol</div> <div>6 Month Avg Vol</div> <div>12 Month Avg Vol</div> <div>Target Monthly Vol</div> <div>Avg Calls Btw Visits</div> <div>Avg Copies Btw Calls</div> <div>Avg Copies Btw Failure</div> </div> </div> <div> <div>BIW</div> <div>18,301</div> <div>07/28/2020</div> <div>38</div> <div>306</div> <div>673</div> <div>0</div> <div></div> <div></div> <div></div> </div> |            |         |         |                        |                                                                                   |       |            |     |

|       |            |         |        |                         |                                            |                 |            |     |
|-------|------------|---------|--------|-------------------------|--------------------------------------------|-----------------|------------|-----|
| V0104 | V5Q7605195 | Kyocera | ECOSYS | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden | RM 59 EEE Color | 08/24/2017 | Yes |
|-------|------------|---------|--------|-------------------------|--------------------------------------------|-----------------|------------|-----|

| Central - Essex Town Elementary School |              |                   |                  |                         |                                                                                   |                     |                      |                      |                        |     |
|----------------------------------------|--------------|-------------------|------------------|-------------------------|-----------------------------------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|-----|
| Meter Information                      |              |                   |                  |                         |                                                                                   |                     |                      |                      |                        |     |
| Meter Type                             | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                 | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |     |
| BIW on color                           | 19,432       | 06/30/2020        | 114              | 317                     | 406                                                                               | 0                   |                      |                      |                        |     |
| Color                                  | 12,285       | 06/30/2020        | 65               | 182                     | 368                                                                               | 0                   |                      |                      |                        |     |
| V0159                                  | LVK4410352   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex Town Elementary School |                     |                      | Room 1 Nurse         | Unknown                | Yes |
| Meter Information                      |              |                   |                  |                         |                                                                                   |                     |                      |                      |                        |     |
| Meter Type                             | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                 | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |     |
| BIW                                    | 3,680        | 07/06/2020        | 14               | 37                      | 64                                                                                | 0                   |                      |                      |                        |     |
| V0277                                  | LVK4411557   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Essex Town Elementary School |                     |                      | Room 24 SPED         | Unknown                | Yes |
| Meter Information                      |              |                   |                  |                         |                                                                                   |                     |                      |                      |                        |     |
| Meter Type                             | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                 | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |     |
| BIW                                    | 21,472       | 06/30/2020        | 0                | 279                     | 411                                                                               | 0                   |                      |                      |                        |     |

## Customer Contract Summary For Z-CPI4001-01

Contract Start Date: August 24, 2017

Contract End Date:

Total Calls Under Contract: 0

Total Parts Price:

Total Labor Price:

Total Supply Price:

Total Parts Cost:

Total Labor Cost:

Total Supply Cost:

Total Paid By Customer for Contract:

Total Margin:

Total Savings:

Total Equipment Count: 8  
Total Equipment on Contract: 8  
Total Equipment Serviced (in period): 0

## Essex Westford School District- Chittenden Central - Essex Town Founders Mem Scho

### Under Contract Number Z-CPI4001-01

|                   |              |                   |                  |                         |                                                                                     |                                          |                      |                      |                        |
|-------------------|--------------|-------------------|------------------|-------------------------|-------------------------------------------------------------------------------------|------------------------------------------|----------------------|----------------------|------------------------|
|                   | VM37503932   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | RM C114 First Floor Hallway              | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 18,668       | 06/30/2020        | 2                | 381                     | 364                                                                                 | 0                                        |                      |                      |                        |
| V0029             | VM37503924   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | RM C224                                  | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 16,126       | 06/30/2020        | 1                | 315                     | 382                                                                                 | 0                                        |                      |                      |                        |
| V0034             | VM37503928   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | RM C230                                  | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 24,126       | 06/30/2020        | 11               | 500                     | 651                                                                                 | 0                                        |                      |                      |                        |
| V0039             | VM37503951   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | RM C208                                  | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 32,867       | 07/28/2020        | 0                | 239                     | 598                                                                                 | 0                                        |                      |                      |                        |
| V0044             | VM37503964   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | RM C204 Cart                             | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 71,955       | 07/28/2020        | 666              | 1,260                   | 2,238                                                                               | 0                                        |                      |                      |                        |
| V0050             | VM37503950   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | RM C219                                  | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 15,082       | 07/28/2020        | 9                | 219                     | 357                                                                                 | 0                                        |                      |                      |                        |
| V0054             | VM37503948   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | 0125-Office                              | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 17,876       | 06/30/2020        | 0                | 0                       | 390                                                                                 | 0                                        |                      |                      |                        |
| V0059             | VM37503918   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | RM C209                                  | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 50,239       | 07/28/2020        | 9                | 305                     | 832                                                                                 | 0                                        |                      |                      |                        |
| V0064             | VM37503923   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | Computer Lab                             | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 4,567        | 06/30/2020        | 0                | 6                       | 42                                                                                  | 0                                        |                      |                      |                        |
| V0065             | VM37503912   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | C118- Learning Center - Circulation Desk | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 21,873       | 07/28/2020        | 3                | 138                     | 286                                                                                 | 0                                        |                      |                      |                        |
| V0082             | VM37503869   | Kyocera           | P3045dn          | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | RM C103A                                 | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 3,039        | 07/28/2020        | 36               | 54                      | 103                                                                                 | 0                                        |                      |                      |                        |
| V0103             | V5Q7605180   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | Room C201 SPED                           | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW on color      | 11,548       | 06/30/2020        | 510              | 255                     | 272                                                                                 | 0                                        |                      |                      |                        |
| Color             | 19,075       | 06/30/2020        | 674              | 337                     | 401                                                                                 | 0                                        |                      |                      |                        |
| V0105             | V5Q7605188   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | RM C106 SPED                             | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW on color      | 34,684       | 06/30/2020        | 310              | 540                     | 567                                                                                 | 0                                        |                      |                      |                        |
| Color             | 23,969       | 06/30/2020        | 220              | 463                     | 541                                                                                 | 0                                        |                      |                      |                        |
| V0107             | V5Q7605187   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6130cdn | Essex Westford School District- Chittenden Central - Essex Town Founders Mem School | C118                                     | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                                     |                                          |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                                   | Target Monthly Vol.                      | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW on color      | 4,831        | 06/30/2020        | 35               | 96                      | 115                                                                                 | 0                                        |                      |                      |                        |
| Color             | 13,510       | 06/30/2020        | 76               | 212                     | 255                                                                                 | 0                                        |                      |                      |                        |

Page 41 of 46

Customer Contract Summary  
For Z-CPI4001-01

Contract Start Date: August 24, 2017  
Contract End Date:

Total Calls Under Contract: 0  
Total Parts Price:  
Total Labor Price:  
Total Supply Price:

Total Parts Cost:  
Total Labor Cost:  
Total Supply Cost:

Total Paid By Customer for Contract:  
  
Total Margin:  
  
Total Savings:

Total Equipment Count: 14  
Total Equipment on Contract: 14  
Total Equipment Serviced (in period): 0

Essex Westford School District- Chittenden Central - Hiawatha Elementary

Under Contract Number CN4001-01

|                   |              |                   |                  |                         |                                                                          |                     |                      |                      |                        |
|-------------------|--------------|-------------------|------------------|-------------------------|--------------------------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|
| V0005             | W2M7502078   | Kyocera           | TASKalfa 4052ci  | Kyocera TASKalfa 4052ci | Essex Westford School District- Chittenden Central - Hiawatha Elementary | RM 28 (Common Area) | 08/24/2017           | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                          |                     |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                        | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 169,724      | 07/28/2020        | 565              | 4,128                   | 5,767                                                                    | 0                   |                      |                      |                        |
| Color             | 221,197      | 07/28/2020        | 932              | 2,102                   | 5,521                                                                    | 0                   |                      |                      |                        |

Customer Contract Summary  
For CN4001-01

Contract Start Date: July 01, 2017  
Contract End Date:

Total Calls Under Contract: 0  
Total Parts Price:  
Total Labor Price:  
Total Supply Price:

Total Parts Cost:  
Total Labor Cost:  
Total Supply Cost:

Total Paid By Customer for Contract:  
  
Total Margin:  
  
Total Savings:

Not Under Contract

|                   |             |              |                   |                        |                                                                          |                   |                     |                           |                      |                        |
|-------------------|-------------|--------------|-------------------|------------------------|--------------------------------------------------------------------------|-------------------|---------------------|---------------------------|----------------------|------------------------|
| V209              | LVV44020444 | Kyocera      | M2035dn           | Kyocera ECOSYS M2035dn | Essex Westford School District- Chittenden Central - Hiawatha Elementary |                   |                     | Hia Room 13 Nurses Office | Unknown              | Yes                    |
| Meter Information |             |              |                   |                        |                                                                          |                   |                     |                           |                      |                        |
| Meter Type        |             | Last Reading | Last Reading Date | 3 Month Avg Vol.       | 6 Month Avg Vol.                                                         | 12 Month Avg Vol. | Target Monthly Vol. | Avg Calls Btw Visits      | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |             | 0            | 08/24/2017        | 0                      | 0                                                                        | 0                 | 0                   |                           |                      |                        |

Under Contract Number Z-CPI4001-01

|                   |            |              |                   |                         |                                                                          |                       |                     |                      |                      |                        |
|-------------------|------------|--------------|-------------------|-------------------------|--------------------------------------------------------------------------|-----------------------|---------------------|----------------------|----------------------|------------------------|
|                   | VM37503935 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Hiawatha Elementary | RM 26                 |                     | 08/24/2017           | Yes                  |                        |
| Meter Information |            |              |                   |                         |                                                                          |                       |                     |                      |                      |                        |
|                   | Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                         | 12 Month Avg Vol.     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|                   | BIW        | 3,869        | 07/28/2020        | 0                       | 60                                                                       | 100                   | 0                   |                      |                      |                        |
| V0025             | VM37503929 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Hiawatha Elementary | RM24                  |                     | 08/24/2017           | Yes                  |                        |
| Meter Information |            |              |                   |                         |                                                                          |                       |                     |                      |                      |                        |
|                   | Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                         | 12 Month Avg Vol.     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|                   | BIW        | 6,779        | 07/28/2020        | 0                       | 85                                                                       | 212                   | 0                   |                      |                      |                        |
| V0030             | VM37503936 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Hiawatha Elementary | RM 21A                |                     | 08/24/2017           | Yes                  |                        |
| Meter Information |            |              |                   |                         |                                                                          |                       |                     |                      |                      |                        |
|                   | Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                         | 12 Month Avg Vol.     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|                   | BIW        | 5,261        | 07/28/2020        | 1                       | 89                                                                       | 106                   | 0                   |                      |                      |                        |
| V0031             | VM37503931 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Hiawatha Elementary | RM 18A                |                     | 08/24/2017           | Yes                  |                        |
| Meter Information |            |              |                   |                         |                                                                          |                       |                     |                      |                      |                        |
|                   | Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                         | 12 Month Avg Vol.     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|                   | BIW        | 11,097       | 07/13/2020        | 53                      | 126                                                                      | 164                   | 0                   |                      |                      |                        |
| V0035             | VM37503933 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Hiawatha Elementary | RM 14                 |                     | 08/24/2017           | Yes                  |                        |
| Meter Information |            |              |                   |                         |                                                                          |                       |                     |                      |                      |                        |
|                   | Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                         | 12 Month Avg Vol.     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|                   | BIW        | 4,042        | 07/28/2020        | 12                      | 85                                                                       | 116                   | 0                   |                      |                      |                        |
| V0211             | LW74X02616 | Kyocera      | ECOSYS            | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - Hiawatha Elementary | B02                   |                     | Unknown              | Yes                  |                        |
| Meter Information |            |              |                   |                         |                                                                          |                       |                     |                      |                      |                        |
|                   | Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                         | 12 Month Avg Vol.     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|                   | BIW        | 1,763        | 06/30/2020        | 2                       | 18                                                                       | 23                    | 0                   |                      |                      |                        |
|                   | Color      | 2,775        | 06/30/2020        | 0                       | 38                                                                       | 39                    | 0                   |                      |                      |                        |
| V0212             | LVK4410332 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room B1               |                     | Unknown              | Yes                  |                        |
| Meter Information |            |              |                   |                         |                                                                          |                       |                     |                      |                      |                        |
|                   | Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                         | 12 Month Avg Vol.     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|                   | BIW        | 2,901        | 07/28/2020        | 1                       | 6                                                                        | 22                    | 0                   |                      |                      |                        |
| V0213             | LVK4410443 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room 11               |                     | Unknown              | Yes                  |                        |
| Meter Information |            |              |                   |                         |                                                                          |                       |                     |                      |                      |                        |
|                   | Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                         | 12 Month Avg Vol.     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|                   | BIW        | 10,053       | 07/28/2020        | 2                       | 60                                                                       | 165                   | 0                   |                      |                      |                        |
| V0214             | LVV4402044 | Kyocera      | M2035dn           | Kyocera ECOSYS M2035dn  | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room 13 Nurses Office |                     | Unknown              | Yes                  |                        |
| Meter Information |            |              |                   |                         |                                                                          |                       |                     |                      |                      |                        |
|                   | Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                         | 12 Month Avg Vol.     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|                   | BIW        | 10,766       | 07/28/2020        | 7                       | 33                                                                       | 91                    | 0                   |                      |                      |                        |
| V0215             | LVK4410318 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room 7 Library        |                     | Unknown              | Yes                  |                        |
| Meter Information |            |              |                   |                         |                                                                          |                       |                     |                      |                      |                        |
|                   | Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                         | 12 Month Avg Vol.     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|                   | BIW        | 23,561       | 07/28/2020        | 133                     | 175                                                                      | 266                   | 0                   |                      |                      |                        |
| V0216             | LVK4410446 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room 6                |                     | Unknown              | Yes                  |                        |
| Meter Information |            |              |                   |                         |                                                                          |                       |                     |                      |                      |                        |
|                   | Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                         | 12 Month Avg Vol.     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|                   | BIW        | 9,880        | 07/28/2020        | 1                       | 50                                                                       | 198                   | 0                   |                      |                      |                        |
| V0217             | LVK4410160 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room 15               |                     | Unknown              | Yes                  |                        |
| Meter Information |            |              |                   |                         |                                                                          |                       |                     |                      |                      |                        |
|                   | Meter Type | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                         | 12 Month Avg Vol.     | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
|                   | BIW        | 13,462       | 07/29/2020        | 3                       | 88                                                                       | 160                   | 0                   |                      |                      |                        |
| V0218             | LVK4410454 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden                               | Room 16               |                     | Unknown              | Yes                  |                        |

Page 42 of 46

| Central - Hiawatha Elementary |              |                   |                  |                         |                                                                          |                     |                      |                      |                        |  |
|-------------------------------|--------------|-------------------|------------------|-------------------------|--------------------------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|--|
| Meter Information             |              |                   |                  |                         |                                                                          |                     |                      |                      |                        |  |
| Meter Type                    | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                        | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |  |
| BIW                           | 4,712        | 07/28/2020        | 2                | 20                      | 43                                                                       | 0                   |                      |                      |                        |  |
| V0219                         | LVK4410334   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room 4              | Unknown              | Yes                  |                        |  |
| Meter Information             |              |                   |                  |                         |                                                                          |                     |                      |                      |                        |  |
| Meter Type                    | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                        | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |  |
| BIW                           | 9,206        | 07/28/2020        | 0                | 35                      | 100                                                                      | 0                   |                      |                      |                        |  |
| V0220                         | LVK4410394   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room 1              | Unknown              | Yes                  |                        |  |
| Meter Information             |              |                   |                  |                         |                                                                          |                     |                      |                      |                        |  |
| Meter Type                    | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                        | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |  |
| BIW                           | 7,847        | 07/28/2020        | 0                | 32                      | 106                                                                      | 0                   |                      |                      |                        |  |
| V0221                         | LVK4410450   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room 32             | Unknown              | Yes                  |                        |  |
| Meter Information             |              |                   |                  |                         |                                                                          |                     |                      |                      |                        |  |
| Meter Type                    | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                        | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |  |
| BIW                           | 2,214        | 07/28/2020        | 0                | 7                       | 36                                                                       | 0                   |                      |                      |                        |  |
| V0222                         | LW74701897   | Kyocera           | ECOSYS           | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - Hiawatha Elementary | 19- Teacher's Room  | Unknown              | Yes                  |                        |  |
| Meter Information             |              |                   |                  |                         |                                                                          |                     |                      |                      |                        |  |
| Meter Type                    | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                        | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |  |
| BIW                           | 12,923       | 07/12/2020        | 0                | 85                      | 152                                                                      | 0                   |                      |                      |                        |  |
| Color                         | 102,727      | 07/12/2020        | 1                | 364                     | 965                                                                      | 0                   |                      |                      |                        |  |
| V0223                         | LVK4410317   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room 29             | Unknown              | Yes                  |                        |  |
| Meter Information             |              |                   |                  |                         |                                                                          |                     |                      |                      |                        |  |
| Meter Type                    | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                        | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |  |
| BIW                           | 988          | 07/28/2020        | 0                | 2                       | 8                                                                        | 0                   |                      |                      |                        |  |
| V0224                         | LVK4410320   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room 28A            | Unknown              | Yes                  |                        |  |
| Meter Information             |              |                   |                  |                         |                                                                          |                     |                      |                      |                        |  |
| Meter Type                    | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                        | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |  |
| BIW                           | 19,689       | 07/28/2020        | 32               | 142                     | 141                                                                      | 0                   |                      |                      |                        |  |
| V0226                         | LVK4410441   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room 22             | Unknown              | Yes                  |                        |  |
| Meter Information             |              |                   |                  |                         |                                                                          |                     |                      |                      |                        |  |
| Meter Type                    | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                        | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |  |
| BIW                           | 19,606       | 06/30/2020        | 7                | 238                     | 333                                                                      | 0                   |                      |                      |                        |  |
| V0227                         | LVK4410445   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room 23             | Unknown              | Yes                  |                        |  |
| Meter Information             |              |                   |                  |                         |                                                                          |                     |                      |                      |                        |  |
| Meter Type                    | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                        | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |  |
| BIW                           | 15,715       | 07/28/2020        | 0                | 101                     | 214                                                                      | 0                   |                      |                      |                        |  |
| V0228                         | LVK4410449   | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Hiawatha Elementary | Room 25             | Unknown              | Yes                  |                        |  |
| Meter Information             |              |                   |                  |                         |                                                                          |                     |                      |                      |                        |  |
| Meter Type                    | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                        | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |  |
| BIW                           | 19,220       | 07/28/2020        | 0                | 176                     | 282                                                                      | 0                   |                      |                      |                        |  |

## Customer Contract Summary For Z-CPI4001-01

Contract Start Date: August 24, 2017

Contract End Date:

Total Calls Under Contract: 0

Total Parts Price:

Total Labor Price:

Total Supply Price: \_\_\_\_\_

Total Parts Cost:

Total Labor Cost:

Total Supply Cost: \_\_\_\_\_

Total Paid By Customer for Contract:

Total Margin:

Total Savings:

Total Equipment Count: 24

Total Equipment on Contract: 23

Total Equipment Serviced (in period): 0

## Essex Westford School District- Chittenden Central - Summit Street Elementary

### Under Contract Number CN4001-01

|                   |            |              |                   |                         |                                                                               |                      |                     |                      |                      |                        |
|-------------------|------------|--------------|-------------------|-------------------------|-------------------------------------------------------------------------------|----------------------|---------------------|----------------------|----------------------|------------------------|
| V0004             | W2D7501479 | Kyocera      | TASKalfa 6052ci   | Kyocera TASKalfa 6052ci | Essex Westford School District- Chittenden Central - Summit Street Elementary | Main Office -01      | 08/24/2017          | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                               |                      |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                              | 12 Month Avg Vol.    | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 480,352      | 07/28/2020        | 2,939                   | 7,184                                                                         | 11,983               | 0                   |                      |                      |                        |
| Color             |            | 207,683      | 07/28/2020        | 1,634                   | 2,036                                                                         | 4,668                | 0                   |                      |                      |                        |
| V0006             | VAK7500834 | Kyocera      | TASKalfa 8002i    | Kyocera TASKalfa 8002i  | Essex Westford School District- Chittenden Central - Summit Street Elementary | RM B10 Teachers Room | 08/24/2017          | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                               |                      |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                              | 12 Month Avg Vol.    | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 295,379      | 07/28/2020        | 2,258                   | 7,276                                                                         | 8,794                | 0                   |                      |                      |                        |
| V0358             | W2Z7502736 | Kyocera      | TASKalfa 6002i    | Kyocera TASKalfa 6002i  | Essex Westford School District- Chittenden Central - Summit Street Elementary | RM B10 Teachers Room | 08/24/2017          | Yes                  |                      |                        |
| Meter Information |            |              |                   |                         |                                                                               |                      |                     |                      |                      |                        |
| Meter Type        |            | Last Reading | Last Reading Date | 3 Month Avg Vol.        | 6 Month Avg Vol.                                                              | 12 Month Avg Vol.    | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               |            | 457,457      | 07/28/2020        | 67                      | 5,282                                                                         | 9,560                | 0                   |                      |                      |                        |

## Customer Contract Summary For CN4001-01

Contract Start Date: July 01, 2017

Contract End Date:

Total Calls Under Contract: 0

Total Parts Price:

Total Labor Price:

Total Supply Price: \_\_\_\_\_

Total Parts Cost:

Total Labor Cost:

Total Supply Cost: \_\_\_\_\_

Total Paid By Customer for Contract:

Total Margin:

Total Savings:

## Not Under Contract

|                   |              |                   |                  |                         |                                                                               |                     |                      |                      |                        |
|-------------------|--------------|-------------------|------------------|-------------------------|-------------------------------------------------------------------------------|---------------------|----------------------|----------------------|------------------------|
| V255              | LVK441034    | Kyocera           | Kyocera P2135dn  | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Summit Street Elementary | Room 4              | Unknown              | Yes                  |                        |
| Meter Information |              |                   |                  |                         |                                                                               |                     |                      |                      |                        |
| Meter Type        | Last Reading | Last Reading Date | 3 Month Avg Vol. | 6 Month Avg Vol.        | 12 Month Avg Vol.                                                             | Target Monthly Vol. | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |
| BIW               | 0            | 08/24/2017        | 0                | 0                       | 0                                                                             | 0                   |                      |                      |                        |

### Under Contract Number Z-CPI4001-01

|       |            |         |                 |                         |                                                                               |         |         |     |
|-------|------------|---------|-----------------|-------------------------|-------------------------------------------------------------------------------|---------|---------|-----|
| V0475 | LVK4410319 | Kyocera | Kyocera P2135dn | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Summit Street Elementary | Room 14 | Unknown | Yes |
|-------|------------|---------|-----------------|-------------------------|-------------------------------------------------------------------------------|---------|---------|-----|

Meter Information

|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>                                                    | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|-------|------------|--------------------------|---------------------|--------------------------|-------------------------|-------------------------|--------------------------|-------------------------------------------------------------------------------|-----------------------------|-----------------------------|-------------------------------|---------|-----|
|       |            | BIW                      | 5,596               | 07/28/2020               | 11                      | 63                      | 128                      | 0                                                                             |                             |                             |                               |         |     |
| V0476 | LVK4410323 | Kyocera                  |                     | Kyocera P2135dn          |                         | Kyocera P2135dn Printer |                          | Essex Westford School District- Chittenden Central - Summit Street Elementary |                             | Room 11                     |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                                                                               |                             |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>                                                    | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 20,936              | 06/30/2020               | 0                       | 0                       | 138                      | 0                                                                             |                             |                             |                               |         |     |
| V0477 | LQA4611096 | Kyocera                  |                     | FS-2100DN                |                         | Kyocera FS-2100DN       |                          | Essex Westford School District- Chittenden Central - Summit Street Elementary |                             | ROOM 17 - LIBRARY           |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                                                                               |                             |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>                                                    | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 24,124              | 07/28/2020               | 108                     | 175                     | 489                      | 0                                                                             |                             |                             |                               |         |     |
| V0478 | LW74701888 | Kyocera                  |                     | ECOSYS                   |                         | Kyocera ECOSYS P6026cdn |                          | Essex Westford School District- Chittenden Central - Summit Street Elementary |                             | Room 17 Library             |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                                                                               |                             |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>                                                    | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 11,546              | 07/28/2020               | 32                      | 64                      | 88                       | 0                                                                             |                             |                             |                               |         |     |
|       |            | Color                    | 50,192              | 07/28/2020               | 197                     | 374                     | 513                      | 0                                                                             |                             |                             |                               |         |     |
| V0479 | LVK4411697 | Kyocera                  |                     | Kyocera P2135dn          |                         | Kyocera P2135dn Printer |                          | Essex Westford School District- Chittenden Central - Summit Street Elementary |                             | Room B14                    |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                                                                               |                             |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>                                                    | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 12,453              | 06/30/2020               | 61                      | 229                     | 251                      | 0                                                                             |                             |                             |                               |         |     |
| V0480 | LVV5804829 | Kyocera                  |                     | M2035dn                  |                         | Kyocera ECOSYS M2035dn  |                          | Essex Westford School District- Chittenden Central - Summit Street Elementary |                             | Room B18 Nurse's Office     |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                                                                               |                             |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>                                                    | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 14,404              | 07/28/2020               | 1                       | 57                      | 174                      | 0                                                                             |                             |                             |                               |         |     |
| V0481 | LVK4411695 | Kyocera                  |                     | Kyocera P2135dn          |                         | Kyocera P2135dn Printer |                          | Essex Westford School District- Chittenden Central - Summit Street Elementary |                             | Room B11                    |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                                                                               |                             |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>                                                    | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 16,456              | 07/28/2020               | 22                      | 129                     | 213                      | 0                                                                             |                             |                             |                               |         |     |
| V0482 | LVK411694  | Kyocera                  |                     | Kyocera P2135dn          |                         | Kyocera P2135dn Printer |                          | Essex Westford School District- Chittenden Central - Summit Street Elementary |                             | Room B9                     |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                                                                               |                             |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>                                                    | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 9,218               | 06/30/2020               | 0                       | 108                     | 123                      | 0                                                                             |                             |                             |                               |         |     |
| V0483 | LVK4411698 | Kyocera                  |                     | Kyocera P2135dn          |                         | Kyocera P2135dn Printer |                          | Essex Westford School District- Chittenden Central - Summit Street Elementary |                             | Room B12                    |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                                                                               |                             |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>                                                    | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 20,987              | 06/30/2020               | 0                       | 114                     | 169                      | 0                                                                             |                             |                             |                               |         |     |
| V0484 | LVK4410324 | Kyocera                  |                     | Kyocera P2135dn          |                         | Kyocera P2135dn Printer |                          | Essex Westford School District- Chittenden Central - Summit Street Elementary |                             | Room B05                    |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                                                                               |                             |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>                                                    | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 51,328              | 07/28/2020               | 587                     | 586                     | 653                      | 0                                                                             |                             |                             |                               |         |     |
| V0485 | LVK4411702 | Kyocera                  |                     | Kyocera P2135dn          |                         | Kyocera P2135dn Printer |                          | Essex Westford School District- Chittenden Central - Summit Street Elementary |                             | Room B08                    |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                                                                               |                             |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>2 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>                                                    | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 7,296               | 06/30/2020               | 8                       | 70                      | 98                       | 0                                                                             |                             |                             |                               |         |     |
| V0486 | LVK4411700 | Kyocera                  |                     | Kyocera P2135dn          |                         | Kyocera P2135dn Printer |                          | Essex Westford School District- Chittenden Central - Summit Street Elementary |                             | Room B06                    |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                                                                               |                             |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>2 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>                                                    | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 10,980              | 06/30/2020               | 0                       | 91                      | 131                      | 0                                                                             |                             |                             |                               |         |     |
| V0487 | LVK4410316 | Kyocera                  |                     | Kyocera P2135dn          |                         | Kyocera P2135dn Printer |                          | Essex Westford School District- Chittenden Central - Summit Street Elementary |                             | Room 10                     |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                                                                               |                             |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>                                                    | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 9,520               | 07/28/2020               | 7                       | 22                      | 84                       | 0                                                                             |                             |                             |                               |         |     |
| V0488 | LVK4411708 | Kyocera                  |                     | Kyocera P2135dn          |                         | Kyocera P2135dn Printer |                          | Essex Westford School District- Chittenden Central - Summit Street Elementary |                             | Room 8                      |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                                                                               |                             |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>                                                    | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 18,895              | 06/30/2020               | 0                       | 222                     | 251                      | 0                                                                             |                             |                             |                               |         |     |
| V0489 | LVK4410326 | Kyocera                  |                     | Kyocera P2135dn          |                         | Kyocera P2135dn Printer |                          | Essex Westford School District- Chittenden Central - Summit Street Elementary |                             | Room 5                      |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                                                                               |                             |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>                                                    | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 6,720               | 06/30/2020               | 6                       | 89                      | 137                      | 0                                                                             |                             |                             |                               |         |     |
| V0490 | LVK4410330 | Kyocera                  |                     | Kyocera P2135dn          |                         | Kyocera P2135dn Printer |                          | Essex Westford School District- Chittenden Central - Summit Street Elementary |                             | Room 6                      |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                                                                               |                             |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>                                                    | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 12,746              | 06/30/2020               | 0                       | 103                     | 110                      | 0                                                                             |                             |                             |                               |         |     |
| V0491 | LVK4410328 | Kyocera                  |                     | Kyocera P2135dn          |                         | Kyocera P2135dn Printer |                          | Essex Westford School District- Chittenden Central - Summit Street Elementary |                             | Room 4                      |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                                                                               |                             |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>                                                    | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 16,880              | 07/28/2020               | 46                      | 64                      | 176                      | 0                                                                             |                             |                             |                               |         |     |
| V0492 | LVK4410314 | Kyocera                  |                     | Kyocera P2135dn          |                         | Kyocera P2135dn Printer |                          | Essex Westford School District- Chittenden Central - Summit Street Elementary |                             | ROOM 03                     |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                                                                               |                             |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>                                                    | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 11,932              | 07/28/2020               | 0                       | 7                       | 98                       | 0                                                                             |                             |                             |                               |         |     |
| V0493 | LVK4410322 | Kyocera                  |                     | Kyocera P2135dn          |                         | Kyocera P2135dn Printer |                          | Essex Westford School District- Chittenden Central - Summit Street Elementary |                             | Room 1 Principal's Office   |                               | Unknown | Yes |
|       |            | <u>Meter Information</u> |                     |                          |                         |                         |                          |                                                                               |                             |                             |                               |         |     |
|       |            | <u>Meter Type</u>        | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u>                                                    | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |         |     |
|       |            | BIW                      | 778                 | 07/28/2020               | 2                       | 13                      | 8                        | 0                                                                             |                             |                             |                               |         |     |

## Customer Contract Summary For Z-CPI4001-01

Contract Start Date: August 24, 2017  
Contract End Date:

Total Calls Under Contract: 0  
Total Parts Price:  
Total Labor Price:  
Total Supply Price: \_\_\_\_\_

Total Parts Cost:  
Total Labor Cost:  
Total Supply Cost: \_\_\_\_\_

Total Paid By Customer for Contract:

Total Margin:

Total Savings:

Total Equipment on Contract: 22  
Total Equipment Serviced (in period): 0

Essex Westford School District- Chittenden Central - Thomas Fleming Elementary

Under Contract Number Z-CPI4001-01

|                                     |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
|-------------------------------------|------------|--------------|-------------------|-------------------------|--------------------------------------------------------------------------------|------------------------------|--------------------|----------------------|----------------------|------------------------|-------------|----------------|-------------------|
|                                     | VM37503963 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | RM 103                       |                    | 08/24/2017           | Yes                  |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol         | 6 Month Avg Vol                                                                | 12 Month Avg Vol             | Target Monthly Vol | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 2,945        | 06/30/2020        | 0                       | 0                                                                              | 11                           | 0                  |                      |                      |                        |             |                |                   |
| V0045                               | VM37503962 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | 115-Library General Populace |                    | 08/24/2017           | Yes                  |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol         | 6 Month Avg Vol                                                                | 12 Month Avg Vol             | Target Monthly Vol | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 971          | 06/30/2020        | 0                       | 0                                                                              | 0                            | 0                  |                      |                      |                        |             |                |                   |
| V0060                               | VM37503911 | Kyocera      | P3045dn           | Kyocera ECOSYS P3045dn  | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | RM B11                       |                    | 08/24/2017           | Yes                  |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol         | 6 Month Avg Vol                                                                | 12 Month Avg Vol             | Target Monthly Vol | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 7,590        | 07/28/2020        | 108                     | 226                                                                            | 362                          | 0                  |                      |                      |                        |             |                |                   |
| V0300                               | LVK4411693 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 118 Gym Office          |                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol         | 6 Month Avg Vol                                                                | 12 Month Avg Vol             | Target Monthly Vol | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 291          | 06/30/2020        | 0                       | 0                                                                              | 0                            | 0                  |                      |                      |                        |             |                |                   |
| V0451                               | LVK4410502 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 220                     |                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol         | 6 Month Avg Vol                                                                | 12 Month Avg Vol             | Target Monthly Vol | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 28,332       | 06/30/2020        | 0                       | 210                                                                            | 293                          | 0                  |                      |                      |                        |             |                |                   |
| V0452                               | LVK4411682 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 218                     |                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol         | 6 Month Avg Vol                                                                | 12 Month Avg Vol             | Target Monthly Vol | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 10,687       | 07/28/2020        | 0                       | 36                                                                             | 134                          | 0                  |                      |                      |                        |             |                |                   |
| V0453                               | LVK4410510 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 216                     |                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol         | 6 Month Avg Vol                                                                | 12 Month Avg Vol             | Target Monthly Vol | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 23,152       | 07/28/2020        | 0                       | 59                                                                             | 237                          | 0                  |                      |                      |                        |             |                |                   |
| V0454                               | LW74701893 | Kyocera      | ECOSYS            | Kyocera ECOSYS P6026cdn | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 213 Hall                |                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol         | 6 Month Avg Vol                                                                | 12 Month Avg Vol             | Target Monthly Vol | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 10,743       | 06/25/2020        | 114                     | 103                                                                            | 85                           | 0                  |                      |                      |                        |             |                |                   |
| Color                               |            | 57,695       | 06/25/2020        | 17                      | 173                                                                            | 270                          | 0                  |                      |                      |                        |             |                |                   |
| V0455                               | LVK4410511 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 212                     |                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol         | 6 Month Avg Vol                                                                | 12 Month Avg Vol             | Target Monthly Vol | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 7,352        | 07/28/2020        | 32                      | 42                                                                             | 97                           | 0                  |                      |                      |                        |             |                |                   |
| V0456                               | LVK4411651 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 200                     |                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol         | 6 Month Avg Vol                                                                | 12 Month Avg Vol             | Target Monthly Vol | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 35,230       | 07/28/2020        | 9                       | 107                                                                            | 274                          | 0                  |                      |                      |                        |             |                |                   |
| V0457                               | LVK4411699 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 202                     |                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol         | 6 Month Avg Vol                                                                | 12 Month Avg Vol             | Target Monthly Vol | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 11,510       | 07/28/2020        | 0                       | 62                                                                             | 87                           | 0                  |                      |                      |                        |             |                |                   |
| V0458                               | LVK4410504 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 207                     |                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol         | 6 Month Avg Vol                                                                | 12 Month Avg Vol             | Target Monthly Vol | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 7,788        | 07/28/2020        | 49                      | 54                                                                             | 89                           | 0                  |                      |                      |                        |             |                |                   |
| V0459                               | LVK3202192 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 203                     |                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol         | 6 Month Avg Vol                                                                | 12 Month Avg Vol             | Target Monthly Vol | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 29,783       | 07/28/2020        | 19                      | 189                                                                            | 535                          | 0                  |                      | 8,934                | 3,076                  |             |                |                   |
| Service Call Summary (By Call Type) |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
| Call Type                           |            |              |                   | Total Calls             | Total Parts Price                                                              | Total Parts Cost             | Total Labor Price  | Total Labor Cost     | Avg. Response Time   | Avg. Repair            | Avg. Travel | Avg. Down Time | 24 Hour Up Time % |
| 02 Jam                              |            |              |                   | 1                       |                                                                                |                              |                    |                      | 0.37                 | 0.97                   | 0.35        | 1.33           | 99.91%            |
|                                     |            |              |                   | 1                       |                                                                                |                              |                    |                      | 0.37                 | 0.97                   | 0.35        | 1.33           | 99.91%            |
| V0460                               | LVK4411692 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 201                     |                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol         | 6 Month Avg Vol                                                                | 12 Month Avg Vol             | Target Monthly Vol | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 11,197       | 07/28/2020        | 154                     | 142                                                                            | 163                          | 0                  |                      |                      |                        |             |                |                   |
| V0462                               | LVK4411707 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 101                     |                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol         | 6 Month Avg Vol                                                                | 12 Month Avg Vol             | Target Monthly Vol | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 60,474       | 07/29/2020        | 13                      | 121                                                                            | 680                          | 0                  |                      |                      |                        |             |                |                   |
| V0463                               | LVK4411690 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 102                     |                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol         | 6 Month Avg Vol                                                                | 12 Month Avg Vol             | Target Monthly Vol | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 20,759       | 07/28/2020        | 0                       | 54                                                                             | 235                          | 0                  |                      |                      |                        |             |                |                   |
| V0464                               | LVK4411686 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 104                     |                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol         | 6 Month Avg Vol                                                                | 12 Month Avg Vol             | Target Monthly Vol | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 3,815        | 07/28/2020        | 0                       | 5                                                                              | 34                           | 0                  |                      |                      |                        |             |                |                   |
| V0465                               | LVK4411701 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Room 106                     |                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |
| Meter Type                          |            | Last Reading | Last Reading Date | 3 Month Avg Vol         | 6 Month Avg Vol                                                                | 12 Month Avg Vol             | Target Monthly Vol | Avg Calls Btw Visits | Avg Copies Btw Calls | Avg Copies Btw Failure |             |                |                   |
| BIW                                 |            | 8,384        | 07/28/2020        | 148                     | 66                                                                             | 116                          | 0                  |                      |                      |                        |             |                |                   |
| V0466                               | LVK4410507 | Kyocera      | Kyocera P2135dn   | Kyocera P2135dn Printer | Essex Westford School District- Chittenden Central - Thomas Fleming Elementary | Library Circulation Desk     |                    | Unknown              | Yes                  |                        |             |                |                   |
| Meter Information                   |            |              |                   |                         |                                                                                |                              |                    |                      |                      |                        |             |                |                   |

Page 45 of 46

| <u>Meter Type</u>                                                                                                                                                                                                                                                                                                                                                     | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|--------------------------|-------------------------|-------------------------|--------------------------|----------------------------|-----------------------------|-----------------------------|-------------------------------|
| BIW                                                                                                                                                                                                                                                                                                                                                                   | 12,503              | 07/28/2020               | 43                      | 162                     | 366                      | 0                          |                             |                             |                               |
| <b>V0467                      LW74701890                      Kyocera                      ECOSYS                      Kyocera ECOSYS P6026cdn                      Essex Westford School District- Chittenden Central - Thomas Fleming Elementary                      Library General Use                      Unknown                      Yes</b>                 |                     |                          |                         |                         |                          |                            |                             |                             |                               |
| <i>Meter Information</i>                                                                                                                                                                                                                                                                                                                                              |                     |                          |                         |                         |                          |                            |                             |                             |                               |
| <u>Meter Type</u>                                                                                                                                                                                                                                                                                                                                                     | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |
| BIW                                                                                                                                                                                                                                                                                                                                                                   | 6,587               | 06/30/2020               | 0                       | 31                      | 45                       | 0                          |                             |                             |                               |
| Color                                                                                                                                                                                                                                                                                                                                                                 | 20,095              | 06/30/2020               | 0                       | 60                      | 88                       | 0                          |                             |                             |                               |
| <b>V0469                      LVK4411678                      Kyocera                      Kyocera P2135dn                      Kyocera P2135dn Printer                      Essex Westford School District- Chittenden Central - Thomas Fleming Elementary                      Librarian Desk                      Unknown                      Yes</b>             |                     |                          |                         |                         |                          |                            |                             |                             |                               |
| <i>Meter Information</i>                                                                                                                                                                                                                                                                                                                                              |                     |                          |                         |                         |                          |                            |                             |                             |                               |
| <u>Meter Type</u>                                                                                                                                                                                                                                                                                                                                                     | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |
| BIW                                                                                                                                                                                                                                                                                                                                                                   | 5,326               | 07/28/2020               | 2                       | 22                      | 25                       | 0                          |                             |                             |                               |
| <b>V0470                      LVK4411683                      Kyocera                      Kyocera P2135dn                      Kyocera P2135dn Printer                      Essex Westford School District- Chittenden Central - Thomas Fleming Elementary                      Room 109 Main Office                      Unknown                      Yes</b>       |                     |                          |                         |                         |                          |                            |                             |                             |                               |
| <i>Meter Information</i>                                                                                                                                                                                                                                                                                                                                              |                     |                          |                         |                         |                          |                            |                             |                             |                               |
| <u>Meter Type</u>                                                                                                                                                                                                                                                                                                                                                     | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |
| BIW                                                                                                                                                                                                                                                                                                                                                                   | 8,965               | 07/28/2020               | 81                      | 53                      | 42                       | 0                          |                             |                             |                               |
| <b>V0471                      LVK4204359                      Kyocera                      Kyocera P2135dn                      Kyocera P2135dn Printer                      Essex Westford School District- Chittenden Central - Thomas Fleming Elementary                      Room B1                      Unknown                      Yes</b>                    |                     |                          |                         |                         |                          |                            |                             |                             |                               |
| <i>Meter Information</i>                                                                                                                                                                                                                                                                                                                                              |                     |                          |                         |                         |                          |                            |                             |                             |                               |
| <u>Meter Type</u>                                                                                                                                                                                                                                                                                                                                                     | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |
| BIW                                                                                                                                                                                                                                                                                                                                                                   | 15,483              | 06/30/2020               | 0                       | 126                     | 114                      | 0                          |                             |                             |                               |
| <b>V0472                      LVK4410509                      Kyocera                      Kyocera P2135dn                      Kyocera P2135dn Printer                      Essex Westford School District- Chittenden Central - Thomas Fleming Elementary                      Room B21                      Unknown                      Yes</b>                   |                     |                          |                         |                         |                          |                            |                             |                             |                               |
| <i>Meter Information</i>                                                                                                                                                                                                                                                                                                                                              |                     |                          |                         |                         |                          |                            |                             |                             |                               |
| <u>Meter Type</u>                                                                                                                                                                                                                                                                                                                                                     | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |
| BIW                                                                                                                                                                                                                                                                                                                                                                   | 2,668               | 06/30/2020               | 6                       | 3                       | 7                        | 0                          |                             |                             |                               |
| <b>V0474                      LVK4410495                      Kyocera                      Kyocera P2135dn                      Kyocera P2135dn Printer                      Essex Westford School District- Chittenden Central - Thomas Fleming Elementary                      Room B2 Staff Lounge V0474                      Unknown                      Yes</b> |                     |                          |                         |                         |                          |                            |                             |                             |                               |
| <i>Meter Information</i>                                                                                                                                                                                                                                                                                                                                              |                     |                          |                         |                         |                          |                            |                             |                             |                               |
| <u>Meter Type</u>                                                                                                                                                                                                                                                                                                                                                     | <u>Last Reading</u> | <u>Last Reading Date</u> | <u>3 Month Avg Vol.</u> | <u>6 Month Avg Vol.</u> | <u>12 Month Avg Vol.</u> | <u>Target Monthly Vol.</u> | <u>Avg Calls Btw Visits</u> | <u>Avg Copies Btw Calls</u> | <u>Avg Copies Btw Failure</u> |
| BIW                                                                                                                                                                                                                                                                                                                                                                   | 13,164              | 07/28/2020               | 0                       | 45                      | 94                       | 0                          |                             |                             |                               |

## Customer Contract Summary For Z-CPI4001-01

Contract Start Date: August 24, 2017

Contract End Date:

Total Calls Under Contract:

Total Parts Price:

Total Labor Price:

Total Supply Price: \_\_\_\_\_

Total Parts Cost:

Total Labor Cost:

Total Supply Cost: \_\_\_\_\_

Total Paid By Customer for Contract:

Total Margin:

Total Savings:

Total Equipment Count: 25  
Total Equipment on Contract: 25  
Total Equipment Serviced (in period): 1